

**LUND**<sup>®</sup>  
THE ULTIMATE FISHING EXPERIENCE

---

**2022**  
**RED BOOK**

---



---

# QUALITY FEATURES

---

What sets Lund apart from other aluminum boat builders is our ability to get more out of the material. We build our boats to a different standard, with longitudinal stringers, double-riveted seams and sophisticated twin-plating that doesn't add excessive weight.

- Aluminum corner castings
- Composite & aluminum transoms
- Durable wraparound windshield
- Easy-access service portals
- Flushmount horn
- Heavy-duty consoles
- Heavy-duty transom and gunwales
- Lighted instrumentation, including fuel gauge, trim gauge, speedometer, tachometer and voltmeter
- Long-lasting oven-cured finish
- Treated marine grade plywood
- Molded interior surfaces and side panels
- Navigational lighting
- No-pinch integrated seat hinges
- Recessed stainless-steel cleats
- Stainless steel bow rails
- Vinyl wrapped interior
- Wider chine for smoother, more stable ride

# TABLE OF CONTENTS


<b>A</b>	A-12 .....	4
	A-14 .....	5
<b>ADVENTURE</b>	1675 Adventure Sport .....	6
	1675 Adventure SS .....	7
	1775 Adventure Sport .....	8
	1775 Adventure SS .....	9
<b>ALASKAN</b>	1600 Alaskan SS .....	10
	1600 Alaskan Tiller .....	11
	1800 Alaskan Sport .....	12
	1800 Alaskan SS .....	13
	1800 Alaskan Tiller .....	14
	2000 Alaskan Sport .....	15
	2000 Alaskan SS .....	16
	2000 Alaskan Tiller .....	17
<b>ANGLER</b>	1650 Angler Sport .....	18
	1650 Angler SS .....	19
	1650 Angler Tiller .....	20
<b>BARON®</b>	2275 Baron .....	21
<b>CROSSOVER XS</b>	1775 Crossover XS .....	22
	1875 Crossover XS .....	23
<b>FISHERMAN</b>	1875 Fisherman .....	25
	2075 Fisherman .....	26
<b>FURY</b>	1400 Fury SS .....	27
	1400 Fury Tiller .....	28
	1600 Fury SS .....	29
	1600 Fury Tiller .....	30
<b>IMPACT XS</b>	1675 Impact XS Sport .....	31
	1675 Impact XS SS .....	32
	1775 Impact XS Sport .....	33
	1775 Impact XS SS .....	34
	1875 Impact XS Sport .....	35
	1875 Impact XS SS .....	36
	2025 Impact XS Sport .....	37
<b>JON</b>	1040 Jon-Flat Bow .....	38
	1240 Jon-Flat Bow .....	39
	1440M Jon-Flat Bow .....	40
	1448 Jon-Flat Bow .....	41
	1448M Jon-V Bow .....	42
	1648 Jon-V Bow .....	43
	1648M Jon-V Bow .....	44
	1852M Jon-V Bow .....	45
<b>PREDATOR</b>	1660 Predator Tiller .....	46
	1760 Predator SS .....	47
	1760 Predator Tiller .....	48
	1870 Predator CC .....	49
	1870 Predator SS .....	50
	1870 Predator Tiller .....	51
	2070 Predator CC .....	52
	2070 Predator SS .....	53

<b>PRO GUIDE</b>	1675 Pro Guide .....	54
	1775 Pro Guide .....	55
	1875 Pro Guide .....	56
	2075 Pro Guide .....	57
<b>PRO-V</b>	1875 Pro-V .....	58
	1975 Pro-V .....	59
	2075 Pro-V .....	60
	2175 Pro-V .....	61
<b>PRO-V BASS</b>	1875 Pro-V Bass XS .....	62
	2075 Pro-V Bass XS .....	63
<b>PRO-V GL</b>	189 Pro-V GL.....	64
	202 Pro-V GL.....	65
	219 Pro-V GL.....	66
<b>PRO-V LIMITED</b>	1875 Pro-V Limited .....	67
	1975 Pro-V Limited .....	68
	2075 Pro-V Limited .....	69
	2175 Pro-V Limited .....	70
<b>PRO-V MUSKY</b>	1875 Pro-V Musky XS.....	71
	2075 Pro-V Musky XS.....	72
<b>REBEL XL</b>	1650 Rebel XL Sport .....	73
	1650 Rebel XL SS.....	74
	1650 Rebel XL Tiller .....	75
<b>RENEGADE</b>	1775 Renegade .....	76
	1875 Renegade .....	77
	1975 Renegade .....	78
<b>SSV</b>	SSV-14 .....	79
	SSV-16 .....	80
	SSV-18 .....	81
<b>TYEE®</b>	1875 Tye.....	82
	1975 Tye.....	83
	2075 Tye.....	84
<b>TYEE GL</b>	189 Tye GL.....	85
<b>TYEE LIMITED</b>	1875 Tye Limited.....	86
	1975 Tye Limited.....	87
	2075 Tye Limited.....	88
<b>TYEE MAGNUM</b>	2075 Tye Magnum .....	89
<b>WC</b>	WC-12 .....	90
	WC-14.....	91
	WC-16.....	92
<b>2022 TROLLING MOTOR GUIDE</b>	.....	93
<b>2022 STEERING SYSTEMS GUIDE</b>	.....	94
<b>2022 CARPET/VINYL GUIDE</b>	.....	96
<b>2022 PROP SELECTOR GUIDE</b>	.....	102

# A-12

## STANDARD FEATURES

Cross Seats (3)  
Composite Transom  
Aluminum Keelsons (2)  
Aluminum Seat Tops  
Bow Eye  
Hull Drain Plug  
Level Flotation Compliance  
Oar Locks  
Stern Handles  
Flat Bottom



<b>Min/Max HP</b>	10 HP
<b>Beam</b>	60"
<b>Transom Height</b>	15"
<b>Boat Length</b>	12' 1"
<b>Boat Weight</b>	164 lbs.
<b>Motor Weight</b>	84 lbs. (9.9 4S)
<b>Trailer Weight</b>	173 lbs.
<b>Total Weight</b>	421 lbs.


<b>Max Persons</b>	3
<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.063"
<b>Max Hull Thickness</b>	0.063"
<b>Available Colors</b>	Alumnum Fall Marsh (Camo)*
<b>Hull Design</b>	Semi V-Hull

\*Optional Upcharge

# A-14

## STANDARD FEATURES

- Cross Seats (3)
- Composite Transom
- Aluminum Keelsons (2)
- Aluminum Seat Tops
- Bow Eye
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



<b>Min/Max HP</b>	15 HP
<b>Beam</b>	61"
<b>Transom Height</b>	15"
<b>Boat Length</b>	14' 1"
<b>Boat Weight</b>	194 lbs.
<b>Motor Weight</b>	99 lbs. (15 4S)
<b>Trailer Weight</b>	180 lbs.
<b>Total Weight</b>	473 lbs.

<b>Total Max Persons</b>	3
<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.063"
<b>Max Hull Thickness</b>	0.063"
<b>Available Colors</b>	Aluminum Fall Marsh (Camo)*
<b>Hull Design</b>	Semi V-Hull

\*Optional/Upcharge

# 1675 ADVENTURE SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (4)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23 Gallon)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/Walkthru Windshield
- Flush Mount Horn
- Full Lighted Instrumentation
- Interior Lighting
- Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold Down Cleats (4)



- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Drink Holders
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r TRAILER
- LUV22LTSH LundGuard Bunk (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

<b>Min/Max HP</b>	60 / 90 HP
<b>Beam/Chine</b>	87" / 70.75"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 10"
<b>Boat Weight</b>	1,060 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	1,900 lbs.
<b>Total Storage Length</b>	18' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	23"
<b>Engine/Approx. Speed</b>	
Mercury 60 4S	30-34 mph
Mercury 75 4S	38-42 mph
Mercury 90 4S	41-45 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Hull Design</b>	IPS

# 1675 ADVENTURE SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (4)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23 Gallon)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush Mount Horn
- Full Lighted Instrumentation
- Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Windshield


### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features



- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Drink Holders
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r TRAILER
- LUV22LTSH LundGuard Bunk
- (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

<b>Min/Max HP</b>	60 / 90 HP
<b>Beam/Chine</b>	87" / 70.75"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 10"
<b>Boat Weight</b>	1,010 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	1,850 lbs.
<b>Total Storage Length</b>	18' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 3"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	23"
<b>Engine/Approx. Speed</b>	
Mercury 60 4S	30-34 mph
Mercury 75 4S	38-42 mph
Mercury 90 4S	41-45 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Hull Design</b>	IPS



# 1775 ADVENTURE SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (6)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23 Gallon)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/Walkthru Windshield
- Flush Mount Horn
- Full Lighted Instrumentation
- Interior Lighting
- Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7", (5) 7' 5"
- Rod Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance



- Monochromatic Paint
- Stainless Steel Fold Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r TRAILER
- LUVE22LTSH LundGuard Bunk (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

<b>Min/Max HP</b>	60 / 115 HP
<b>Beam/Chine</b>	87" / 70.75"
<b>Transom Height</b>	20"
<b>Boat Length</b>	17' 10"
<b>Boat Weight</b>	1,185 lbs.
<b>Motor Weight</b>	359 lbs. (115 Pro XS)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	2,025 lbs.
<b>Total Storage Length</b>	20'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	23"
<b>Engine/Approx. Speed</b>	
Mercury 60 4S	30-34 mph
Mercury 75 4S	35-39 mph
Mercury 90 4S	39-43 mph
Mercury 115 Pro XS	43-47 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1775 ADVENTURE SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (6)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23 Gallon)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Console w/Windshield
- Flush Mount Horn
- Full Lighted Instrumentation
- Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to



Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r TRAILER
- LUVE22LTSH LundGuard Bunk (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

<b>Min/Max HP</b>	60 / 90 HP
<b>Beam/Chine</b>	87" / 70.75"
<b>Transom Height</b>	20"
<b>Boat Length</b>	17' 10"
<b>Boat Weight</b>	1,135 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	1,975 lbs.
<b>Total Storage Length</b>	20'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 3"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	23"
<b>Engine/Approx. Speed</b>	
Mercury 60 4S	30-34 mph
Mercury 75 4S	35-39 mph
Mercury 90 4S	39-43 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Hull Design</b>	IPS

# 1600 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removable Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (7'0")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias Ply Tires
- Load Guides
- Shoreland'r LUV22LTMH
- LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	40 / 75 HP
<b>Beam/Chine</b>	81" / 69.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 10"
<b>Boat Weight</b>	915 lbs.
<b>Motor Weight</b>	359 lbs. (75 4S)
<b>Trailer Weight</b>	581 lbs.
<b>Total Weight</b>	1,855 lbs.
<b>Total Storage Length</b>	19' 1"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 9"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.100"

<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 40 4S	26-30 mph
Mercury 50 4S	27-31 mph
Mercury 60 4S	29-33 mph
Mercury 75 4S	34-38 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Fall Marsh (Paint)*
	Gunmetal Metallic
	Heritage Red
	Wetlands Wrap*
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# 1600 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (3)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Rod Storage (7'0")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Aft Trolling Motor Harness w/Plug
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias Ply Tires
- Load Guides
- Shoreland'r LUV22LTMH
- LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	40 / 60 HP
<b>Beam/Chine</b>	81" / 69.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 10"
<b>Boat Weight</b>	860 lbs.
<b>Motor Weight</b>	247 lbs. (60 4S)
<b>Trailer Weight</b>	581 lbs.
<b>Total Weight</b>	1,688 lbs.
<b>Total Storage Length</b>	19' 1"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 2"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 40 4S	27-31 mph
Mercury 50 4S	28-32 mph
Mercury 60 4S	30-34 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Fall Marsh (Paint)*
	Gunmetal Metallic
	Heritage Red
	Wetlands Wrap*
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# 1800 ALASKAN SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (5)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Dual Consoles w/ Walkthrough Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias Ply Tires
- Load Guides
- Shoreland'r LUV2314XL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	50 / 90 HP
<b>Beam/Chine</b>	83" / 69.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	18' 9"
<b>Boat Weight</b>	1,105 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	754 lbs.
<b>Total Weight</b>	2,218 lbs.
<b>Total Storage Length</b>	22'
<b>Boat/Motor On Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	8'
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"

<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 75 4S	32-36 mph
Mercury 90 4S	36-40 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Fall Marsh (Paint)*
	Gunmetal Metallic
	Heritage Red
	Wetlands Wrap*
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# 1800 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (5)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removeable Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks / E-Coat Painted Wheels w/Bias Ply Tires
- Load Guides
- Shoreland'r LUV2314XL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	50 / 90 HP
<b>Beam/Chine</b>	83" / 69.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	18' 9"
<b>Boat Weight</b>	1,013 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	754 lbs.
<b>Total Weight</b>	2,143 lbs.
<b>Total Storage Length</b>	22'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 5"
<b>Boat/Trailer Width</b>	8'
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"

<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 50 4S	26-30 mph
Mercury 60 4S	27-31 mph
Mercury 75 4S	32-36 mph
Mercury 90 4S	36-40 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Fall Marsh (Paint)*
	Gunmetal Metallic
	Heritage Red
	Wetlands Wrap*
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# 1800 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Aft Trolling Motor Harness w/Plug
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias Ply Tires
- Load Guides
- Shoreland'r LUV2314XL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	50 / 75 HP
<b>Beam/Chine</b>	83" / 69.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	18' 9"
<b>Boat Weight</b>	975 lbs.
<b>Motor Weight</b>	359 lbs. (75 4S)
<b>Trailer Weight</b>	754 lbs.
<b>Total Weight</b>	2,088 lbs.
<b>Total Storage Length</b>	22'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 2"
<b>Boat/Trailer Width</b>	8'
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 50 4S	27-31 mph
Mercury 60 4S	28-32 mph
Mercury 75 4S	33-37 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Fall Marsh (Paint)*
	Gunmetal Metallic
	Heritage Red
	Wetlands Wrap*
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# 2000 ALASKAN SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (5)

### Fuel Tank

- 29 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Dual Consoles w/Walkthrough Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 0" Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Treated Marine Grade Plywood
- Vinyl Deck Mounting Pad/Bulkhead



- Vinyl Rod Storage Tops
- Transhield Cover

### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias Ply Tires
- Load Guides
- Shoreland'r LUV28BXXL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	90 / 150 HP
<b>Beam/Chine</b>	90.5" / 76"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 6"
<b>Boat Weight</b>	1,301 lbs.
<b>Motor Weight</b>	455 lbs (150 4S)
<b>Trailer Weight</b>	825 lbs.
<b>Total Weight</b>	2,572 lbs.
<b>Total Storage Length</b>	22' 8"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 10"
<b>Boat/Trailer Width</b>	8'
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.125"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	34-38 mph
Mercury 115 4S	37-41 mph
Mercury 150 4S	43-47 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Fall Marsh (Paint)*
	Gunmetal Metallic
	Heritage Red
	Wetlands Wrap*
<b>Hull Design</b>	IPS

\*Optional/Upcharge



# 2000 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (5)

### Fuel Tank

- 29 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removable Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 0" Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Vinyl Deck Mounting Pad/Bulkhead
- Vinyl Rod Storage Tops



- Transhield Cover
- Treated Marine Grade Plywood

### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias Ply Tires
- Load Guides
- Shoreland'r LUV28BXXL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	90 / 150 HP
<b>Beam/Chine</b>	90.5" / 76"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 6"
<b>Boat Weight</b>	1,226 lbs.
<b>Motor Weight</b>	455 lbs (150 4S)
<b>Trailer Weight</b>	825 lbs.
<b>Total Weight</b>	2,506 lbs.
<b>Total Storage Length</b>	22' 8"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	8'
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.125"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	34-38 mph
Mercury 115 4S	37-41 mph
Mercury 150 4S	43-47 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Fall Marsh (Paint)*
	Gunmetal Metallic
	Heritage Red
	Wetlands Wrap*
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# 2000 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (4)

### Fuel Tank

- 29 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Rod Storage (8' 0" Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Vinyl Deck Mounting Pad/Bulkhead
- Vinyl Rod Storage Tops
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias Ply Tires
- Load Guides
- Shoreland'r LUV28BXXL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	90 / 150 HP
<b>Beam/Chine</b>	90.5" / 76"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 6"
<b>Boat Weight</b>	1,131 lbs.
<b>Motor Weight</b>	455 lbs (150 4S)
<b>Trailer Weight</b>	754 lbs.
<b>Total Weight</b>	2,411 lbs.
<b>Total Storage Length</b>	22' 8"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 1"
<b>Boat/Trailer Width</b>	8'
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.125"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	35-39 mph
Mercury 115 4S	38-42 mph
Mercury 150 4S	43-47 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Fall Marsh (Paint)*
	Gunmetal Metallic
	Heritage Red
	Wetlands Wrap*
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# 1650 ANGLER SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5 Gallon Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" Long/16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Custom Dual Consoles w/ Walkthrough Windshield
- Flush Mount Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No Feedback Steering
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Port Rod Storage-8' 9"
- Lockable Starboard Rod Storage-7' 6"
- Storage Compartments
- Stern Light Pole Storage Location w/ Holders

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Aluminum Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug



- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- E-Coat Painted Wheels w/Radial Tires
- LUB15SEM Bunk Trailer
- Swing Tongue / (2)2x4 Bunks / LundGuard Frame / Tongue Jack

<b>Min/Max HP</b>	40 / 60 HP
<b>Beam/Chine</b>	80.5" / 66.25"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 5"
<b>Boat Weight</b>	905 lbs.
<b>Motor Weight</b>	247 lbs. (50 4S)
<b>Trailer Weight</b>	443 lbs.
<b>Total Weight</b>	1,595 lbs.
<b>Total Storage Length</b>	19' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	7' 8"
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	20.75"
<b>Engine</b>	
Mercury 40 4S	26-30 mph
Mercury 50 4S	27-31 mph
Mercury 60 4S	28-32 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Hull Design</b>	IPS

# 1650 ANGLER SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5 Gallon Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" Long/16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Custom Console w/Windshield
- Flush Mount Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No Feedback Steering
- Plug-in Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Lockable Port Rod Storage-8' 9"
- Lockable Starboard Rod Storage-7' 6"
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Aluminum Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders



- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- E-Coat Painted Wheels w/Radial Tires
- LUB15SEM Bunk Trailer
- Swing Tongue / (2)2x4 Bunks / LundGuard Frame / Tongue Jack

<b>Min/Max HP</b>	40 / 50 HP
<b>Beam/Chine</b>	80.5" / 66.25"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 5"
<b>Boat Weight</b>	845 lbs.
<b>Motor Weight</b>	247 lbs. (50 4S)
<b>Trailer Weight</b>	443 lbs.
<b>Total Weight</b>	1,535 lbs.
<b>Total Storage Length</b>	19' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	7' 8"
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	20.75"
<b>Engine</b>	
Mercury 40 4S	26-30 mph
Mercury 50 4S	27-31 mph
Mercury 60 4S	28-32 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Hull Design</b>	IPS

# 1650 ANGLER TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5 Gallon Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" /16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Flush Mount Horn
- LED Interior Lighting (1)
- Main Power Tiller Handle
- Navigational Lighting
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Fuel Tank Storage
- Lockable Port Rod Storage-8' 9"
- Locakable Starboard Rod Storage-7' 6"
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Aluminum Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan



Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

E-Coat Painted Wheels w/Radial Tires  
LUB15SEM Bunk Trailer  
Swing Tongue / (2)2x4 Bunks / LundGuard Frame / Tongue Jack

<b>Min/Max HP</b>	40 / 50 HP
<b>Beam/Chine</b>	80.5" / 66.25"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 5"
<b>Boat Weight</b>	763 lbs.
<b>Motor Weight</b>	247 lbs. (50 4S)
<b>Trailer Weight</b>	443 lbs.
<b>Total Weight</b>	1,453 lbs.
<b>Total Storage Length</b>	19' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	7' 8"
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	20.75"
<b>Engine</b>	
Mercury 40 4S	26-30 mph
Mercury 50 4S	27-31 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 2275 BARON®

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Pro Ride Seats (4)
- Air Ride Mainstay w/Slider (1)
- Air Ride Pedestals (3)
- Seat Bases (8)

### Fuel Tank

- 70 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Pro Long Livewell Systems

- Bow Livewell (25" Long / 9 Gallon)
- Aft Livewell (38" Long / 24 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle (Port and Starboard) • Kicker Stereo (2 Speakers) • Automotive Style Fuse Panel • Bow Trolling Motor Plug (24/36V) • Curved Windshield w/Walk-Thru • Full Lighted Instrumentation • Horn
- Hydraulic Tilt Steering • Interior and Livewell Lighting • Molded Auto Style Consoles • Navigational Lighting • Plug-In Wire Harness

### Storage

- Aft Storage for Sun Top, Complete Top or Bimini Top • Bow Cargo Net Storage • Console Storage • In-Floor Battery Storage • Lockable In-Floor Rod Storage (9' - 5 tubes, 8' 6" - 5 tubes) • Lockable Port Rod Locker (10' - 4 tubes) • Lockable Storage

### Other Exterior Features

- Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • 4 Step Boarding Ladder • Hull Drain Plug • ProTrak Gunwale • Stainless Steel Bow Rails • Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)



### Other Interior Features

- Aft Casting Platform • Bow Backrests • Battery Holders
- Bilge Pumps (1 Auto, 1 Manual) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Pro Deck Conversion • Vinyl Wrapped Side Panels • Drink Holders • Fire Extinguisher • Self-Draining Splash Pan • Sport Trak Accessory Brackets (2) • Sport Trak Coaming • Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- (4) 2x6 Bunks • Load Guides • Custom LundGuard Painted Bunk Trailer with Diamond Plated Fenders • Spare Tire • Swing Tongue • Tongue Jack

<b>Min/Max HP</b>	150 / 400 HP
<b>Beam/Chine</b>	102" / 89"
<b>Transom Height</b>	25"
<b>Boat Length</b>	22' 9"
<b>Boat Weight</b>	2,450 lbs.
<b>Motor Weight</b>	668 lbs. (400 Verado)
<b>Trailer Weight</b>	1,225 lbs.
<b>Total Weight</b>	4,343 lbs.
<b>Total Storage Length</b>	23' 10"
<b>Boat/Motor On Trailer Height</b>	7' 8"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	12
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.125"

<b>Max Hull Thickness</b>	0.225"
<b>Cockpit Depth</b>	30.5"
<b>Engine/Approx. Speed</b>	
Mercury 250 4S	52-56 mph
Mercury 300 Verado	55-59 mph
Mercury 350 Verado	55-59 mph
Mercury 400 Verado	57-61 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS2

# 1775 CROSSOVER XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Rear Jump Seats
- Drivers Seat Slider • ProRide Seats (3) • Seat Bases (6) • Solid Fixed Mainstay (1) • Solid Removable Pedestal (2)

### Fuel Tank

28 Gallon Fuel Tank

### Flooring

Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aerated Livewell (38" Long / 24 Gallon) • Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuses • Bow Trolling Motor Plug (12/24V)
- Custom Dual Consoles w/Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Interior Lighting - LED • iPod® Storage Compartment / Cubby
- Kicker Stereo with 2 MB Quart Speakers • Lockable Glovebox
- Mercury Analog Prerig w/Gauges • Navigational Lighting
- Plug-In Wire Harness • Steering-No Feedback Tilt

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top
- Battery Storage Compartments
- Lockable 2 Level Center Rod Locker (10 Rods, 7' Max Rod Length)
- Lockable Lower Center Wakeboard Storage • Lockable Storage • Open Port Side Storage (7' 6" Max. Rod Length) • Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes
- Composite Transom • Factory Engine Rigging Standard • Level Flotation Compliance • Stainless Steel Fold Down Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Admidship)



### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump Auto/Manual) • Bow Backrests
- Bow Casting Platform • Bow Cushions • Bow Deck Mounting Pad
- Cockpit Depth • Drink Holders (5)
- Dual Trak Gunwale • Grab Handles
- Removable Aft Casting Platform Extension (Port Side) • Self-Draining Splash Pan • Ski Pylon • Ski Tow Base
- SportTrak Accessory Brackets (2)
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- (4) 2x6 Bunks • Load Guides
- LUV30BESWSS0 LundGuard Bunk
- Spare Tire • Swing Tongue
- Tongue Jack

<b>Min/Max HP</b>	115 / 150 HP
<b>Beam/Chine</b>	95" / 82"
<b>Transom Height</b>	25"
<b>Boat Length</b>	17' 10"
<b>Boat Weight</b>	1,520 lbs.
<b>Motor Weight</b>	455 lbs. (150 4S)
<b>Trailer Weight</b>	750 lbs.
<b>Total Weight</b>	2,275 lbs.
<b>Total Storage Length</b>	20'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.160"
<b>Cockpit Depth</b>	25"
<b>Engine/Approx. Speed</b>	
Mercury 115 4S	39-43 mph
Mercury 150 4S	49-53 mph
<b>Exterior and Bottom/Deck Colors</b>	
See color options on page 24	
<b>Hull Design</b>	IPS

# 1875 CROSSOVER XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Rear Jump Seats
  - Drivers Seat Slider • ProRide Seats (3) • Seat Bases (6) • Solid Fixed Mainstay (1) • Solid Pedestals (2)

### Fuel Tank

- 35 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell w/Autotimer
  - Aft Livewell (38" Long / 24 Gallons) • Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle • Automotive Style Fuses • Bow Trolling Motor Plug (12/24V) • Custom Dual Consoles w/ Walkthrough Windshield • Full Lighted Instrumentation • Horn • Interior Lighting - LED • iPod® Storage Compartment / Cubby • Kicker Stereo with 2 MB Quart Speakers • Lockable Glovebox • Mercury Analog PreRig w/ Gauges • Navigational Lighting • Plug-In Wire Harness • Steering-No Feedback Tilt

### Storage


- Aft Storage for Sun Top, Complete Top, or Bimini Top • Battery Storage Compartments • Lockable 2 Level Center Rod Locker (10 Rods, 7' Max Rod Length) • Lockable Lower Center Wakeboard Storage • Lockable Storage • Open Port Side Storage (8' 6" Max. Rod Length) • Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
  - Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes • Composite Transom • Factory Engine Rigging Standard • Level Flotation Compliance • Stainless Steel Fold Down Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders



- (3) • Bilge Pump (1 pump Auto/ Manual) • Bow Backrests • Bow Casting Platform • Bow Cushions • Bow Deck Mounting Pad • Cockpit Depth • Drink Holders (5) • Dual Trak Gunwale • Grab Handles • Removable Aft Casting Platform Extension (Port Side) • Self-Draining Splash Pan • Ski Pylon • Ski Tow Base • SportTrak Accessory Brackets (2) • Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Load Guides • Shoreland'r Trailer LUV30BLWTMH • Painted Bunk • Spare Tire • Swing Tongue • Tongue Jack

<b>Min/Max HP</b>	115 / 175 HP
<b>Beam/Chine</b>	95" / 82"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 10"
<b>Boat Weight</b>	1,669 lbs.
<b>Motor Weight</b>	475 lbs. (175 4S)
<b>Trailer Weight</b>	907 lbs.
<b>Total Weight</b>	3,051 lbs.
<b>Total Storage Length</b>	21' 5"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	8
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	25"
<b>Engine/Approx. Speed</b>	
Mercury 115 4S	38-42 mph
Mercury 150 4S	48-52 mph
Mercury 175 4S	50-54 mph
<b>Exterior and Bottom/Deck Colors</b>	
	See color options on page 24
<b>Hull Design</b>	IPS



# CROSSOVER COLOR OPTIONS

## 1775 CROSSOVER XS

### Boat Color and Graphics

- Color - Black Deck/Bottom, Cobalt Blue Freeboards
- Color - Black Deck/Bottom, Gunmetal Freeboards
- Color - Black Deck/Bottom, Red Freeboards
- Color - Black Deck/Bottom, White Freeboards
- Color - Gunmetal Deck/Bottom, Black Freeboards
- Color - Gunmetal Deck/Bottom, Cobalt Blue Freeboards
- Color - Gunmetal Deck/Bottom, Red Freeboards
- Color - Gunmetal Deck/Bottom, White Freeboards
- Color - White Deck/Bottom, Black Freeboards
- Color - White Deck/Bottom, Cobalt Blue Freeboards
- Color - White Deck/Bottom, Gunmetal Freeboards
- Color - White Deck/Bottom, Red Freeboards
- Graphic Package - Blue
- Graphic Package - Charcoal
- Graphic Package - Red

## 1875 CROSSOVER XS

### Boat Color and Graphics

- Color - Black Deck/Bottom, Cobalt Blue Freeboards
- Color - Black Deck/Bottom, Gunmetal Freeboards
- Color - Black Deck/Bottom, Red Freeboards
- Color - Black Deck/Bottom, White Freeboards
- Color - Gunmetal Deck/Bottom, Black Freeboards
- Color - Gunmetal Deck/Bottom, Cobalt Blue Freeboards
- Color - Gunmetal Deck/Bottom, Red Freeboards
- Color - Gunmetal Deck/Bottom, White Freeboards
- Color - White Deck/Bottom, Black Freeboards
- Color - White Deck/Bottom, Cobalt Blue Freeboards
- Color - White Deck/Bottom, Gunmetal Freeboards
- Color - White Deck/Bottom, Red Freeboards
- Graphic Package - Blue
- Graphic Package - Charcoal
- Graphic Package - Red

# 1875 FISHERMAN

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Fold Down Jump Seats
- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 32 Gallon Fuel Tank

### Aerated Livewell w/Autotimer

- Aerated Aft Livewell (35" long/18 gallon)

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuses
- Bow Trolling Motor Plug (12/24V)
- Custom Dual Consoles w/Walkthrough Windshield
- Full Lighted Instrumentation Horn
- Interior Lighting - LED
- Lockable Glovebox
- Navigational Lighting
- Plug-In Wire Harness
- Steering-No Feedback Tilt

### Storage

- Battery Storage Compartments
- Bubble Sealed Bow Storage
- Lockable Center Bow Rod Storage (5) 7' 6", (5) 7' 2"
- Lockable Storage
- Open Port Side Rod Storage 8' 2"
- Open Starboard Side Storage
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging Standard
- Level Flotation Compliance
- Stainless Steel Fold Down Cleats (6)
- Transhield Cover
- Twin Plated Bottom (Bow to Admidship)



### Other Interior Features

- Aluminum Floor and Deck
  - Battery Holders (3)
  - Bilge Pump (1 pump Auto/Manual)
  - Bow Casting Platform
  - Bow Deck Mounting Pad
  - Drink Holders
  - Dual Trak Gunwale
  - Grab Handles
  - Self-Draining Splash Pan
  - SportTrak Accessory Brackets (2)
  - Toe Holds
  - Vertical Rod Rack with Tool Holders (5 Tubes and 8 Tool Holders)
  - Vinyl Main Floor/Carpeted Decks
  - Weatherboards Reinforced for Downriggers
- ### Shoreland'r Trailer
- (4) 2x6 Bunks
  - Bunk Trailer LundGuard w/Swing Tongue, Load Guides, Spare Tire Tongue Jack

<b>Min/Max HP</b>	90 / 150 HP
<b>Beam/Chine</b>	99" / 86"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 10"
<b>Boat Weight</b>	1,615 lbs.
<b>Motor Weight</b>	456 lbs. (150 Pro XS)
<b>Trailer Weight</b>	704 lbs.
<b>Total Weight</b>	2,775 lbs.
<b>Total Storage Length</b>	21' 3"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	8
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.200"
<b>Cockpit Depth</b>	29"
<b>Engine/Approx. Speed</b>	
Mercury 115 4S	37-41 mph
Mercury 150 4S	43-47 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS

# 2075 FISHERMAN

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Fold Down Jump Seats
- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 40 Gallon Fuel Tank

### Aerated Livewell w/Autotimer

- Aerated Aft Livewell (35" Long / 18 Gallon)

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuses
- Bow Trolling Motor Plug (24v/36v)
- Custom Dual Consoles w/ Walkthrough Windshield
- Full Lighted Instrumentation Horn
- Hydraulic steering with tilt
- Interior Lighting - LED
- Lockable Glovebox
- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Bubble Sealed Bow Storage
- Lockable Center Bow Rod Storage (5) 7' 6", (5) 7' 2"
- Lockable Storage
- Open Port Side Rod Storage 10'
- Open Starboard Side Storage
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging Standard
- Level Flotation Compliance
- Stainless Steel Fold Down Cleats (6)
- Transhield Cover
- Twin Plated Bottom (Bow to Admidship)



### Other Interior Features

- Aluminum Floor and Deck
  - Battery Holders (4)
  - Bilge Pump (1 pump Auto/Manual)
  - Bow Casting Platform
  - Bow Deck Mounting Pad
  - Drink Holders
  - Dual Trak Gunwale
  - Grab Handles
  - Self-Draining Splash Pan
  - SportTrak Accessory Brackets (2)
  - Toe Holds
  - Vertical Rod Rack with Tool Holders (5 Tubes and 8 Tool Holders)
  - Vinyl Main Floor/Carpeted Decks
  - Weatherboards Reinforced for Downriggers
- ### Shoreland'r Trailer
- (4) 2x6 Bunks
  - Bunk Trailer LundGuard w/Swing Tongue, Load Guides, Spare Tire
  - Tongue Jack

<b>Min/Max HP</b>	150 / 200 HP
<b>Beam/Chine</b>	99" / 86"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 10"
<b>Boat Weight</b>	1,850 lbs.
<b>Motor Weight</b>	505 lbs. (200 Pro XS)
<b>Trailer Weight</b>	945 lbs.
<b>Total Weight</b>	3,300 lbs.
<b>Total Storage Length</b>	22' 7"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	9
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.225"
<b>Cockpit Depth</b>	29"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	38-42 mph
Mercury 175 4S	40-44xmph
Mercury 200 4S	43-47 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS

# 1400 FURY SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (3)
- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestals (1)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11 Gallon)

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Rod Storage (7')
- Storage Compartments

### Other Exterior Features


- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- (2) 2x4 Bunk
- LUB14TS Painted Bunk
- Straight Tongue
- Tongue Jack



<b>Min/Max HP</b>	20 / 30 HP
<b>Beam/Chine</b>	69.5" / 56"
<b>Transom Height</b>	20"
<b>Boat Length</b>	14' 9"
<b>Boat Weight</b>	545 lbs.
<b>Motor Weight</b>	172 lbs. (30 4S)
<b>Trailer Weight</b>	274 lbs.
<b>Total Weight</b>	991 lbs.
<b>Total Storage Length</b>	19' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 7"
<b>Boat/Trailer Width</b>	6'
<b>Max Persons</b>	4

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.080"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 25 4S	22-26 mph
Mercury 30 4S	23-27 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1400 FURY TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (3)
- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removable Pedestals (1)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11 Gallon)

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-in Wire Harness
- Main Power Tiller Handle

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Rod Storage (7')
- Storage Compartments

### Other Exterior Features


- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- (2) 2x4 Bunk
- LUB14TS Painted Bunk
- Straight Tongue
- Tongue Jack



<b>Min/Max HP</b>	20 / 30 HP
<b>Beam/Chine</b>	69.5" / 56"
<b>Transom Height</b>	20"
<b>Boat Length</b>	14' 9"
<b>Boat Weight</b>	500 lbs.
<b>Motor Weight</b>	172 lbs. (30 4S)
<b>Trailer Weight</b>	274 lbs.
<b>Total Weight</b>	946 lbs.
<b>Total Storage Length</b>	19' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 2"
<b>Boat/Trailer Width</b>	6'
<b>Max Persons</b>	4

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.080"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 20 4S	17-21 mph
Mercury 25 4S	22-26 mph
Mercury 30 4S	23-27 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1600 FURY SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (4)
- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestals (1)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11 Gallon)

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-in Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Rod Storage (7' 6")
- Storage Compartments

### Other Exterior Features


- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- (2) 2x4 Bunk
- LUB14TM Painted Bunk
- Straight Tongue
- Tongue Jack



<b>Min/Max HP</b>	20 / 40 HP
<b>Beam/Chine</b>	73.5" / 56"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 2"
<b>Boat Weight</b>	565 lbs.
<b>Motor Weight</b>	204 lbs. (40 4S)
<b>Trailer Weight</b>	280 lbs.
<b>Total Weight</b>	1.049 lbs.
<b>Total Storage Length</b>	20' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 7"
<b>Boat/Trailer Width</b>	6' 2"
<b>Max Persons</b>	5
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.080"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 25 4S	21-25 mph
Mercury 30 4S	22-26 mph
Mercury 40 4S	28-32 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1600 FURY TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (3)
- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestals (1)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11 Gallon)

### Consoles/Instrumentation/Lighting

- Main Power Tiller Handle
- Navigational Lighting
- Plug-in Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Rod Storage (7' 6")
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- (2) 2x4 Bunk
- LUB14TM Painted Bunk
- Straight Tongue
- Tongue Jack



<b>Min/Max HP</b>	20 /40 HP
<b>Beam/Chine</b>	73.5" / 56"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 2"
<b>Boat Weight</b>	502 lbs.
<b>Motor Weight</b>	204 lbs. (40 4S)
<b>Trailer Weight</b>	280 lbs.
<b>Total Weight</b>	1,004 lbs.
<b>Total Storage Length</b>	20' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 2"
<b>Boat/Trailer Width</b>	6' 2"
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.080"
<b>Cockpit Depth</b>	21"
<b>Engine/Approx. Speed</b>	
Mercury 25 4S	21-25 mph
Mercury 30 4S	22-26 mph
Mercury 40 4S	28-32 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1675 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • Seat Bases (5) • Standard Seats (2) • Solid - Fixed Mainstay (1) • Solid - Removable Pedestal (1)

### Fuel Tank

22 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell w/Autotimer  
• Aft Livewell (38" Long / 24 Gallon)  
• Bow Livewell (27" Long / 11 Gallon) • Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting


Custom Dual Consoles w/  
Walkthrough Windshield • Full  
Lighted Instrumentation • Horn  
• Kicker Stereo • LED Interior  
Lighting • Lockable Glove Box  
• Mercury Analog Prerig w/Gauges  
• Navigational Lighting • No-  
Feedback Steering • Plug-In Wire  
Harness

### Storage

Battery Storage Compartments  
• Lockable Center Bow Rod Storage  
w/Tubes (5) 7', (5) 6' 6" • Lockable  
Port Side Rod Storage - 7'  
Starboard Side Rod Storage - 7'  
• Lockable Storage • Storage  
Compartments • Port and  
Starboard Console Cubby Storage

### Other Exterior Features

Aluminum Corner Castings  
• Boarding Ladder 4 Step Folding  
Pan Mounted • Bow & Stern Eyes  
• Factory Engine Rigging • Hull Drain  
Plug • Level Flotation Compliance  
• Stainless Steel Fold Down Cleats  
• Transhield Cover • Twin Plated  
Bottom (Bow to Amidship)  
• Composite Transom



### Other Interior Features

Aft Casting Platform • Battery  
Holders (3) • Bilge Pump (1 pump  
Manual) • Bow Casting Platform  
• Bow Deck Mounting Pad • Bow  
Trolling Motor Harness w/Plug  
• Drink Holders • Dual Trak Gunwale  
Port Splash Pan Insert • Self  
Draining Splash Pan • Treated  
Marine Grade Plywood - Bow to  
Stern

### Trailer

Load Guides • Shoreland'r Trailer  
• (4) 2x6 Bunks / LundGuard  
Painted Frame • Spare Tire • Swing  
Tongue / E-Coat Painted Wheels  
w/Radial Tires • Tongue Jack / LED  
Lights / Retractable Tie Downs  
• LUV23SES75SSO

<b>Min/Max HP</b>	90 HP
<b>Beam/Chine</b>	90" / 76"
<b>Transom Height</b>	25"
<b>Boat Length</b>	16' 10"
<b>Boat Weight</b>	1,320 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	724 lbs.
<b>Total Weight</b>	2,403 lbs.
<b>Total Storage Length</b>	19' 2"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 0"
<b>Boat/Trailer Width</b>	8' 3"
<b>Max Persons</b>	6

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.160"
<b>Cockpit Depth</b>	22"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	38-42 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS



# 1675 IMPACT XS SS

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • Seat Bases (5) • Standard Seats (2) • Solid - Fixed Mainstay (1) • Solid - Removable Pedestal (1)

### Fuel Tank

22 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell w/Autotimer  
 • Aft Livewell (38" Long / 24 Gallon)  
 • Bow Livewell (27" Long / 11 Gallon)  
 • Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting

Custom Console w/Windshield • Full Lighted Instrumentation • Horn  
 • Kicker Stereo • LED Interior Lighting • Lockable Glove Box  
 • Mercury Analog Prerig w/Gauges  
 • Navigational Lighting • No-Feedback Steering • Plug-In Wire Harness

### Storage


Battery Storage Compartments  
 • Lockable Center Bow Rod Storage w/Tubes (5) 7', (5) 6' 6" • Lockable Port Side Rod Storage - 7'  
 Starboard Side Rod Storage - 7'  
 • Lockable Storage • Storage Compartments • Port and Starboard Console Cubby Storage

### Other Exterior Features

Aluminum Corner Castings  
 • Boarding Ladder 4 Step Folding  
 • Pan Mounted • Bow & Stern Eyes  
 Hull Drain Plug • Factory Engine Rigging • Level Flotation Compliance  
 Stainless Steel Fold Down Cleats  
 • Transhield Cover • Twin Plated Bottom (Bow to Amidship)  
 • Composite Transom

### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump



Manual) • Bow Casting Platform  
 • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug • Drink Holders • Dual Trak Gunwale  
 • Port Splash Pan Insert • Self Draining Splash Pan • Treated Marine Grade Plywood - Bow to Stern

### Trailer

Load Guides • Shoreland'r Trailer  
 • (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted • Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs  
 • LUV23SES75SSO

<b>Min/Max HP</b>	90 HP
<b>Beam/Chine</b>	90" / 76"
<b>Transom Height</b>	25"
<b>Boat Length</b>	16' 10"
<b>Boat Weight</b>	1,260 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	724 lbs.
<b>Total Weight</b>	2,343 lbs.
<b>Total Storage Length</b>	19' 2"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 10"
<b>Boat/Trailer Width</b>	8' 3"
<b>Max Persons</b>	6

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.160"
<b>Cockpit Depth</b>	22"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	38-42 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS

# 1775 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • Standard Seats (2) • Solid - Fixed Mainstay (1) • Solid - Removable Pedestal (1) • Seat Bases (6)

### Fuel Tank

30 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell w/Autotimer • Aft Livewell (38" Long / 24 Gallon) • Bow Livewell (27" Long / 11 Gallon) • Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting


Custom Console w/Walkthrough Windshield • Full Lighted Instrumentation • Horn • Kicker Stereo • LED Interior Lighting • Lockable Glove Box • Mercury Analog Prerig w/Gauges • Navigational Lighting • No-Feedback Steering • Plug-In Wire Harness

### Storage

Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 8' • Lockable Port Side Rod Storage - 7'6" • Starboard Rod Storage - 7'6" • Lockable Storage • Storage Compartments • Port and Starboard Console Cubby Storage

### Other Exterior Features

Aluminum Corner Castings • Boarding Ladder 4 Step Folding • Pan Mounted • Bow & Stern Eyes • Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance • Stainless Steel Fold Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship) • Composite Transom



### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump Manual) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug • Drink Holders • Dual Trak Gunwale • Port Splash Pan Insert • Self Draining Splash Pan • Treated Marine Grade Plywood

### Trailer

Load Guides • Shoreland'r Trailer • (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs • LUV23SELWSSO

<b>Min/Max HP</b>	75 / 125 HP
<b>Beam/Chine</b>	96" / 81.5"
<b>Transom Height</b>	25"
<b>Boat Length</b>	17' 11"
<b>Boat Weight</b>	1,390 lbs.
<b>Motor Weight</b>	359 lbs. (115 Pro XS)
<b>Trailer Weight</b>	739 lbs.
<b>Total Weight</b>	2,488 lbs.
<b>Total Storage Length</b>	20' 2"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 0"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.160"
<b>Cockpit Depth</b>	22.75"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	36-40 mph
Mercury 115 4S	41-45 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS

# 1775 IMPACT XS SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Standard Seats (2) • Solid - Fixed
- Mainstay (1) • Solid - Removable
- Pedestal (1) • Seat Bases (6)

### Fuel Tank

30 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (38" Long / 24 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting

- Custom Console w/Windshield • Full Lighted Instrumentation
- Horn • Kicker Stereo • LED Interior Lighting • Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting • No-Feedback Steering • Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 8' • Lockable Port Side Rod Storage - 7'6"
- Starboard Rod Storage - 7'6"
- Lockable Storage • Storage Compartments • Port and Starboard Console Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes
- Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance
- Stainless Steel Fold Down Cleats
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)
- Composite Transom

### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump



- Manual) • Bow Casting Platform
- Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug
- Drink Holders • Dual Trak Gunwale
- Port Splash Pan Insert • Self Draining Splash Pan • Treated Marine Grade Plywood

### Trailer

- Load Guides • Shoreland'r Trailer
- (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted • Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs
- LUV23SELWSSO

<b>Min/Max HP</b>	75 / 125 HP
<b>Beam/Chine</b>	96" / 81.5"
<b>Transom Height</b>	25"
<b>Boat Length</b>	17' 11"
<b>Boat Weight</b>	1,330 lbs.
<b>Motor Weight</b>	359 lbs. (115 Pro XS)
<b>Trailer Weight</b>	739 lbs.
<b>Total Weight</b>	2,428 lbs.
<b>Total Storage Length</b>	20' 2"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 10"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.160"
<b>Cockpit Depth</b>	22.75"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	36-40 mph
Mercury 115 4S	41-45 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silve Stone
<b>Hull Design</b>	IPS

# 1875 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • Standard Seats (3) • Solid - Fixed Mainstay (1) • Solid - Removable Pedestal (2) • Seat Bases (6)

### Fuel Tank

36 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell w/Autotimer  
• Aft Livewell (38" Long / 24 Gallon)  
• Bow Livewell (27" Long / 11 Gallon)  
• Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting

Custom Dual Consoles w/  
Walkthrough Windshield • Full  
Lighted Instrumentation • Horn  
• Kicker Stereo • LED Interior  
Lighting • Mercury Analog Prerig w/  
Gauges • Navigational Lighting  
• No-Feedback Steering • Plug-In  
Wire Harness

### Storage


Battery Storage Compartments  
Lockable Center Bow Rod Storage  
w/Tubes (5) 7'6", (5) 8'  
Lockable Port Side Rod Storage - 8'6"  
Lockable Storage  
Starboard Rod Storage - 8'6"  
Storage Compartments  
Port and Starboard Console  
Cubby Storage

### Other Exterior Features

Aluminum Corner Castings • Boarding  
Ladder 4 Step Folding Pan Mounted  
• Bow & Stern Eyes • Factory Engine  
Rigging • Hull Drain Plug • Level  
Flotation Compliance • Stainless  
Steel Fold Down Cleats • Transhield  
Cover • Twin Plated Bottom (Bow to  
Amidship) • Composite Transom

### Other Interior Features

Aft Casting Platform • Battery Holders  
(3) • Bilge Pump (1 pump Manual)



• Bow Casting Platform • Bow  
Deck Mounting Pad • Bow Trolling  
Motor Harness w/Plug • Drink  
Holders • Dual Trak Gunwale • Port  
Splash Pan Insert • Self Draining  
Splash Pan • Treated Marine Grade  
Plywood

### Trailer

Load Guides • Shoreland'r Trailer  
• (4) 2x6 Bunks / LundGuard  
Painted Frame • Spare Tire • Swing  
Tongue / E-Coat Painted Wheels  
w/Radial Tires • Tongue Jack / LED  
Lights / Retractable Tie Downs  
• LUV30BELWMSO

<b>Min/Max HP</b>	90 / 150 HP
<b>Beam/Chine</b>	96" / 81.5"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 11"
<b>Boat Weight</b>	1,520 lbs.
<b>Motor Weight</b>	455 lbs. (150 4S)
<b>Trailer Weight</b>	765 lbs.
<b>Total Weight</b>	2,740 lbs.
<b>Total Storage Length</b>	21' 5"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.160"
<b>Cockpit Depth</b>	22.75"
<b>Engine/Approx. Speed</b>	
Mercury 115 4S	40-44 mph
Mercury 150 4S	48-52 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS

# 1875 IMPACT XS SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats • Standard Seats (3) • Solid - Fixed Mainstay (1) • Solid - Removable Pedestal (2) • Seat Bases (6)

### Fuel Tank

36 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer • Aft Livewell (38" Long / 24 Gallon) • Bow Livewell (27" Long / 11 Gallon) • Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting

- Custom Console w/Windshield • Full Lighted Instrumentation • Horn • Kicker Stereo • LED Interior Lighting • Mercury Analog Prerig w/Gauges • Navigational Lighting • No-Feedback Steering • Plug-In Wire Harness

### Storage


- Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 7'6", (5) 8' • Lockable Port Side Rod Storage - 8'6" • Lockable Storage • Starboard Rod Storage - 8'6" • Storage Compartments • Port and Starboard Console Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings • Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes • Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance • Stainless Steel Fold Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship) • Composite Transom

### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump Manual) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug • Drink Holders • Dual Trak Gunwale • Port Splash Pan



- Insert • Self Draining Splash Pan • Treated Marine Grade Plywood

### Trailer

- Load Guides • Shoreland'r Trailer • (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs • LUV30BELWMSO

<b>Min/Max HP</b>	90 / 150 HP
<b>Beam/Chine</b>	96" / 81.5"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 11"
<b>Boat Weight</b>	1,460 lbs.
<b>Motor Weight</b>	455 lbs. (150 4S)
<b>Trailer Weight</b>	765 lbs.
<b>Total Weight</b>	2,680 lbs.
<b>Total Storage Length</b>	21' 5"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 10"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.160"
<b>Cockpit Depth</b>	22.75"
<b>Engine/Approx. Speed</b>	
Mercury 115 4S	40-44 mph
Mercury 150 4S	48-52 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS

# 2025 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • Drivers Seat Slider • Standard Seats (4)  
• Solid - Fixed Mainstay (1) • Solid - Removable Pedestals (3) • Seat Bases (6)

### Fuel Tank

46 Gallon Fuel Tank

### Flooring Vinyl Main Floor

### Livewell Systems

Aerated Livewell w/Autotimer  
• Aft Livewell (38" Long / 24 Gallon)  
• Bow Livewell (27" Long / 11 Gallon)  
• Freshwater Pickup for Aft Livewell  
• Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting

Custom Dual Consoles w/  
Walkthrough Windshield • Full Lighted Instrumentation • Horn  
• Kicker Stereo • LED Interior Lighting • Mercury Analog Prerig w/Gauges • Navigational Lighting  
• Plug-In Wire Harness • Steering-Hydraulic with Tilt

### Storage


Battery Storage Compartments  
• Lockable Center Bow Rod Storage w/Tubes (6) 7'6", (6) 8' • Lockable Port Side Rod Storage 8'6" • Port and Starboard Console Cubby Storage

### Other Exterior Features

Aluminum Corner Castings  
• Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes  
• Factory Engine Rigging • Hull Drain Plug • Stainless Steel Retractable Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)  
• Composite Transom

### Other Interior Features

Aft Casting Platform • Battery Holders (4) • Bilge Pump (1 pump



Manual/Auto) • Bow Casting Platform • Bow Deck Mounting Pad  
• Bow Trolling Motor Harness w/ Plug • Drink Holders • Dual Trak Gunwale • Grab Handles • Self Draining Splash Pan • Ski Tow-Base only (No Pylon Included) • Sport Trak Accessory Brackets (2)  
• Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

Load Guides • (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires/ Tandem Axles w/Brakes on One Axle • Tongue Jack / LED Lights / Retractable Tie Downs  
• LUV40TBXLW


<b>Min/Max HP</b>	135 / 200 HP
<b>Beam/Chine</b>	96" / 81.75"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 2"
<b>Boat Weight</b>	1,685 lbs.
<b>Motor Weight</b>	475 lbs. (200 4S)
<b>Trailer Weight</b>	1,202 lbs.
<b>Total Weight</b>	3,362 lbs.
<b>Total Storage Length</b>	23' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	8
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	21.75"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	43-47 mph
Mercury 175 4S	46-50 mph
Mercury 200 4S	48-52 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS2

# 1040 JON-FLAT BOW

## STANDARD FEATURES

NMMA® Certified  
Olive Drab Green Acrylic Paint  
Flat Bottom, Square Bow  
Formed in Keels  
Bow Handle  
2 Transom Handles  
Formed in Spray Rails  
Formed Transom Corner Caps  
Transom Drain Plug  
Oar Locks




<b>Min / Max HP</b>	5 HP
<b>Beam</b>	56"
<b>Transom</b>	15"
<b>Boat Length</b>	10'

<b>Boat Weight</b>	87 lbs.
<b>Max Persons</b>	3
<b>Available Colors</b>	Olive Drab
<b>Hull Design</b>	Mod-V

# 1240 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks



<b>Min / Max HP</b>	10 HP
<b>Beam</b>	56"
<b>Transom</b>	15"
<b>Boat Length</b>	11' 9"


<b>Boat Weight</b>	107 lbs.
<b>Max Persons</b>	3
<b>Available Colors</b>	Olive Drab
<b>Hull Design</b>	Mod-V



# 1440M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks




<b>Min / Max HP</b>	20 HP
<b>Beam</b>	59"
<b>Transom</b>	15"
<b>Boat Length</b>	13' 8"

<b>Boat Weight</b>	205 lbs.
<b>Max Persons</b>	3
<b>Available Colors</b>	Olive Drab
<b>Hull Design</b>	Mod-V

# 1448 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity Fed Livewell Storage




<b>Min / Max HP</b>	25 HP
<b>Beam</b>	70"
<b>Transom</b>	15" or 20"
<b>Boat Length</b>	13' 8"

<b>Boat Weight</b>	260 lbs.
<b>Max Persons</b>	4
<b>Available Colors</b>	Olive Drab
<b>Hull Design</b>	Mod-V

# 1448M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Modified V Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity
- Fed Livewell/Storage




<b>Min / Max HP</b>	25 HP
<b>Beam</b>	70"
<b>Transom</b>	15" or 20"
<b>Boat Length</b>	13' 8"

<b>Boat Weight</b>	260 lbs.
<b>Max Persons</b>	4
<b>Available Colors</b>	Olive Drab
<b>Hull Design</b>	Mod-V

# 1648 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity Fed Livewell/  
Storage
- Stainless Steel Bow Eye




<b>Min / Max HP</b>	35 HP
<b>Beam</b>	70"
<b>Transom</b>	15" or 20"
<b>Boat Length</b>	15' 8.5"

<b>Boat Weight</b>	275 lbs.
<b>Max Persons</b>	4
<b>Available Colors</b>	Olive Drab
<b>Hull Design</b>	Mod-V

# 1648M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Modified V Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity Fed Livewell/  
Storage
- Stainless Steel Bow Eye




<b>Min / Max HP</b>	35 HP
<b>Beam</b>	70"
<b>Transom</b>	15" or 20"
<b>Boat Length</b>	15' 8.5"

<b>Boat Weight</b>	275 lbs.
<b>Max Persons</b>	4
<b>Available Colors</b>	Olive Drab
<b>Hull Design</b>	Mod-V

# 1852M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Modified V Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity Fed Livewell
- Storage
- Stainless Steel Bow Eye



<b>Min / Max HP</b>	65 HP (Remote) 45 HP (Tiller)
<b>Beam</b>	75"
<b>Transom</b>	20"
<b>Boat Length</b>	17' 9"

<b>Boat Weight</b>	475 lbs.
<b>Max Persons</b>	6
<b>Available Colors</b>	Olive Drab
<b>Hull Design</b>	Mod-V

# 1660 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

Standard Fold Down Seats (2)  
(Mossy Oak®)

Pedestal Bases (5)

### Flooring

Non-skid Floor Liner

### Livewell Systems

Aerated Livewell Systems

Bow Livewell (Manual Aeration)  
(31" Long / 18 Gallon)

### Other Exterior Features

2 Step Strap Ladder with Mesh Bag

6" Black Nylon Cleats

Aluminum Transom

Hull Drain Plug

Navigational Lighting

NMMA® Certified

SportTrak / ProTrak Gunnel

Transducer Bracket (Welded)

Trim Tabs

Utility Mod-V Graphics

### Other Interior Features

Battery Trays - 1 Small

Battery Trays - 1 Large

Bilge Pump

Bow Trolling Motor Plug

Edge Trim and Compression

Latches on Doors

Side Rod Holder & Rod Tube

Combo - 7' 6"


### Trailer

LundGuard Bunk Trailer w/Load

Guides

Swing Tongue

Trailer Jack



<b>Min/Max HP</b>	50 HP
<b>Beam/Chine</b>	85" / 60.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16'
<b>Boat Weight</b>	670 lbs.
<b>Motor Weight</b>	247 lbs. (50 4S)
<b>Trailer Weight</b>	385 lbs.
<b>Total Weight</b>	1,302 lbs.
<b>Total Storage Length</b>	19' 6"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 8"
<b>Boat/Trailer Width</b>	7' 2"

<b>Max Persons</b>	4
<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	22.25"
<b>Engine/Approx. Speed</b>	Mercury 50 4S 30-32 mph
<b>Available Colors</b>	Dead Grass Green Mossy Oak Break Up* Mossy Oak® Shadow Grass*
<b>Hull Design</b>	Mod V

\*Optional/Upcharge

# 1760 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal
- 2 Fold Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (31" Long / 18 Gallon)

### Consoles/Instrumentation/Lighting

- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console (Helm)

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2 Step Strap Ladder with Mesh Bag
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Edge Trim and Compression Latches on Doors
- Horn
- Side Rod Holder & Rod Tube Combo - 7' 6"

### Trailer

- LundGuard Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



<b>Min/Max HP</b>	75 HP
<b>Beam/Chine</b>	85" / 60.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	17'
<b>Boat Weight</b>	910 lbs.
<b>Motor Weight</b>	359 lbs. (60 4S)
<b>Trailer Weight</b>	385 lbs.
<b>Total Weight</b>	1,654 lbs.
<b>Total Storage Length</b>	19' 6"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 3"
<b>Boat/Trailer Width</b>	7' 2"

<b>Max Persons</b>	5
<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	20.5"
<b>Engine/Approx. Speed</b>	
Mercury 60 4S	33-35 mph
<b>Available Colors</b>	
	Dead Grass Green
	Mossy Oak Break Up*
	Mossy Oak® Shadow Grass*
<b>Hull Design</b>	Mod V

\*Optional/Upcharge



# 1760 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

Standard Fold Down Seats (2)  
(Mossy Oak®)

Pedestal Bases (5)

### Flooring

Non-skid Floor Liner

### Livewell Systems

Aerated Livewell Systems

Bow Livewell (Manual Aeration)  
(31" Long / 18 Gallon)

### Other Exterior Features

2 Step Strap Ladder with Mesh Bag

6" Black Nylon Cleats

Aluminum Transom

Hull Drain Plug

Navigational Lighting

NMMA® Certified

SportTrak / ProTrak Gunnel

Transducer Bracket (Welded)

Trim Tabs

Utility Mod-V Graphics

### Other Interior Features

Battery Trays - 1 Small

Battery Trays - 1 Large

Bilge Pump (1 Manual)

Bow Trolling Motor Plug

Edge Trim and Compression

Latches on Doors

Side Rod Holder & Rod Tube

Combo - 8' 6"


### Trailer

LundGuard Bunk Trailer w/Load

Guides

Swing Tongue

Trailer Jack



<b>Min/Max HP</b>	60 HP
<b>Beam/Chine</b>	85" / 60.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	17'
<b>Boat Weight</b>	787 lbs.
<b>Motor Weight</b>	247 lbs. (60 4S)
<b>Trailer Weight</b>	385 lbs.
<b>Total Weight</b>	1,419 lbs.
<b>Total Storage Length</b>	19' 6"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 8"
<b>Boat/Trailer Width</b>	7' 2"

<b>Max Persons</b>	5
<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	22.25"
<b>Engine/Approx. Speed</b>	
Mercury 60 4S	33-35 mph
<b>Available Colors</b>	
	Dead Grass Green
	Mossy Oak Break Up*
	Mossy Oak® Shadow Grass*
<b>Hull Design</b>	Mod V

\*Optional/Upcharge

# 1870 PREDATOR CC

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- Padded Leaning Post
- Seat Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23 Gallon)

### Consoles/Instrumentation/Lighting

- Center Console
- Center Console Grab Rail
- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Windscreen

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2 Step Strap Ladder with Mesh Bag
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Edge Trim and Compression Latches on Doors
- Horn
- Side Rod Holder & Rod Tube Combo - 8' 6"

### Trailer

- LundGuard Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



<b>Min/Max HP</b>	90 HP
<b>Beam/Chine</b>	96" / 70.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	18'
<b>Boat Weight</b>	1,008 lbs.
<b>Motor Weight</b>	359lbs. (90 4S)
<b>Trailer Weight</b>	520 lbs.
<b>Total Weight</b>	1,887 lbs.
<b>Total Storage Length</b>	20' 11"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 6"
<b>Boat/Trailer Width</b>	8'

<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	20.5"
<b>Engine/Approx. Speed</b>	Mercury 90 4S 37-39 mph
<b>Available Colors</b>	Dead Grass Green Mossy Oak Break Up* Mossy Oak® Shadow Grass*
<b>Hull Design</b>	Mod V

\*Optional/Upcharge

# 1870 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal
- 2 Fold Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23 Gallon)

### Consoles/Instrumentation/Lighting

- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console (Helm)

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2 Step Strap Ladder with Mesh Bag
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Edge Trim and Compression
- Latches on Doors
- Horn
- Side Rod Holder & Rod Tube Combo - 8' 6"
- Sport Trak/Pro Trak Gunnel

### Trailer

- LundGuard Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



<b>Min/Max HP</b>	90 HP
<b>Beam/Chine</b>	96" / 70.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	18'
<b>Boat Weight</b>	1,008 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	520 lbs.
<b>Total Weight</b>	1,887 lbs.
<b>Total Storage Length</b>	20' 11"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 3"
<b>Boat/Trailer Width</b>	8'

<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	20.5"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	37-39 mph
<b>Available Colors</b>	
	Dead Grass Green
	Mossy Oak Break Up*
	Mossy Oak® Shadow Grass*
<b>Hull Design</b>	Mod V

\*Optional/Upcharge

# 1870 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

Standard Fold Down Seats (2)  
(Mossy Oak®)

Pedestal Bases (5)

### Flooring

Non-skid Floor Liner

### Livewell Systems

Aerated Livewell Systems  
Bow Livewell (Manual Aeration)  
(43" Long / 23 Gallon)

### Other Exterior Features


2 Step Strap Ladder w/Mesh Bag  
6" Black Nylon Cleats  
Aluminum Transom  
Hull Drain Plug  
Navigational Lighting  
NMMA® Certified  
SportTrak / ProTrak Gunnel  
Transducer Bracket (Welded)  
Trim Tabs  
Utility Mod-V Graphics

### Other Interior Features

Battery Trays - 1 Small  
Battery Trays - 1 Large  
Bilge Pump (1 Manual)  
Bow Trolling Motor Plug  
Edge Trim and Compression  
Latches on Doors  
Side Rod Holder & Rod Tube  
Combo - 9' 6"

### Trailer

LundGuard Bunk Trailer w/Load  
Guides  
Swing Tongue  
Trailer Jack



<b>Min/Max HP</b>	75 HP
<b>Beam/Chine</b>	96" / 70.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	18'
<b>Boat Weight</b>	953 lbs.
<b>Motor Weight</b>	359lbs. (75 4S)
<b>Trailer Weight</b>	520 lbs.
<b>Total Weight</b>	1,832 lbs.
<b>Total Storage Length</b>	20' 11"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 8"
<b>Boat/Trailer Width</b>	8'

<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	20.5"
<b>Engine/Approx. Speed</b>	
Mercury 75 4S	32-34 mph
<b>Available Colors</b>	
	Dead Grass Green
	Mossy Oak Break Up*
	Mossy Oak® Shadow Grass*
<b>Hull Design</b>	Mod V

\*Optional/Upcharge

# 2070 PREDATOR CC

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- Padded Leaning Post
- Seat Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-Skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23 Gallon)

### Consoles/Instrumentation/Lighting

- Center Console
- Center Console Grab Rail
- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Windscreen

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Horn
- Side Rod Holder & Rod Tube Combo - 9' 6"

### Trailer

- LundGuard Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



<b>Min/Max HP</b>	150 HP
<b>Beam/Chine</b>	96" / 70.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	20'
<b>Boat Weight</b>	1,175 lbs.
<b>Motor Weight</b>	455 lbs. (150 4S)
<b>Trailer Weight</b>	520 lbs.
<b>Total Weight</b>	2,150 lbs.
<b>Total Storage Length</b>	22' 5"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 6"
<b>Boat/Trailer Width</b>	8'

<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	21.25"
<b>Engine/Approx. Speed</b>	Mercury 150 4S 51-53 mph
<b>Available Colors</b>	Dead Grass Green Mossy Oak Break Up* Mossy Oak® Shadow Grass*
<b>Hull Design</b>	Mod V

\*Optional/Upcharge

# 2070 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- 2 Fold Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23 Gallon)

### Consoles/Instrumentation/Lighting

- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console w/Steering

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Horn
- Side Rod Holder & Rod Tube Combo - 9' 6"
- Sport Trak/Pro Trak Gunnel

### Trailer

- LundGuard Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



<b>Min/Max HP</b>	150 HP
<b>Beam/Chine</b>	96" / 70.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	20'
<b>Boat Weight</b>	1,175 lbs.
<b>Motor Weight</b>	455 lbs. (150 4S)
<b>Trailer Weight</b>	520 lbs.
<b>Total Weight</b>	2,150 lbs.
<b>Total Storage Length</b>	22' 5"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 3"
<b>Boat/Trailer Width</b>	8'

<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	21.25"
<b>Engine/Approx. Speed</b>	Mercury 150 4S 51-53 mph
<b>Available Colors</b>	Dead Grass Green Mossy Oak Break Up* Mossy Oak® Shadow Grass*
<b>Hull Design</b>	Mod V

\*Optional/Upcharge

# 1675 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (37" Long / 16 Gallon)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting

- 12V. Power Receptacle
- Electronics Command Center
- Flush Mount Horn
- Interior Lighting
- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 5", (5) 6' 6"
- Storage Compartments
- Tackle Storage
- Tool Holder

### Other Exterior Features

- 3 Step Boarding Ladder
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Battery Holders (3)



- Bow Trolling Motor Harness w/Plug
- Treated Marine Grade Plywood - Bow to Stern
- Bilge Pump - Manual
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan

### Trailer

- (2) 2x4 Bunk
- Load Guides
- LundGuard Painted Bunk
- Shoreland'r Trailer LUVE22LTSH
- Spare Tire
- Swing Tongue
- Trailer Jack

<b>Min/Max HP</b>	40 / 60 HP
<b>Beam/Chine</b>	87" / 70.75"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 10"
<b>Boat Weight</b>	910 lbs.
<b>Motor Weight</b>	247 lbs. (60 4S)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	1,638 lbs.
<b>Total Storage Length</b>	18' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 1"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	22"
<b>Engine/Approx. Speed</b>	
Mercury 40 4S	25-29 mph
Mercury 50 4S	28-32 mph
Mercury 60 4S	30-34 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS

# 1775 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (37" Long / 16 Gallon)
- Livewell Bait Net
- Livewell Divider

### Console/Instrumentation/Lighting

- 12V. Power Receptacle
- Electronics Command Center
- Flush Mount Horn
- Interior Lighting
- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 5", (5) 6' 6"
- Storage Compartments
- Tackle Storage
- Tool Holder

### Other Exterior Features

- 3 Step Boarding Ladder
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Battery Holders (3)



Treated Marine Grade Plywood - Bow to Stern

- Bilge Pump (1 Pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Grab Handles (3)
- Self-Draining Splash Pan

### Trailer

- (2) 2x4 Bunk
- Load Guides
- LundGuard Painted Bunk
- Shoreland'r Trailer LUB22SELMSSO
- Spare Tire
- Swing Tongue
- Trailer Jack

<b>Min/Max HP</b>	50 / 75 HP
<b>Beam/Chine</b>	87" / 70.75"
<b>Transom Height</b>	20"
<b>Boat Length</b>	17' 10"
<b>Boat Weight</b>	1,010 lbs.
<b>Motor Weight</b>	359 lbs. (75 4S)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	1,850 lbs.
<b>Total Storage Length</b>	20'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 2"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	22.25"
<b>Engine/Approx. Speed</b>	
Mercury 60 4S	30-34 mph
Mercury 75 4S	34-38 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS



# 1875 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (3) • Helm Seat Slider
- Solid - Fixed Mainstay (1) • Solid - Removeable Pedestal (2) • Seat Bases (7)

### Fuel Tank

- 35 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Bait Station (1) Drop-In • Aerated Livewell w/Autotimer • Aft Livewell w/Recirc (42" Long / 22 Gallon)
- Bow Livewell (27" Long / 11 Gallon) • Livewell Bait Net • Livewell Divider

### Console/Instrumentation/Lighting

- 12V. Power Receptacle • Automotive Style Fuse Panel • Electronics Command Center • Mercury Analog Prerig • Full Lighted Instrumentation
- Horn • Kicker Stereo • Interior and Livewell Lighting • Navigational Lighting • Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 7' • Lockable Side Rod Storage (3) 9' • (2) 8' 6" • Lockable Storage • Storage Compartments • Bow Cargo Nets

### Other Exterior Features

- 4 Step Collapsible Boarding Ladder
- Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom
- Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance
- Stainless Steel Recessed Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Trolling Motor Harness w/Marinco Style Plug • Battery Holders (3) • Bilge Pump (1 pump Manual/



- Auto) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Marine Style Plug
- Drink Holders (3) • Dual Trak Gunwale • Grab Handles (3) • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • Treated Marine Grade Plywood - Bow to Stern

### Trailer

- (4) 2x6 Bunk • Load Guides
- Shoreland'r Trailer LUV30BLWTMH
- LundGuard Painted Bunk • Spare Tire
- Swing Tongue • Trailer Jack

<b>Min/Max HP</b>	90 HP
<b>Beam/Chine</b>	93" / 81"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 10"
<b>Boat Weight</b>	1,335 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	765 lbs.
<b>Total Weight</b>	2,459 lbs.
<b>Total Storage Length</b>	21' 6"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	6

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.160"
<b>Cockpit Depth</b>	19.5"
<b>Engine/Approx. Speed</b>	
Mercury 90 4S	36-40 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS2

# 2075 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (3) • Helm Seat Slider • Solid - Fixed Mainstay (1) • Solid - Removeable Pedestal (2) • Seat Bases (7)

### Fuel Tank

43 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

- Bait Station (1) Drop-In • Aerated Livewell w/Autotimer • Aft Livewell w/Recirc (42" Long / 22 Gallon) • Bow Livewell (27" Long / 11 Gallon) • Livewell Bait Net • Livewell Divider

### Console/Instrumentation/Lighting

- 12V Power Receptacle • Automotive Style Fuse Panel • Electronics Command Center • Mercury Analog Prerig • Full Lighted Instrumentation • Horn • Interior and Livewell Lighting • Kicker Stereo • Navigational Lighting • Plug-In Wire Harness • Main Power Tiller Handle

### Storage


- Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 7', (5) 7'6", (5) 8' • Lockable Side Rod Storage (3) 9'6", (2) 9' • Bow Cargo Nets

### Other Exterior Features

- 4 Step Collapsible Ladder • Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Factory Engine Rigging • Hull Drain Plug • Stainless Steel Recessed Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Trolling Motor Harness w/ Marincos Style Plug • Battery



- Holders (3) • Bilge Pump (1 pump Manual/Auto) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/ Marincos Style Plug • Drink Holders (4) • Dual Trak Gunwale • Grab Handles (5) • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • Treated Marine Grade Plywood - Bow to Stern

### Trailer

- (4) 2x6 Bunk • Load Guides • Shoreland'r Trailer LUV40TBXLW LundGuard Painted Bunk • Spare Tire • Swing Tongue • Trailer Jack

<b>Min/Max HP</b>	115 / 250 HP
<b>Beam/Chine</b>	93" / 81"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 9"
<b>Boat Weight</b>	1,500 lbs.
<b>Motor Weight</b>	527 lbs. (250 4S)
<b>Trailer Weight</b>	1,213 lbs.
<b>Total Weight</b>	3,240 lbs.
<b>Total Storage Length</b>	23' 2"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 2"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"

<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	20.25"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	42-46 mph
Mercury 175 4S	44-48 mph
Mercury 200 4S	47-51 mph
Mercury 225 4S	49-53 mph
Mercury 250 4S	52-56 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS2

# 1875 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (1)
- Pro Ride Seats (3)
- Seat Bases (6)

### Fuel tank 43 Gallon Fuel Tank

### Flooring Vinyl Main Floor

### Livewell Systems

- Pro Long Plus Aft Livewell w/Recirc and Pump Out (42" Long / 22 Gallon) • Bait Bucket (Aft Livewell) • Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pick Up (Aft Livewell)
- Livewell Divider (Aft Livewell) • Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Dual Consoles w/ Walkthrough Windshield
- Flush Mount Horn • Full Lighted Instrumentation • Hydraulic Steering w/Tilt • Interior Lighting - LED • Kicker Stereo with 2 Jensen Speakers • Mercury Analog Prerig w/Gauges • Navigational Lighting
- Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage

- Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Rod Storage (5) 8', (5) 7'6", (5) 7'
- Lockable Port Side Rod Storage - 8' Lockable Storage • Under Console Cargo Net Storage
- Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Factory Engine Rigging • Hull Drain Plug
- Level Flotation Compliance • ProTrak Gunwale • Stainless Steel



- Flush Mount Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders (4) • Bilge Pump (1 Manual/ Automatic) • Bow Casting Platform
- Bow Deck Mounting Pad • Bow Trolling Motor Plug (24V/36V)
- Drink Holders • Fire Extinguisher
- Integrated Ruler w/Storage • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming

### ShoreInd'r Trailer

- (4) 2x6 Bunks • LUV30BLWTMH LundGuard Painted Bunk • Single Axle w/Brakes • Spare Tire • Swing Tongue / E-Coat Painted Wheel w/Radial Tire • Tongue Jack / LED Lights / Retractable Tie Downs

<b>Min/Max HP</b>	135 / 200 HP
<b>Beam/Chine</b>	97" / 83.75"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 10"
<b>Boat Weight</b>	1,710 lbs.
<b>Motor Weight</b>	475 lbs. (200 4S)
<b>Trailer Weight</b>	907 lbs.
<b>Total Weight</b>	3,092 lbs.
<b>Total Storage Length</b>	21' 9"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	22"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	46-50 mph
Mercury 175 4S	48-52 mph
Mercury 200 4S	52-56 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS2

# 1975 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (2)
- Pro Ride Seats (4) • Seat Bases (6)

### Fuel tank

51 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

- Pro Long Plus Aft Livewell w/Recirc and Pump Out (42" Long / 22 Gallon) • Bait Bucket (Aft Livewell) • Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pick Up (Aft Livewell)
- Livewell Divider (Aft Livewell) • Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Dual Consoles
- Walkthrough Windshield
- Flush Mount Horn • Full Lighted Instrumentation • Hydraulic Steering w/Tilt • Kicker Stereo with 2 Jensen Speakers • Interior Lighting - LED • Livewell Lighting
- Mercury Analog Perig w/Gauges • Navigational Lighting
- Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage

- Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Rod Storage (5) 8", (5) 7"6", (5) 7"
- Lockable Port Side Rod Storage - 8' • Under Console Cargo Net Storage • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance



- ProTrak Gunwale • Stainless Steel Flush Mount Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders (4) • Bilge Pump (1 Manual/ Automatic) • Bow Casting Platform
- Bow Deck Mounting Pad • Bow Trolling Motor Plug (24V/36V)
- Drink Holders • Fire Extinguisher
- Integrated Ruler w/Storage • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming • Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- (4) 2x6 Bunks • Load Guides • LUV40TEXWMSO-03 Tandem Axle Bunk LundGuard Painted Trailer • Single Axle w/Brakes • Spare Tire
- Swing Tongue / E-Coat Painted Wheel w/Radial Tire • Tongue Jack / LED Lights / Retractable Tie Downs

<b>Min/Max HP</b>	135 / 225 HP
<b>Beam/Chine</b>	100" / 87.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	19' 10"
<b>Boat Weight</b>	1,940 lbs.
<b>Motor Weight</b>	475 lbs. (225 4S)
<b>Trailer Weight</b>	1,202 lbs.
<b>Total Weight</b>	3,617 lbs.
<b>Total Storage Length</b>	22' 4"
<b>Boat/Motor On Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"

<b>Max Hull Thickness</b>	0.200"
<b>Cockpit Depth</b>	22"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	44-48 mph
Mercury 175 4S	46-50 mph
Mercury 200 4S	50-54 mph
Mercury 225 4S	52-56 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS2

# 2075 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

Air Ride Mainstay (2) • Air Ride Power Pedestals (2) • Pro Ride Seats (4) • Seat Bases (6)

### Fuel Tank

62 Gal Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Livewell Pumpout (aft livewell)  
 • Pro Long Bow Livewell (27" Long / 12 Gallon) • Pro Long Plus Aft Livewell (51" Long / 25 Gallon)  
 • Freshwater Pickup -Aft Livewell  
 • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12 V Power Receptacle  
 • Automotive Style Fuse Panel  
 • Dual Pro-Control Consoles w/ Walkthrough Windshield  
 • Full Lighted Instrumentation  
 • Flush Mount Horn • Hydraulic Tilt Steering • Kicker Stereo (2 Speakers) • Interior Lighting - LED  
 • Livewell Lighting • Livewell Water Level Gauge (aft livewell)  
 • Mercury Analog Prerig W/Gauges  
 • Navigational Lighting • Plug-In Wire Harness • Recessed Controls

### Storage

Advanced Water Control Door Frames • Bow Cargo Nets • Built-In Insulated Cooler • Console Storage • Integrated Ruler Storage • Integrated Tackle Storage w/11 Trays • Lockable Drawer Storage • Lockable In-Floor Center Rod Storage w/15 Tubes (5) 9", (5) 8" 6", (5) 8' • Lockable On Deck Rod Storage (Port) 9' • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow and Stern Eyes



• Composite Transom • Factory Engine Rigging • Hull Drain Plug  
 • Pro Trak Gunwale • Raised Lund on Freeboards • Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

Aft Casting Platform • Battery Holders (5) • Bilge Pumps (2) (1 Automatic) • Bow & Aft Trolling Motor Plugs (12/24/36V) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Drink Holders • Fire Extinguisher • Kicker Fuel Line • Self Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coating • Treated Marine Grade Plywood - Bow to Stern

### Trailer

Load Guides • LUV40TEXWMSO Tandem Axle LundGuard Painted Bunk Trailer • Spare Tire • Swing Tongue • Trailer Jack

<b>Min/Max HP</b>	200 / 300 HP
<b>Beam/Chine</b>	102" / 89.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 10"
<b>Boat Weight</b>	2,150 lbs.
<b>Motor Weight</b>	527 lbs. (300 4S)
<b>Trailer Weight</b>	1,202 lbs.
<b>Total Weight</b>	3,879 lbs.
<b>Total Storage Length</b>	23' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.125"

<b>Max Hull Thickness</b>	0.225"
<b>Cockpit Depth</b>	21.5"
<b>Engine/Approx. Speed</b>	
Mercury 200 4S	45-49 mph
Mercury 225 4S	51-55 mph
Mercury 250 4S	54-58 mph
Mercury 300 4S	56-61 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS2

# 2175 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

Air Ride Mainstay (2) • Air Ride Power Pedestals (2) • Pro Ride Seats (4) • Seat Bases (6)

### Fuel Tank

65 Gal Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Livewell Pumpout (aft livewell)  
 • Pro Long Bow Livewell (27" Long / 12 Gallon) • Pro Long Plus Aft Livewell (51" Long / 25 Gallon)  
 • Freshwater Pickup - Aft Livewell  
 • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12 V Power Receptacle  
 • Automotive Style Fuse Panel • Dual Pro-Control Consoles w/Walkthrough Windshield  
 • Flush Mount Horn • Full Lighted Instrumentation • Hydraulic Tilt Steering • Kicker Stereo (2 Speakers)  
 • Interior Lighting - LED • Livewell Lighting • Livewell Water Level Gauge (aft livewell) • Mercury Analog Prerig W/Gauges  
 • Navigational Lighting • Plug-In Wire Harness • Recessed Controls

### Storage

Advanced Water Control Door Frames • Bow Cargo Nets • Built-In Insulated Cooler • Console Storage • Integrated Ruler Storage • Integrated Tackle Storage w/14 Trays • Lockable Drawer Storage • Lockable In-Floor Center Rod Storage w/15 Tubes (5) 9', (5) 8' 6", (5) 8' • Lockable On Deck Rod Storage (Port) 10' • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow and Stern Eyes



• Composite Transom • Factory Engine Rigging • Hull Drain Plug • Pro Trak Gunwale • Raised Lund on Freeboards • Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

Aft Casting Platform • Battery Holders (5) • Bilge Pumps (2) (1 Automatic) • Bow & Aft Trolling Motor Plugs (12/24/36V) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Drink Holders • Fire Extinguisher • Kicker Fuel Line • Self Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming • Treated Marine Grade Plywood - Bow to Stern

### Trailer

Custom Bunk Tandem Axle LundGuard Painted Trailer w/ Diamond Plated Fenders • Load Guides • Spare Tire • Swing Tongue • Trailer Jack

<b>Min/Max HP</b>	200 / 400 HP
<b>Beam/Chine</b>	102" / 89.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	21' 10"
<b>Boat Weight</b>	2,300 lbs.
<b>Motor Weight</b>	668 lbs. (400 Verado)
<b>Trailer Weight</b>	1,376 lbs.
<b>Total Weight</b>	4,344 lbs.
<b>Total Storage Length</b>	24' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.225"
<b>Cockpit Depth</b>	21.5"
<b>Engine/Approx. Speed</b>	
Mercury 300 Verado	53-57 mph
Mercury 350 Verado	55-59 mph
Mercury 400 Verado	57-61 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Black Silver Stone
<b>Hull Design</b>	IPS2

# 1875 PRO-V BASS XS

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seat • Butt Seat w/Adjustable Pedestal • Pro Ride Seats (2) • Seat Bases (3) • Seat Sliders (2)

### Fuel Tank

39 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Pro Long Plus Aft Livewell w/Recirc (36" Long / 28 Gallon) • Livewell Pumpout • Livewell Bait Net

### Consoles/Instrumentation/Lighting

12V. Power Receptacle • Automotive Style Fuse Panel • Custom Fiberglass Console & Dash w/Windscreen • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt • Interior Lighting - LED • Kicker Sterero • Livewell Lighting • Mercury Analog Prerig w/Gauges • Navigational Lighting • Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage


Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 9', (5) 8' 6", (4) 8' • Lockable Storage

### Other Exterior Features

3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Factory Engine Rigging • Hull Drain Plug • Exterior Paint Clearcoat • Level Flotation Compliance • Monochromatic Paint • ProTrak Gunwale • Stainless Steel Flip Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Manual/Automatic) • Bow Casting Platform



- Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Harness w/Plug • Cooler & Cooler Storage • Drink Holders • Fire Extinguisher • Integrated Ruler w/Storage • On-the-Go Rod Storage • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Wood Free Construction

### Trailer

Load Guides • LUV30BELWMSO LundGuard Painted Bunk Trailer • Spare Tire • Swing Tongue • Trailer Jack

<b>Min/Max HP</b>	115 / 200 HP
<b>Beam/Chine</b>	96" / 81.5"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 9"
<b>Boat Weight</b>	1,475 lbs.
<b>Motor Weight</b>	475 lbs. (200 4S)
<b>Trailer Weight</b>	765 lbs.
<b>Total Weight</b>	2,715 lbs.
<b>Total Storage Length</b>	21' 3"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 5"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	5
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	20"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	46-50 mph
Mercury 175 4S	48-52 mph
Mercury 200 4S	52-56 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS2

# 2075 PRO-V BASS XS

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • 2 Pro Ride Seats • Butt Seat w/Adjustable Pedestal • Seat Bases (3) • Seat Slider (2)

### Fuel tank

49 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Pro Long Plus Aft Livewell w/Recirc (36" Long / 28 Gallon) • Livewell Pumpout • Livewell Bait Net

### Consoles/Instrumentation/Lighting

12V Power Receptacle  
 • Automotive Style Fuse Panel  
 • Custom Fiberglass Console & Dash w/Windscreen • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt Helm • Interior Lighting - LED • Kicker Stereo  
 • Livewell Lighting • Mercury Analog Prerig w/gauges • Navigational Lighting • Plug-In Wire Harness  
 • Recessed Controls • Trinket Tray

### Storage


Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Bow Rod Storage • (5) 10', (5) 9' 6", (5) 8' • Lockable Storage • Storage Compartments

### Other Exterior Features

3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Exterior Paint Clearcoat • Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance • Monochromatic Paint • ProTrak Gunwale • Stainless Steel Flip Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Manual/



Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Harness w/Plug (24V/36V) • Cooler & Cooler Storage • Drink Holders • Fire Extinguisher • Integrated Ruler w/Storage • On-the-Go Rod Storage • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Wood Free Construction

### Trailer

Load Guides • LUV40TEYWMSO LundGuard Painted Tandem Axle Bunk Trailer • Spare Tire • Swing Tongue • Trailer Jack

<b>Min/Max HP</b>	175 / 250 HP
<b>Beam/Chine</b>	96" / 81.75"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 10"
<b>Boat Weight</b>	1,850 lbs.
<b>Motor Weight</b>	505 lbs. (250 Pro XS)
<b>Trailer Weight</b>	1,025 lbs.
<b>Total Weight</b>	3,380 lbs.
<b>Total Storage Length</b>	23' 11"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 10"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	5
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.205"
<b>Cockpit Depth</b>	20"
<b>Engine/Approx. Speed</b>	
Mercury 200 4S	48-52 mph
Mercury 225 Pro XS	51-55 mph
Mercury 250 Pro XS	56-60 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS2



# 189 PRO-V GL

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (3)
- Air Ride Mainstay (1)
- Air Ride Pedestals (2)
- Seat Bases (7)

### Fuel tank

- 41 Gallon Fuel Tank

### Flooring

- Marine Grade Carpet
- Non-Skid Fiberglass (Main Floor)

### Pro Long Plus Livewell Systems

- Bow Livewell (46" Long / 22 Gallon)
- Aft Livewell (24" Long / 12 Gallon)
- Bait Stations (2) Drop-In
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Battery Condition Indicator
- Bow & Aft Trolling Motor Plugs (12/24/36V.)
- Bow Panel with Trim Switch
- Breaker Panel
- Console Footrest
- Custom GL Console & Dash w/ Windshield
- Full Lighted Instrumentation
- Horn
- Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Kicker KMC1 Stereo w/2 Speakers
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls

### Storage

- Battery Storage Compartments
- Bow Cargo Net Storage
- Cooler/Storage Compartment
- Lockable Center Rod Storage (5) 8', (5) 7' 6", (5) 7'
- Lockable Storage
- Storage Compartments

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Bow & Stern Eyes
- Hull Drain Plug
- Stainless Steel Cleats
- Transhield Cover



### Other Interior Features

- Aft Casting Platform
- Battery Holders
- Bilge Pumps
- Bow Casting Platform
- Bow Deck Mounting Pad
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Freshwater Pickup
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Stern Rails
- Trolling Motor Mounting Surface

<b>Min/Max HP</b>	150 / 200 HP
<b>Beam/Chine</b>	102" / 82.75"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 9"
<b>Boat Weight</b>	2,550 lbs.
<b>Motor Weight</b>	475 lbs. (200 4S)
<b>Trailer Weight</b>	840 lbs.
<b>Total Weight</b>	3,865 lbs.
<b>Total Storage Length</b>	22'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	6

<b>Cockpit Depth</b>	27"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	46-50 mph
Mercury 175 4S	48-52 mph
Mercury 200 4S	50-54 mph
<b>Available Colors</b>	Black/Silver/Gunmetal
	Black/White Gunmetal
	Blue/Silver/Gunmetal
	Burgundy/Gunmetal/Gunmetal
	Gunmetal/Silver/Silver
	Red/Silver/Gunmetal
	Red/White/Gunmetal
	White/Gunmetal/Gunmetal
<b>Hull Design</b>	IPS3

# 202 PRO-V GL

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (4)
- Air Ride Pedestals (2)
- Air Ride Mainstay (2)
- Seat Bases (6)

### Fuel Tank

- 65 Gallon Fuel Tank

### Flooring

- Non-Skid Fiberglass (Main Floor)
- Marine Grade Carpet

### Livewell Systems

- Bait Stations (2) Drop-In
- Pro Long Plus Livewell Systems
- Bow Livewell (30" Long / 20 Gallon)
- Aft Livewell (51" Long / 33 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- Custom GL Console & Dash w/ Windshield
- 12V Power Receptacle (2)
- Breaker Panel
- Battery Condition Indicator
- Bow Panel with Trim Switch
- Console Footrest (Port and Starboard)
- Full Lighted Instrumentation
- Horn
- Interior and Livewell Lighting
- Mercury Power Steering
- Navigational Lighting
- Plug-In Wire Harness
- Premium Rockford Fosgate Stereo w/2 Speakers
- Recessed Controls

### Storage

- Battery Storage Compartments
- Removable Storage Pods - Port and Starboard
- Bow Cargo Net Storage
- Cooler/Storage Compartment
- Storage Compartments
- Lockable Center Rod Storage (6) 8', (5) 7' 6", (4) 7'
- Lockable Storage

### Other Exterior Features

- Bow & Stern Eyes
- Flush Mount Stainless Cleats (4)



- Hull Drain Plug
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (5)
- Bow & Aft Troller Motor Plugs (12/24/36V)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Rails
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Self-Draining Splash Pan
- SportTrak Coaming
- SportTrak Accessory Brackets (2)
- Trolling Motor Mounting Surface
- Bilge Pumps (1 Manual/1 Auto)
- Freshwater Pickup

<b>Min/Max HP</b>	200 / 300 HP
<b>Beam/Chine</b>	102" / 87.5"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 2"
<b>Boat Weight</b>	2,700 lbs.
<b>Motor Weight</b>	600 lbs. (300 Verado)
<b>Trailer Weight</b>	1,015 lbs.
<b>Total Weight</b>	4,315 lbs.
<b>Total Storage Length</b>	24' 6"
<b>Boat/Motor On Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	7

<b>Cockpit Depth</b>	21.5"
<b>Engine/Approx. Speed</b>	
Mercury 250 4S	53-57 mph
Mercury 300 Verado	56-60 mph
<b>Available Colors</b>	Black/Silver/Gunmetal
	Black/White Gunmetal
	Blue/Silver/Gunmetal
	Burgundy/Gunmetal/Gunmetal
	Gunmetal/Silver/Silver
	Red/Silver/Gunmetal
	Red/White/Gunmetal
	White/Gunmetal/Gunmetal
<b>Hull Design</b>	IPS3

# 219 PRO-V GL

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (4)
- Air Ride Pedestals (2)
- Air Ride Mainstay (2)
- Seat Bases (7)

### Fuel Tank

- 65 Gallon Fuel Tank

### Flooring

- Non-Skid Fiberglass (Main Floor)
- Marine Grade Carpet

### Livewell Systems


- Bait Stations (2) Drop-In
- Pro Long Plus Livewell Systems
- Bow Livewell (30" Long / 20 Gallon)
- Aft Livewell (51" Long / 33 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom GL Console & Dash w/ Windshield
- 12V. Power Receptacle (2)
- Breaker Panel
- Battery Condition Indicator
- Bow Panel with Trim Switch
- Console Footrest (Port and Starboard)
- Full Lighted Instrumentation Horn
- Interior and Livewell Lighting
- Mercury Power Steering
- Navigational Lighting
- Plug-In Wire Harness
- Premium Rockford Fosgate Stereo w/2 Speakers
- Recessed Controls

### Storage

- Battery Storage Compartments
- Removable Storage Pods - Port and Starboard
- Bow Cargo Net Storage
- Cooler/Storage Compartment
- Storage Compartments
- Lockable Center Rod Storage (6) 9', (5) 8' 6", (4) 8'
- Lockable Storage



### Other Exterior Features

- Bow & Stern Eyes
- Flush Mount Stainless Cleats (4)
- Hull Drain Plug
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (5)
- Bow & Aft Trolling Motor Plugs (12/24/36V)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Rails
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Self-Draining Splash Pan
- SportTrak Coaming
- SportTrak Accessory Brackets (2)
- Trolling Motor Mounting Surface
- Bilge Pumps (1 Manual/1 Auto)
- Freshwater Pickup

<b>Min/Max HP</b>	225 / 400 HP
<b>Beam/Chine</b>	102" / 87.5"
<b>Transom Height</b>	25"
<b>Boat Length</b>	21' 9"
<b>Boat Weight</b>	3,000 lbs.
<b>Motor Weight</b>	668 lbs. (400 Verado)
<b>Trailer Weight</b>	1,015 lbs.
<b>Total Weight</b>	4,683 lbs.
<b>Total Storage Length</b>	25' 5"
<b>Boat/Motor On Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	8
<b>Cockpit Depth</b>	24.5"

### Engine/Approx. Speed

Mercury 300 Verado	53-57 mph
Mercury 350 Verado	56-60 mph
Mercury 400 Verado	57-61 mph

<b>Available Colors</b>	Black/Silver/Gunmetal
	Black/White Gunmetal
	Blue/Silver/Gunmetal
	Burgundy/Gunmetal/Gunmetal
	Gunmetal/Silver/Silver
	Red/Silver/Gunmetal
	Red/White/Gunmetal
	White/Gunmetal/Gunmetal

<b>Hull Design</b>	IPS3
--------------------	------

# 1875 PRO-V LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (2)
- Limited ProRide Seats (4) Seat Bases (6)

### Fuel tank

- 43 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat Vinyl Main Floor/Carpeted Decks

### Aerated Livewell w/Autotimer

- Aft Livewell w/Recirc and Pump Out • (42" Long / 22 Gallon)
- ProLong Plus Livewell System
- Bait Bucket (Aft Livewell) • Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pick Up (Aft Livewell)
- Livewell Divider (Aft Livewell)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Flush Mount Horn • Full Lighter
- Instrumentation • Interior Lighting - LED • Limited Black Consoles • Limited Steering Wheel
- Mercury DTS Control • Mercury Smartcraft Gauges • Navigational Lighting • Plug-In Wire Harness
- Recessed Controls • Rockford Fosgate Stereo w/4 Rockford Fosgate Speakers • Steering-Hydraulic w/Tilt Helm • Trinket Tray • Walk Through Windshield with Black Frame

### Storage

- "Limited" Rod Locker Trim
- Battery Storage Compartments
- Lockable Center Rod Storage (5) 8', (5) 7' 6", (5) 7' • Lockable Port Side Rod Storage - 8' • Lockable Storage • Storage Compartments
- Under Console Cargo Net Storage • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Level Flotation Compliance • Limited Decal Package • ProTrak



- Gunwale • SL-24 Raised Lund on Freeboards • Exterior Paint Clearcoat • Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- Advanced Water Control Door Frames • Aft Casting Platform
- Battery Holders (4) • Bilge Pump (1 Manual/Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch
- Bow Trolling Motor Plug (24V/36V) • Fire Extinguisher
- Integrated Ruler w/Storage
- Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included)
- SportTrak Accessory Brackets (2)
- SportTrak Coaming • Stainless Steel Door Latches • Stainless Steel Drink Holders • Upgraded Grab Handles

### Shoreland'r Trailer

- (4)2x6 Bunks / LundGuard Frame
- Lighted Fender Step • Limited Rims • Limited Single Axle Trailer w/Brakes • Limited Trailer Decals
- Load Guides • Spare Tire • Swing Tongue / E-Coat Painted Wheel w/Radial Tire • Tongue Jack / LED Lights / Retractable Tie Downs

<b>Min/Max HP</b>	200 HP
<b>Beam/Chine</b>	97" / 83.75"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 10"
<b>Boat Weight</b>	1,710 lbs.
<b>Motor Weight</b>	505 lbs. (200 Pro XS)
<b>Trailer Weight</b>	846 lbs.
<b>Total Weight</b>	3,061 lbs.
<b>Total Storage Length</b>	21' 9"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	22"
<b>Engine/Approx. Speed</b>	
Mercury 200 Pro XS	38-43 mph
<b>Available Colors</b>	Arctic White Black
<b>Bottom/Deck Colors</b>	Gunmetal
<b>Hull Design</b>	IPS2

# 1975 PRO-V LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (2)
- Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 51 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell w/Autotimer

- Aft Livewell w/Recirc and Pump Out (42" Long / 22 Gallon)
- ProLong Plus Livewell System
- Bait Bucket (Aft Livewell) • Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pick Up (Aft Livewell)
- Livewell Divider (Aft Livewell)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Flush Mount Horn • Full Lighted Instrumentation • Interior Lighting - LED • Limited Black Consoles
- Limited Steering Wheel • Livewell Lighting • Mercury DTS Control
- Mercury Smartcraft Gauges
- Navigational Lighting
- Plug-In Wire Harness • Recessed Controls • Rockford Fosgate Stereo w/4 Rockford Fosgate Speakers
- Steering-Hydraulic w/Tilt Helm
- Trinket Tray • Walk Through Windshield with Black Frame

### Storage

- "Limited" Rod Locker Trim
- Battery Storage Compartments
- Lockable Center Rod Storage (5) 8', (5) 7' 6", (5) 7' • Lockable Port Side Rod Storage - 8' • Under Console Cargo Net Storage • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Level Flotation Compliance • Limited Decal Package • ProTrak Gunwale



- SL-24 Raised Lund on Freeboards
- Exterior Paint Clearcoat • Stainless Steel Flush Mount Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- Advanced Water Control Door Frames • Aft Casting Platform
- Battery Holders (4) • Bilge Pump (1 Manual/Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Plug (24V/36V) • Fire Extinguisher • Integrated Ruler w/ Storage • Self-Draining Splash Pan
- Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming
- Stainless Steel Door Latches
- Stainless Steel Drink Holders
- Upgraded Grab Handles

### Shoreland'r Trailer

- (4)2x6 Bunks / LundGuard Frame
- Lighted Fender Step • Limited Rims • Limited Tandem Axle Trailer w/Brakes • Limited Trailer Decals
- Load Guides • Second Axle Brakes Standard • Spare Tire • Swing Tongue / E-Coat Painted Wheel w/Radial Tire • Tongue Jack / LED Lights / Retractable Tie Downs

<b>Min/Max HP</b>	225 HP
<b>Beam/Chine</b>	100" / 87.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	19' 10"
<b>Boat Weight</b>	1,940 lbs.
<b>Motor Weight</b>	505 lbs. (225 Pro XS)
<b>Trailer Weight</b>	1,141 lbs.
<b>Total Weight</b>	3,586 lbs.
<b>Total Storage Length</b>	22' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.200"
<b>Cockpit Depth</b>	22"
<b>Engine/Approx. Speed</b>	
Mercury 225 Pro XS	52-56 mph
<b>Available Colors</b>	Arctic White
	Black
<b>Bottom/Deck Colors</b>	Gunmetal
<b>Hull Design</b>	IPS2

# 2075 PRO-V LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removeable Pedestals (2)
- Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 62 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

- Aft Livewell w/Recirc (51" Long / 25 Gallon) • Bow Livewell (27" Long / 12 Gallon) • Freshwater Pick Up (Aft Livewell) • Livewell Pumpout (aft livewell) • ProLong Plus Livewell System • Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12 V Power Receptacle
- Automotive Style Fuse Panel
- Flush Mount Horn • Full Lighted Instrumentation • Interior Lighting - LED • Limited Black Consoles
- Limited Steering Wheel • Livewell Lighting • Livewell Water Level Gauge (aft livewell) • Mercury DTS Control • Mercury Power Steering • Mercury Smartcraft Gauges
- Navigational Lighting • Plug-In Wire Harness • Recessed Controls
- Rockford Fosgate Stereo w/2 Rockford Fosgate Speakers • Walk Through Windshield w/Black Frame

### Storage

- "Limited" Rod Locker Trim • Bow Cargo Nets • Built-In Insulated Cooler • Console Storage
- Integrated Ruler w/Storage
- Integrated Tackle Storage w/11 Trays • Lockable Drawer Storage
- Lockable In-Floor Center Rod Storage w/15 Tubes (5) 9', (5) 8' 6", (5) 8' • Lockable On Deck Rod Storage (Port) - 9' • Under Console Storage Drawes (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow and Stern Eyes
- Bow Trim Switch • Composite



- Transom • Limited Decal Package
- Pro Trak Gunwale • SL-24 Raised Lund on Freeboards • Exterior Paint Clearcoat • Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Advanced Water Control Door Frames • Aft Casting Platform
- Battery Holders (5) • Bilge Pumps (2) (1 Automatic) • Bow & Aft Trolling Motor Plugs (12/24/36V)
- Bow Casting Platform • Bow Deck Mounting Pad • Fire Extinguisher
- Kicker Fuel Line • Self Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming
- Stainless Steel Door Latches
- Stainless Steel Drink Holders
- Upgraded Grab Handles

### Shoreland'r Trailer

- (4)2x6 Bunks / LundGuard Frame
- Lighted Fender Step • Limited Rims
- Limited Tandem Axle Trailer w/ Brakes • Limited Trailer Decals
- Load Guides • Second Axle Brakes Standard • Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs

<b>Min/Max HP</b>	300 HP
<b>Beam/Chine</b>	102" / 89.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 10"
<b>Boat Weight</b>	2,150 lbs.
<b>Motor Weight</b>	505 lbs. (300 Pro XS)
<b>Trailer Weight</b>	1,141 lbs.
<b>Total Weight</b>	3,796 lbs.
<b>Total Storage Length</b>	23' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.225"
<b>Cockpit Depth</b>	21.5"
<b>Engine/Approx. Speed</b>	
Mercury 300 Pro XS	56-61 mph
<b>Available Colors</b>	Arctic White
	Black
<b>Bottom/Deck Colors</b>	Gunmetal
<b>Hull Design</b>	IPS2

# 2175 PRO-V LIMITED

## STANDARD FEATURES

### Seats/Pedestals

Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (2) • Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 65 Gal Fuel Tank

### Flooring

Limited Snap In Marine Mat • Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

Aft Livewell w/Recirc (51" Long / 25 Gallon) • Bow Livewell (27" Long / 12 Gallon) • Freshwater Pick Up (Aft Livewell) • Livewell Pumpout (Aft livewell) • ProLong Plus Livewell System • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12 V Power Receptacle • Automotive Style Fuse Panel • Flush Mount Horn • Full Lighted Instrumentation • Interior Lighting - LED • Limited Black Consoles • Limited Steering Wheel • Livewell Lighting • Livewell Water Level Gauge (aft livewell) • Mercury DTS Control • Mercury Power Steering • Mercury Smartcraft Gauges • Navigational Lighting • Plug-In Wire Harness • Recessed Controls • Rockford Fosgate Stereo w/2 Rockford Fosgate Speakers • Walk Through Windshield with Black Frame

### Storage

"Limited" Rod Locker Trim • Bow Cargo Nets • Built-In Insulated Cooler • Console Storage • Integrated Ruler w/Storage • Integrated Tackle Storage w/14 Trays • Lockable Drawer Storage • Lockable In-Floor Center Rod Storage w/15 Tubes (5) 9', (5) 8' 6", (5) 8' • Lockable On Deck Rod Storage (Port) - 10' • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow and Stern Eyes • Composite Transom • Limited Decal Package • Pro Trak Gunwale



- SL-24 Raised Lund on Freeboards
- Exterior Paint Clearcoat • Stainless Steel Flush Mount Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Advanced Water Control Door Frames
- Aft Casting Platform
- Battery Holders (5) • Bilge Pumps (2) (1 Automatic) • Bow & Aft Trolling Motor Plugs (12/24/36V) • Bow Casting Platform • Bow Deck Mounting Pad
- Bow Trim Switch • Fire Extinguisher
- Kicker Fuel Line • Self Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming
- Stainless Steel Door Latches
- Stainless Steel Drink Holders
- Upgrade Grab Handles

### Shoreland'r Trailer

- (4) 2x6 Bunks, LundGuard Frame
- LED Lighting / Retractable Tie Downs
- Lighted Fender Step • Limited Rims
- Limited Tandem Axle Trailer w/ Brakes • Limited Trailer Decals • Load Guides • Second Axle Brakes Standard
- Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires
- Tongue Jack / LED Lights / Retractable Tie Downs

<b>Min/Max HP</b>	350 / 400 HP
<b>Beam/Chine</b>	102" / 89.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	21' 10"
<b>Boat Weight</b>	2,300 lbs.
<b>Motor Weight</b>	668 lbs. (400 Verado)
<b>Trailer Weight</b>	1,297 lbs.
<b>Total Weight</b>	4,265 lbs.
<b>Total Storage Length</b>	24' 10"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	7
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.225"
<b>Cockpit Depth</b>	21.5"
<b>Engine/Approx. Speed</b>	
Mercury 350 Verado	55-59 mph
Mercury 400 Verado	57-61 mph
<b>Available Colors</b>	Arctic White
	Black
<b>Bottom/Deck Colors</b>	Gunmetal
<b>Hull Design</b>	IPS2

# 1875 PRO-V MUSKY XS

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seat • Butt Seat w/Adjustable Pedestal • Pro Ride Seats (2) • Seat Bases (3) • Seat Sliders (2)

### Fuel Tank

39 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Pro Long Plus Aft Livewell w/Recirc (36" Long / 28 Gallon) • Livewell Pumpout • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V. Power Receptacle • Automotive Style Fuse Panel • Custom Fiberglass Console & Dash w/Windscreen • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt • Interior Lighting - LED • Kicker Stereo • Livewell Lighting • Mercury Analog Prerig w/ Gauges • Navigational Lighting • Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage

Advanced Water Control Door Frames • Drop-in Tackle Storage • Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 9', (5) 8' 6", (4) 8' • Lockable Storage

### Other Exterior Features

3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Factory Engine Rigging • Hull Drain Plug • Exterior Paint Clearcoat • Level Flotation Compliance • Monochromatic Paint • ProTrak Gunwale • Stainless Steel Flip Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)



### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Manual/ Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Harness w/Plug • Cooler & Cooler Storage • Drink Holders • Fire Extinguisher • Integrated Ruler w/ Storage • On-the-Go Rod Storage • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Wood Free Construction

### Trailer

Load Guides • LUV30BELWMSO LundGuard Painted Bunk Trailer • Spare Tire • Swing Tongue • Tongue Jack

<b>Min/Max HP</b>	115 / 200 HP
<b>Beam/Chine</b>	96" / 81.5"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 9"
<b>Boat Weight</b>	1,475 lbs.
<b>Motor Weight</b>	475 lbs. (200 4S)
<b>Trailer Weight</b>	765 lbs.
<b>Total Weight</b>	2,715 lbs.
<b>Total Storage Length</b>	21' 3"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 5"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	20"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	46-50 mph
Mercury 175 4S	48-52 mph
Mercury 200 4S	52-56 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS2



# 2075 PRO-V MUSKY XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats • 2
- Pro Ride Seats • Butt Seat w/ Adjustable Pedestal • Seat Bases (3) • Seat Slider (2)

### Fuel tank

- 49 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Pro Long Plus Aft Livewell w/Recirc (36" Long / 28 Gallon) • Livewell Pumpout • Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle • Automotive Style Fuse Panel • Custom Fiberglass Console & Dash w/Windscreen • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt Helm • Interior Lighting - LED • Kicker Stereo • Livewell Lighting • Mercury Analog Prerig w/ Gauges • Navigational Lighting • Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage


- Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Bow Rod Storage (5) 10", (5) 9' 6", (5) 8" • Lockable Storage • Drop-in Tackle Storage

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Exterior Paint Clearcoat • Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance • Monochromatic Paint • ProTrak Gunwale • Stainless Steel Flip Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery



- Holders (3) • Bilge Pump (1 Manual/Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Harness • w/ Plug (24V/36V) • Cooler & Cooler Storage • Drink Holders • Fire Extinguisher • Integrated Ruler w/ Storage • On-the-Go Rod Storage • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Wood Free Construction

### Trailer

- Load Guides • LUV40TEYWMSO LundGuard Painted Tandem Axle Bunk Trailer • Spare Tire • Swing Tongue • Tongue Jack

<b>Min/Max HP</b>	175 / 250 HP
<b>Beam/Chine</b>	96" / 81.75"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 10"
<b>Boat Weight</b>	1,850 lbs.
<b>Motor Weight</b>	505 lbs. (250 Pro XS)
<b>Trailer Weight</b>	1,025 lbs.
<b>Total Weight</b>	3,380 lbs.
<b>Total Storage Length</b>	23' 11"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 10"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.205"
<b>Cockpit Depth</b>	20"
<b>Engine/Approx. Speed</b>	
Mercury 200 4S	48-52 mph
Mercury 225 Pro XS	51-55 mph
Mercury 250 Pro XS	56-60 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Hull Design</b>	IPS2

# 1650 REBEL XL SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (6)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" /16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/Walkthru Windshield
- Flush Mount Horn
- Full Lighted Instrumentation
- LED Interior Lighting (1)
- Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Port and Starboard Rod Storage 7' 6"
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging
- Level Flotation Compliance
- Travel Cover Black
- Twin Plated Bottom (Bow to Admidship)
- Dual Trak Gunwale
- Transhield Cover

### Other Interior Features

- Aft Casting Platform



- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Grab handles (5)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2) 2x4 Bunks / LundGuard Frame
- LUB22SELMSSO-16 Bunk Trailer with LundGuard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

<b>Min/Max HP</b>	50 / 90 HP
<b>Beam/Chine</b>	85" / 70.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 7"
<b>Boat Weight</b>	965 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	1,805 lbs.
<b>Total Storage Length</b>	19'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	22.5"
<b>Engine/Approx. Speed</b>	
Mercury 50 4S	29-33 mph
Mercury 60 4S	30-34 mph
Mercury 75 4S	34-38 mph
Mercury 90 4S	37-41 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1650 REBEL XL SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (6)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" Long / 16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush Mount Horn
- Full Lighted Instrumentation
- LED Interior Lighting (1)
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Windshield

### Storage


- Battery Storage Compartments
- Lockable Port and Starboard Rod Storage 7' 6"
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging
- Level Flotation Compliance
- Travel Cover Black
- Twin Plated Bottom (Bow to Amidship)
- Dual Trak Gunwale
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (2)



- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Grab Handles (6)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2) 2x4 Bunks / LundGuard Frame
- LUB22SELMSSO-16 Bunk Trailer with LundGuard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

<b>Min/Max HP</b>	50 / 75 HP
<b>Beam/Chine</b>	85" / 70.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 7"
<b>Boat Weight</b>	915 lbs.
<b>Motor Weight</b>	359 lbs. (75 Pro XS)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	1,755 lbs.
<b>Total Storage Length</b>	19'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 11"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	22.5"
<b>Engine/Approx. Speed</b>	
Mercury 50 4S	29-33 mph
Mercury 60 4S	30-34 mph
Mercury 75 4S	34-38 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Hull Design</b>	IPS

# 1650 REBEL XL TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (4)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" Long / 16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush Mount Horn
- LED Interior Lighting (1)
- Main Power Tiller Handle
- Navigational Lighting
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Port and Starboard Rod Storage 7' 6"
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Riggine
- Level Flotation Compliance
- Transhield Cover
- Travel Cover Black
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)



- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Grab handles (5)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2)2x4 Bunks / LundGuard Frame
- LUB22SELSSO-16 Bunk Trailer with LundGuard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

<b>Min/Max HP</b>	40 / 60 HP
<b>Beam/Chine</b>	85" / 70.5"
<b>Transom Height</b>	20"
<b>Boat Length</b>	16' 7"
<b>Boat Weight</b>	870 lbs.
<b>Motor Weight</b>	247 lbs. (60 4S)
<b>Trailer Weight</b>	481 lbs.
<b>Total Weight</b>	1,598 lbs.
<b>Total Storage Length</b>	19'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 4"
<b>Boat/Trailer Width</b>	7' 6"
<b>Max Persons</b>	6
<b>Freeboard Thickness</b>	0.063"

<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.143"
<b>Cockpit Depth</b>	22.5"
<b>Engine/Approx. Speed</b>	
Mercury 40 4S	28-32 mph
Mercury 50 4S	29-33 mph
Mercury 60 4S	30-34 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1775 RENEGADE

## STANDARD FEATURES

### Seats/Pedestals

- 2 Person Bench Seat
- Seat Bases (2)
- Standard Seats w/Solid Removable Pedals (2)

### Fuel Tank

- 22 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (36" Long/28 Gal)
- ProLong Livewell System with Pumpout

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Bow Trim Switch
- Dual USB Port
- Horn
- LED Interior Lighting
- Mercury Mechanical Control
- Multifunction Gauges
- Navigational Lighting
- Steering-No Feed Back
- Windshield, Starboard Console

### Storage


- Integrated Cooler with Drain
- Lockable Center Bow Rod Storage (10) 8' 1"
- Bow On-the-Go Rod Storage
- Port On-the-Go Rod Storage
- Storage Compartments w/Bubble Seal
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder-Port Side
- Aluminum Transom
- Bow & Stern Eyes
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Factory Engine Rigging Standard
- Stainless Steel Fold Down Cleats (4)

### Other Interior Features

- Battery Holders
- Bilge Pump (1 Manual)



- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Plug (12/24V)
- Cupholders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Wood Free Construction

### Shoreland'r Trailer

- Bunk Trailer LundGuard w/Swing Tonne, Load Guides, Spare Tire

<b>Min/Max HP</b>	50 / 90 HP
<b>Beam/Chine</b>	95" / 68"
<b>Transom Height</b>	20"
<b>Boat Length</b>	17' 9"
<b>Boat Weight</b>	1,221 lbs.
<b>Motor Weight</b>	359 lbs. (90 4S)
<b>Trailer Weight</b>	596 lbs.
<b>Total Weight</b>	2,176 lbs.
<b>Total Storage Length</b>	20' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	5' 4"
<b>Boat/Trailer Width</b>	8'
<b>Max Persons</b>	4
<b>Freeboard Thickness</b>	0.100"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	19"
<b>Engine/Approx. Speed</b>	
Mercury 50 4S	28-32 mph
Mercury 60 4S	30-34 mph
Mercury 75 4S	34-38 mph
Mercury 90 4S	38-42 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1875 RENEGADE

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- ProRide Seats (4)
- Seat Bases (4)
- Solid Removable Pedestal (2)

### Fuel tank

- 32 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (36" Long/28 Gal)
- ProLong Livewell System with Pumpout

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Bow Trim Switch
- Dual USB Port
- LED Interior Lighting
- Mercury Mechanical Control
- Multifunction Gauges
- Navigational Lighting
- Steering-No Feed Back
- Windshield, Starboard Console

### Storage


- Bow On-the-Go Rod Storage
- Lockable Center Bow Rod Storage (10) 9' 6"
- Cooler 12 Can Legend Igloo
- Port On-the-Go Rod Storage
- Storage Compartments
- Storage Compartments w/Bubble Seal

### Other Exterior Features

- 4 Step Transom Mount Ladder - Port Side
- Aluminum Transom
- Bow & Stern Eyes
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Stainless Steel Fold Down Cleats (4)

### Other Interior Features

- Battery Holders
- Bilge Pump (1 Manual)



- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Bow Trolling Motor Plug (12/24V)
- Cupholders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Wood Free Construction

### Shoreland'r Trailer

- Bunk Trailer LundGuard w/Swing Tonque, Load Guides, Spare Tire

<b>Min/Max HP</b>	75 / 115 HP
<b>Beam/Chine</b>	95" / 68"
<b>Transom Height</b>	20"
<b>Boat Length</b>	18' 9"
<b>Boat Weight</b>	1,255 lbs.
<b>Motor Weight</b>	359 lbs. (115 Pro XS)
<b>Trailer Weight</b>	705 lbs.
<b>Total Weight</b>	2,319 lbs.
<b>Total Storage Length</b>	22' 5"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 2"
<b>Boat/Trailer Width</b>	8' 2"
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Cockpit Depth</b>	19"
<b>Engine/Approx. Speed</b>	
Mercury 75 4S	34-38 mph
Mercury 90 4S	38-42 mph
Mercury 115 4S	42-46 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# 1975 RENEGADE

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- ProRide Seats (4)
- Seat Bases (4)
- Solid Removable Pedestal (2)

### Fuel tank

- 32 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (36" Long/28 Gal)
- ProLong Livewell System with Pumpout

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Bow Trim Switch
- Dual USB Port
- LED Interior Lighting
- Mercury Mechanical Control
- Multifunction Gauges
- Navigational Lighting
- Steering-No Feed Back
- Windshield, Starboard Console

### Storage


- Bow On-the-Go Rod Storage
- Lockable Center Bow Rod Storage (10) 10' 6"
- Cooler 12 Can Legend Igloo
- Port On-the-Go Rod Storage
- Storage Compartments
- Storage Compartments w/Bubble Seal

### Other Exterior Features

- 4 Step Transom Mount Ladder-Port Side
- Aluminum Transom
- Bow & Stern Eyes
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Stainless Steel Fold Down Cleats (4)

### Other Interior Features

- Battery Holders



- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Bow Trolling Motor Plug (12/24V)
- Cupholders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Wood Free Construction
- Shoreland'r Trailer**
- Bunk Trailer LundGuard w/Swing Tongue, Load Guides, Spare Tire


<b>Min/Max HP</b>	115 / 150 HP
<b>Beam/Chine</b>	95" / 68"
<b>Transom Height</b>	20"
<b>Boat Length</b>	19' 9"
<b>Boat Weight</b>	1520 lbs.
<b>Motor Weight</b>	456 lbs. (150 Pro XS)
<b>Trailer Weight</b>	797 lbs.
<b>Total Weight</b>	2,773 lbs.
<b>Total Storage Length</b>	23' 2"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	6' 6"
<b>Boat/Trailer Width</b>	8' 2"
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.100"
<b>Bottom Thickness</b>	0.125"
<b>Max Hull Thickness</b>	0.125"
<b>Cockpit Depth</b>	19"
<b>Engine/Approx. Speed</b>	
Mercury 115 4S	40-44 mph
Mercury 150 4S	45-49 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Hull Design</b>	IPS

# SSV-14

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Pan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Handles



<b>Min/Max HP</b>	30 HP
<b>Beam/Chine</b>	70" / 55.5"
<b>Transom Height</b>	15" or 20"
<b>Boat Length</b>	14' 2"
<b>Boat Weight</b>	285 lbs. (15") / 295 lbs. (20")
<b>Motor Weight</b>	172 lbs. (30 45)
<b>Trailer Weight</b>	274 lbs.
<b>Total Weight</b>	731 / 741 lbs.
<b>Max Persons</b>	4

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.063"
<b>Max Hull Thickness</b>	0.063"
<b>Available Colors</b>	Aluminum Arctic White* Black Cobalt Blue* Fall Marsh (Camo)* Heritage Red
<b>Hull Design</b>	IPS


\*Optional/Upcharge



# SSV-16

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Pan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Handles



<b>Min/Max HP</b>	40 HP
<b>Beam/Chine</b>	72" / 55.5"
<b>Transom Height</b>	15" or 20"
<b>Boat Length</b>	16' 2"
<b>Boat Weight</b>	340 lbs. (15") 350 lbs (20")
<b>Motor Weight</b>	204 lbs. (40 4S)
<b>Trailer Weight</b>	280 lbs.
<b>Total Weight</b>	824 / 834 lbs.
<b>Max Persons</b>	5 (15") / 6 (20")


<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.080"
<b>Max Hull Thickness</b>	0.080"
<b>Available Colors</b>	Aluminum Arctic White* Black Cobalt Blue* Fall Marsh (Camo)* Heritage Red
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# SSV-18

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Plan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Eyes



<b>Min/Max HP</b>	60 HP
<b>Beam/Chine</b>	76" / 57"
<b>Transom Height</b>	20"
<b>Boat Length</b>	18' 4"
<b>Boat Weight</b>	460 lbs.
<b>Motor Weight</b>	247 lbs. (60 4S)
<b>Trailer Weight</b>	335 lbs.
<b>Total Weight</b>	1,042 lbs.
<b>Max Persons</b>	7

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.100"
<b>Available Colors</b>	Aluminum Arctic White* Black Cobalt Blue* Fall Marsh (Camo)* Heritage Red
<b>Hull Design</b>	IPS

\*Optional/Upcharge

# 1875 TYEE

## STANDARD FEATURES

### Seats/Pedestals

- Pro-Ride Seats (3)
- Air Ride Fixed Mast (1)
- Air Ride Removeable Pedestal (2)
- Driver's Seat Slider
- Seat Bases (6)
- Aft Integrated Jump Seats

### Fuel Tank

- 40 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell Systems
- Bow Livewell (25" Long / 9 Gallon)
- Aft Livewell (38" Long / 24 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Bow Trolling Motor Harness w/Plug
- Custom Dual Consoles w/Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt Helm
- Integrated LED Lighting
- Livewell Lighting
- Lockable Glovebox
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- Plug-In Wire Harness
- Kicker Stereo w/2 Jensen Speakers

### Storage

- Battery Storage Compartments
- Console Storage
- Storage Compartments
- Lockable Port Rod Storage (4) 8'
- Lockable In-Floor Rod Storage (5) 7' 6", (5) 8'
- Raised In-floor Center Storage Compartment
- Aft Storage for Sun Top, Complete Top, or Bimini Top
- Bow Cargo Net Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance



- ProTrak Gunwale
- Stainless Steel Bow Rails
- Stainless Steel Cleats (4 Recessed)
- Twin Plated Bottom (Bow to Amidship)
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Auto/Manual)
- Treated Marine Grade Plywood
- Bow to Stern
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Pro Deck Conversion
- Bow Backrests
- Drink Holders
- Self-Draining Splash Pan
- Ski Tow Base (Ski Pole Not Included)
- Sport Trak Accessory Brackets (2)
- Sport Trak Coaming
- Vinyl Wrapped Side Panels
- Fire Extinguisher

### Trailer

- Load Guide
- LUV30BELMSO-16 LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Trailer Jack

<b>Min/Max HP</b>	115 / 200 HP
<b>Beam/Chine</b>	98" / 86.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 10"
<b>Boat Weight</b>	1,760 lbs.
<b>Motor Weight</b>	475 lbs. (200 4S)
<b>Trailer Weight</b>	765 lbs.
<b>Total Weight</b>	3,000 lbs.
<b>Total Storage Length</b>	21' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 2"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	8
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	27"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	46-50 mph
Mercury 175 4S	48-52 mph
Mercury 200 4S	49-53 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Silver Stone Black
<b>Hull Design</b>	IPS2

# 1975 TYEE

## STANDARD FEATURES

### Seats/Pedestals

Pro-Ride Seats (3) • Air Ride Fixed Mainstay (1) • Air Ride Removeable Pedestal (2) • Driver's Seat Slider Seat Bases (6) • Aft Integrated Jump Seats

### Fuel Tank

40 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell Systems • Bow Livewell (25" Long / 9 Gallon) • Aft Livewell (38" Long / 24 Gallon) • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V Power Receptacle • Custom Dual Consoles w/Walkthrough Windshield • Kicker Stereo (2 Speakers) • Automotive Style Fuse Panel • Bow Trolling Motor Plug • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt Helm • Integrated LED Lighting • Livewell Lighting • Lockable Glove Box • Mercury Analog Rerig w/Gauges • Navigational Lighting • Plug-In Wire Harness

### Storage

Battery Storage Compartments • Console Storage • Lockable Port Rod Storage (4) 9' • Lockable In-Floor Rod Storage (5) 9', (5) 8' 6" • Raised In-floor Center Storage Compartment • Aft Storage for Sun Top, Complete Top, or Bimini Top • Bow Cargo Net Storage

### Other Exterior Features

Aluminum Corner Castings • Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes • Composite Transom • Hull Drain Plug • Level Flotation Compliance • ProTrak Gunwale • Stainless Steel



Bow Rails • Stainless Steel Cleats (4 Recessed) • Twin Plated Bottom (Bow to Amidship) • Transhield Cover

### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Auto/Manual) • Drink Holders • Treated Marine Grade Plywood - Bow to Stern • Bow Casting Platform • Bow Deck Mounting Pad • Bow Pro Deck Conversion • Bow Backrests • Self-Draining Splash Pan • Sport Trak Accessory Brackets (2) • Sport Trak Coaming • Vinyl Wrapped Side Panels • Fire Extinguisher

### Trailer

Load Guides • LUV40TBLWTMH LundGuard Painted Bunk • Spare Tire • Swing Tongue • Tongue Jack

<b>Min/Max HP</b>	135 / 225 HP
<b>Beam/Chine</b>	98" / 86.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	19' 10"
<b>Boat Weight</b>	1,955 lbs.
<b>Motor Weight</b>	475 lbs. (225 4S)
<b>Trailer Weight</b>	1,016 lbs.
<b>Total Weight</b>	3,446 lbs.
<b>Total Storage Length</b>	22' 6"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 2"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	9
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"

<b>Max Hull Thickness</b>	0.200"
<b>Cockpit Depth</b>	27"
<b>Engine/Approx. Speed</b>	
Mercury 150 4S	44-48 mph
Mercury 175 4S	48-52 mph
Mercury 200 4S	48-52 mph
Mercury 225 4S	49-53 mph
<b>Available Colors</b>	Arctic White Black Cobalt Blue Gunmetal Metallic Heritage Red
<b>Bottom/Deck Colors</b>	Silver Stone Black
<b>Hull Design</b>	IPS2

# 2075 TYEE

## STANDARD FEATURES

### Seats/Pedestals

- Pro-Ride Seats (4) • Air Ride Pedestals (3) • Air Ride Mainstay (1)
- Driver's Seat Slider • Seat Bases (6)
- Aft Integrated Jump Seats

### Fuel Tank

50 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Aerated Livewell Systems

- Bow Livewell (25" Long / 9 Gallon)
- Aft Livewell (38" Long / 24 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- Kicker Stereo (2 Speakers) • 12V Power Receptacle • Automotive Style Fuse Panel • Bow Trolling Motor Plug • Custom Dual Consoles w/Walkthrough Windshield
- Lockable Glove Box • Full Lighted Instrumentation • Horn • Hydraulic Tilt Steering • Interior and Livewell Lighting • Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Console Storage • Storage Compartments • Lockable Port Rod Storage (4) 8' • Lockable In-Floor Rod Storage (4) 8' 0" • (6) 7' 6"
- Lockable Storage • Raised In-floor Center Storage Compartment
- Aft Storage for Sun Top, Complete Top, or Bimini Top • Bow Cargo Net Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding
- Pan Mounted • Bow & Stern Eyes
- Composite Transom • Hull Drain Plug • Level Flotation Compliance
- Stainless Steel Bow Rails
- Stainless Steel Cleats (4) - Recessed Twin Plated Bottom (Bow to Amidship) • Transhield Cover



### Other Interior Features

- Aft Casting Platform • Battery Holders (4) • Bilge Pump - 1 Auto/Manual • Drink Holders • Treated Marine Grade Plywood - Bow to Stern • Bow Casting Platform • Bow Deck Mounting Pad
- Bow Backrests • Vinyl Wrapped Side Panels • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Fire Extinguisher

### Shoreland'r Trailer

- Load Guides • LUV40TBLWTMH LundGuard Painted Bunk • Spare Tire • Swing Tongue • Tongue Jack

<b>Min/Max HP</b>	150 / 250 HP
<b>Beam/Chine</b>	99.5" / 87"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 8"
<b>Boat Weight</b>	2,000 lbs.
<b>Motor Weight</b>	527 lbs. (250 4S)
<b>Trailer Weight</b>	1,202 lbs.
<b>Total Weight</b>	3,729 lbs.
<b>Total Storage Length</b>	23' 1"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 2"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	9
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.200"
<b>Cockpit Depth</b>	30"
<b>Engine/Approx. Speed</b>	
Mercury 200 4S	46-50 mph
Mercury 225 4S	50-54 mph
Mercury 250 4S	52-56 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS2

# 189 TYEE GL

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Pro Ride Seats (3)
- Air Ride Mainstays (2)
- Air Ride Pedestal (1)
- Seat Bases (7)

### Fuel tank

- 41 Gallon Fuel Tank

### Flooring

- Marine Grade carpet (Casting Platforms)
- Non-Skid Fiberglass (Main Floor)
- Pro Long Livewell Systems
- Bow Baitwell/Livewell (21" Long / 9 Gallon)
- Aft Livewell/ Baitwell (31" Long / 16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Bow Trolling Motor Plug Breaker Panel
- Console Footrest
- Curved Windshield w/Walk-Thru
- Full Lighted Instrumentation
- Horn
- Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Kicker KMC1 Stereo w/2 Speakers
- Navigational Lighting
- Plug-In Wire Harness
- ProControl GL Auto Style Console

### Storage

- Console Storage
- Cooler/Storage compartment
- In-Floor Battery Storage
- Lockable Bow Rod Storage (6) 7'
- Lockable Storage
- Ski Rope Storage
- Ski Storage
- Storage Compartments

### Other Exterior Features

- Boarding Ladder
- Bow & Stern Eyes
- Bow Rails
- Hull Drain Plug
- Level Flotation Compliance



- Shipping Cover
- Stainless Steel Flush Mount Cleats

### Other Interior Features

- Aft Casting Platform
- Aft Seat Conversion
- Battery Holders
- Bilge Pump
- Bow Casting Platform
- Bow Cushions/Bolsters
- Bow Pro Deck Conversion
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Sculpted Console Front
- Self-Draining Splash Pan
- Ski Pole
- Sport Trak Accessory Brackets
- Sport Trak GL Coaming
- Trolling Motor Mounting Surface

<b>Min/Max HP</b>	150 / 200 HP
<b>Beam/Chine</b>	102" / 82.75"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 9"
<b>Boat Weight</b>	2,500 lbs.
<b>Motor Weight</b>	475 lbs. (200 4S)
<b>Trailer Weight</b>	840 lbs.
<b>Total Weight</b>	3,815 lbs.
<b>Total Storage Length</b>	22'
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7'
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	8
<b>Engine/Approx. Speed</b>	
Mercury 175 4S	48-52 mph
Mercury 200 4S	50-54 mph
<b>Available Colors</b>	Black/Silver/Gunmetal
	Black/White Gunmetal
	Blue/Silver/Gunmetal
	Burgundy/Gunmetal/Gunmetal
	Gunmetal/Silver/Silver
	Red/Silver/Gunmetal
	Red/White/Gunmetal
	White/Gunmetal/Gunmetal
<b>Hull Design</b>	IPS3

# 1875 TYEE LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (1)
- Air Ride Removable Pedestals (3)
- Driver's Seat Slider
- Integrated Aft Jumpseats with Limited Trim
- Limited ProRide Seats (4)
- Seat Bases (6)

### Fuel tank 40 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

- Aft Livewell (38" Long / 24 Gallons)
- Bow Livewell (25" Long / 9 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Dual Consoles w/Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Interior and Livewell Lighting - LED
- Limited Steering Wheel
- Lockable Glove Box • Mercury DTS Control • Mercury Smartcraft Gauges • Navigational Lighting
- Plug-In Wire Harness • Rockford Fosgate Stereo w/4 Rockford Fosgate Speakers

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top • Battery Storage Compartments • Bow Cargo Net Storage • Console Storage
- Lockable In-Floor Rod Storage (5) 8', (5) 7' 6" • Lockable Port Storage - 8' • Raised In-floor Center Storage Compartment

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding
- Pan Mounted • Bow & Stern Eyes • Composite Transom • Level Flotation Compliance • Limited Decal Package • SL-24 Raised Lund on Freeboards • Exterior Paint Clearcoat • Pro Trak Gunwale
- Stainless Steel Bow Rails •



Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

Aft Casting Platform • Battery Holders • Bilge Pump (1 pump Auto/Manual) • Bow Casting Platform • Bow Pro Deck Conversion • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug • Drink Cup Holders • Fire Extinguisher • Limited Bow Backrests • Limited Side Panel Trim • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming • Stainless Steel Door Latches • Treated Marine Grade Plywood - Bow to Stern • Upgraded Grab Handles

### Trailer

SHORELAND'R TRAILER  
Lighted Fender Step • Limited LUV31BLLWMSO-16 Trailer • Limited Rims • Limited Single Axle Trailer w/Brakes • Limited Trailer Decals • Load Guides • LundGuard Frame / Tongue Jack / Swing Tongue / Retractable Tie Downs • Spare Tire

<b>Min/Max HP</b>	200 HP
<b>Beam/Chine</b>	98" / 86.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	18' 10"
<b>Boat Weight</b>	1,760 lbs.
<b>Motor Weight</b>	505 lbs. (200 Pro XS)
<b>Trailer Weight</b>	846 lbs.
<b>Total Weight</b>	3,111 lbs.
<b>Total Storage Length</b>	21' 4"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 2"
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	8
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.180"
<b>Cockpit Depth</b>	27"
<b>Engine/Approx. Speed</b>	
Mercury 200 Pro XS	49-53 mph
<b>Available Colors</b>	Arctic White
	Black
<b>Bottom/Deck Colors</b>	Gunmetal
<b>Hull Design</b>	IPS2

# 1975 TYEE LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (1) • Air Ride Removable Pedestals (3)
- Driver's Seat Slider • Integrated Aft Jumpseats with Limited Trim
- Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 40 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

- Aft Livewell (38" Long / 24 Gallons) • Bow Livewell (25" Long / 9 Gallon) • Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Dual Consoles w/Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Hydraulic Tilt Steering • Interior and Livewell Lighting - LED
- Limited Steering Wheel
- Lockable Glove Box • Mercury DTS Control • Mercury Smartcraft Gauges • Navigational Lighting
- Plug-In Wire Harness • Rockford Fosgate Stereo w/4 • Rockford Fosgate Speakers

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top • Battery Storage Compartments • Bow Cargo Net Storage • Console Storage • Lockable In-Floor Rod Storage (5) 9', (5) 8' 6" • Lockable Port Storage 9' • Raised In-floor Center Storage Compartment

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes
- Composite Transom • Level Flotation Compliance • Limited Decal Package • Pro Trak Gunwale • SL-24 Raised • Lund on Freeboards • Exterior Paint Clearcoat • Stainless Steel Bow Rails • Stainless Steel Cleats (4)



- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders • Bilge Pump (1 pump Auto/Manual) • Bow Backrests
- Bow Casting Platform • Bow Pro Deck Conversion • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug • Cockpit Depth • Drink Holder • Fire Extinguisher • Limited Bow Backrests • Limited Side Panel Trim • Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming • Stainless Steel Door Latches • Treated Marine Grade Plywood - Bow to Stern • Upgraded Grab Handles • Vinyl Wrapped Side Panels

### Shoreland'r Trailer

- Lighted Fender Step • Limited LUV402LXWMSO-16 Bunk Trailer • Limited Rims • Load Guides • LundGuard Frame / Tongue Jack / Swing Tongue / Retractable Tie Downs • Spare Tire • Standard Brakes on both axles

<b>Min/Max HP</b>	225 HP
<b>Beam/Chine</b>	98" / 86.25"
<b>Transom Height</b>	25"
<b>Boat Length</b>	19' 10"
<b>Boat Weight</b>	1,955 lbs.
<b>Motor Weight</b>	505 lbs. (225 Pro XS)
<b>Trailer Weight</b>	1,141 lbs.
<b>Total Weight</b>	3,601 lbs.
<b>Total Storage Length</b>	22' 6"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 2"
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	9
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.200"
<b>Cockpit Depth</b>	27"
<b>Engine/Approx. Speed</b>	
Mercury 225 Pro XS	49-53 mph
<b>Available Colors</b>	Arctic White
	Black
<b>Bottom/Deck Colors</b>	Gunmetal
<b>Hull Design</b>	IPS2



# 2075 TYEE LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (1) • Air Ride Removable Pedestals (3)
- Driver's Seat Slider • Integrated Aft Jumpseats with Limited Trim
- Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 50 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

- Aerated Aft Livewell (38" Long / 24 Gallons) • Aerated Bow Livewell (25" Long / 9 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Bow Trolling Motor Plug
- Custom Dual Consoles w/ Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Interior and Livewell Lighting
- Limited Steering Wheel
- Lockable Glove Box • Mercury DTS Control • Mercury Smartcraft Gauges • Navigational Lighting
- Plug-In Wire Harness • Rockford Fosgate Stereo w/4 Rockford Fosgate Speakers

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top • Battery Storage Compartments • Bow Cargo Net Storage • Console Storage • Lockable In-Floor Rod Storage (5) 9', (5) 8' 6" • Lockable Port Storage 9' • Raised In-floor Center Storage Compartment

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes
- Composite Transom • Level Flotation Compliance • Limited Decal Package • Pro Trak Gunwale • SL-24 Raised • Lund on Freeboards • Exterior Paint Clearcoat • Stainless Steel Bow



- Rails • Stainless Steel Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders • Bilge Pump • Bow Backrests • Bow Casting Platform • Bow Conversion with Cooler Storage • Bow Deck Mounting Pad • Drink Cup Holders • Fire Extinguisher • Limited Bow Backrests • Limited Side Panel Trim • Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming • Stainless Steel Door Latches • Treated Marine Grade Plywood - Bow to Stern • Upgraded Grab Handles
- Vinyl Wrapped Side Panels

### Shoreland'r Trailer

- LED Lights / E-Coat Painted Wheels w/Radial Tires
- Lighted Fender Step • Limited LUV402LXWMSO-16 Bunk Trailer
- Limited Rims • LundGuard Frame / Tongue Jack / Swing Tongue / Retractable Tie Downs
- LUV40TBLWTMH Painted Bunk
- Standard Brakes on both axles

<b>Min/Max HP</b>	250 HP
<b>Beam/Chine</b>	99.5" / 87"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 8"
<b>Boat Weight</b>	2,000 lbs.
<b>Motor Weight</b>	505 lbs. (250 Pro XS)
<b>Trailer Weight</b>	1,141 lbs.
<b>Total Weight</b>	3,646 lbs.
<b>Total Storage Length</b>	23' 1"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 2"
<b>Boat/Trailer Width</b>	8' 6"

<b>Max Persons</b>	9
<b>Freeboard Thickness</b>	0.080"
<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.200"
<b>Cockpit Depth</b>	30"
<b>Engine/Approx. Speed</b>	
Mercury 250 Pro XS	52-56 mph
<b>Available Colors</b>	Arctic White
	Black
<b>Bottom/Deck Colors</b>	Gunmetal
<b>Hull Design</b>	IPS2

# 2075 TYEE MAGNUM

## STANDARD FEATURES

### Seats/Pedestals

- Pro-Ride Seats (4) • Air Ride Pedestals (3) • Air Ride Mainstay (1)
- Driver's Seat Slider • Seat Bases (5)
- Aft Integrated Jump Seats

### Fuel Tank

- 49 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Aerated Livewell Systems

- Aft Livewell (38" Long / 24 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle • Kicker Stereo (2 Speakers) • Automotive Style Fuse Panel • Bow Trolling Motor Plug • Custom Dual Consoles w/Walkthrough Windshield • Full Lighted Instrumentation • Hydraulic Tilt Steering • Horn • Interior and Livewell Lighting • Lockable Glove Box • Navigational Lighting • Plug-In Wire Harness

### Storage


- Battery Storage Compartments • Console Storage • Storage Compartments • Lockable Port Rod Storage (4) 10' 6" • Lockable In-Floor Rod Storage • 6) 7' 6" • (4) 8' • Lockable Storage • Aft Storage for Sun Top, Complete • Top, or Bimini Top • Bow Cargo Net Storage

### Other Exterior Features

- Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Hull Drain Plug • Level Flotation Compliance • Stainless Steel Bow Rails • Stainless Steel Cleats (4) - Recessed • Twin Plated Bottom (Bow to Amidship) • Transhield Cover • 3 Step Ladder Flush Mount in Transom

### Other Interior Features

- Battery Holders (4) • Bilge Pump
- 1 Auto/Manual • Bow Casting



- Platform • Bow Deck Mounting Pad • Drink Holders • Fire Extinguisher • SportTrak Accessory Brackets (2) • SportTrak Coaming • Treated Marine Grade Plywood - Bow to Stern • Vinyl Wrapped Side Panels

### Shoreland'r Trailer

- LUV40TBLWTMH LundGuard Painted Bunk • Load Guides • Spare Tire • Swing Tire • Tongue Jack


<b>Min/Max HP</b>	150 / 250 HP
<b>Beam/Chine</b>	99.5" / 87"
<b>Transom Height</b>	25"
<b>Boat Length</b>	20' 8"
<b>Boat Weight</b>	1,980 lbs.
<b>Motor Weight</b>	527 lbs. (250 4S)
<b>Trailer Weight</b>	1,202 lbs.
<b>Total Weight</b>	3,709 lbs.
<b>Total Storage Length</b>	23' 6"
<b>Boat/Motor On</b>	
<b>Trailer Height</b>	7' 2"
<b>Boat/Trailer Width</b>	8' 6"
<b>Max Persons</b>	9
<b>Freeboard Thickness</b>	0.080"

<b>Bottom Thickness</b>	0.100"
<b>Max Hull Thickness</b>	0.200"
<b>Cockpit Depth</b>	30"
<b>Engine/Approx. Speed</b>	
Mercury 200 4S	48-52 mph
Mercury 225 4S	50-54 mph
Mercury 250 4S	52-56 mph
<b>Available Colors</b>	Arctic White
	Black
	Cobalt Blue
	Gunmetal Metallic
	Heritage Red
<b>Bottom/Deck Colors</b>	Black
	Silver Stone
<b>Hull Design</b>	IPS2

# WC-12

## STANDARD FEATURES

- Cross Seats (2)
- Modified Split Seat (2)
- Composite Transom
- Aluminum Keelsons (2)
- Bow Eye
- Perma-Ply Seat Tops
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



<b>Min/Max HP</b>	15 HP
<b>Beam</b>	61"
<b>Transom Height</b>	15"
<b>Boat Length</b>	12' 1"
<b>Boat Weight</b>	205 lbs.
<b>Motor Weight</b>	99 lbs. (15 4S)
<b>Trailer Weight</b>	173 lbs.
<b>Total Weight</b>	477 lbs.
<b>Max Persons</b>	3


<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.063"
<b>Max Hull Thickness</b>	0.063"
<b>Available Colors</b>	Aluminum Arctic White* Black Cobalt Blue* Fall Marsh (Camo)* Heritage Red
<b>Hull Design</b>	Semi V-Hull

\*Optional/Upcharge

# WC-14

## STANDARD FEATURES

- Cross Seats (2)
- Modified Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Perma-Ply Seat Tops
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



<b>Min/Max HP</b>	25 HP
<b>Beam</b>	69"
<b>Transom Height</b>	15" or 20"
<b>Boat Length</b>	14' 6"
<b>Boat Weight</b>	285 lbs. (15") / 295 lbs. (20")
<b>Motor Weight</b>	157 lbs. (25 4S)
<b>Trailer Weight</b>	274 lbs.
<b>Total Weight</b>	716 / 726 lbs.
<b>Max Persons</b>	4


<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.063"
<b>Max Hull Thickness</b>	0.063"
<b>Available Colors</b>	Aluminum Arctic White* Black Cobalt Blue* Fall Marsh (Camo)* Heritage Red
<b>Hull Design</b>	Semi V-Hull

\*Optional/Upcharge

# WC-16

## STANDARD FEATURES

- Cross Seats (3)
- Modified Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Perma-Ply Seat Tops
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



<b>Min/Max HP</b>	25 HP
<b>Beam</b>	72"
<b>Transom Height</b>	15" or 20"
<b>Boat Length</b>	16' 2"
<b>Boat Weight</b>	315 lbs. (15") 335 lbs. (20")
<b>Motor Weight</b>	157 lbs. (25 4S)
<b>Trailer Weight</b>	280 lbs.
<b>Total Weight</b>	762 / 772 lbs.
<b>Max Persons</b>	5

<b>Freeboard Thickness</b>	0.063"
<b>Bottom Thickness</b>	0.063"
<b>Max Hull Thickness</b>	0.063"
<b>Available Colors</b>	Aluminum Arctic White* Black Cobalt Blue* Fall Marsh (Camo)* Heritage Red
<b>Hull Design</b>	Semi V-Hull

\*Optional/Upcharge

# 2022 TROLLING MOTOR GUIDE

## BOW TROLLING MOTOR SUGGESTED LENGTH

	45"	50" / 54"	60"	72"
ADVENTURE		X	X	
ALASKAN				
1600/1800		X		
2000			X	
ANGLER		X		
BARON				X
CROSSOVER XS			X	
FISHERMAN			X	
FURY		X		
IMPACT XS			X	
PRO GUIDE			X	
PRO-V / PRO-V LIMITED			X	X
PRO-V BASS / MUSKY		X		
PRO-V GL			X	
REBEL XL		X		
RENEGADE	X	X		
TYEE / TYEE LIMITED			X	X
TYEE GL			X	

# 2022 STEERING SYSTEMS

BOAT MODEL	STANDARD STEERING SYSTEM	HYDRAULIC STEERING OPTION	POWER STEERING OPTION
<b>ADVENTURE</b>			
1675 Adventure SS	No Feedback	N/A	N/A
1675 Adventure Sport	No Feedback	N/A	N/A
1775 Adventure SS	No Feedback	N/A	N/A
1775 Adventure Sport	No Feedback	N/A	N/A
<b>ALASKAN</b>			
1600 Alaskan Tiller	Tiller	N/A	N/A
1600 Alaskan SS	No Feedback	N/A	N/A
1800 Alaskan Tiller	Tiller	Uflex ZTF Tiller	N/A
1800 Alaskan SS	No Feedback	N/A	N/A
1800 Alaskan Sport	No Feedback	N/A	N/A
2000 Alaskan Tiller - 90/115	Tiller	Uflex ZTF Tiller	N/A
2000 Alaskan Tiller - 150	N/A	N/A	Tiller w/ Mercury PS
2000 Alaskan SS	No Feedback	Hydraulic w/ Tilt	N/A
2000 Alaskan Sport	No Feedback	Hydraulic w/ Tilt	N/A
<b>ANGLER</b>			
1650 Angler Tiller	Tiller	N/A	N/A
1650 Angler SS	No Feedback	N/A	N/A
1650 Angler Sport	No Feedback	N/A	N/A
<b>BARON</b>			
2275 Baron	Hydraulic w/Tilt	Standard	Mercury PS
<b>CROSSOVER</b>			
1775 Crossover	No Feedback w/Tilt	Hydraulic w/Tilt	N/A
1875 Crossover	No Feedback w/Tilt	Hydraulic w/Tilt	N/A
<b>FISHERMAN</b>			
1875 Fisherman	No Feedback w/ Tilt	Hydraulic w/ Tilt	N/A
2075 Fisherman	Hydraulic w/ Tilt	Standard	Panther PS
<b>FURY</b>			
1400 Fury Tiller	Tiller	N/A	N/A
1400 Fury SS	No Feedback	N/A	N/A
1600 Fury Tiller	Tiller	N/A	N/A
1600 Fury SS	No Feedback	N/A	N/A
<b>IMPACT</b>			
1675 Impact XS	No Feedback	Hydraulic w/Tilt	N/A
1775 Impact XS	No Feedback	Hydraulic w/Tilt	N/A
1875 Impact XS	No Feedback	Hydraulic w/Tilt	N/A
2025 Impact XS	Hydraulic w/Tilt	Standard	Panther PS
<b>PREDATOR</b>			
1660 Predator Tiller	Tiller	NA	N/A
1760 Predator Tiller	Tiller	NA	N/A
1760 Predator SS	No Feedback	NA	N/A
1870 Predator Tiller	Tiller	NA	N/A
1870 Predator SS	No Feedback	NA	N/A
1870 Predator CC	No Feedback	NA	N/A
2070 Predator CC	No Feedback	Hydraulic	N/A

# 2022 STEERING SYSTEMS

BOAT MODEL	STANDARD STEERING SYSTEM	HYDRAULIC STEERING OPTION	POWER STEERING OPTION
<b>PRO GUIDE</b>			
1675 Pro Guide	Tiller	N/A	N/A
1775 Pro Guide	Tiller	N/A	N/A
1875 Pro Guide	Tiller	Uflex ZTF Tiller	N/A
2075 Pro Guide	Tiller w/Mercury PS	N/A	Standard
<b>PRO V BASS</b>			
1875 Pro V Bass XS	Hydraulic w/Tilt	Standard	Panther PS
2075 Pro V Bass XS	Hydraulic w/Tilt	Standard	Mercury PS
<b>PRO V MUSKY</b>			
1875 Pro V Musky XS	Hydraulic w/Tilt	Standard	Panther PS
2075 Pro V Musky XS	Hydraulic w/Tilt	Standard	Mercury PS
<b>PRO V</b>			
1875 Pro V	Hydraulic w/Tilt	Standard	Panther PS
1875 Pro V Limited	Hydraulic w/Tilt	Standard	Panther PS
1975 Pro V	Hydraulic w/Tilt	Standard	Panther PS
1975 Pro V Limited	Hydraulic w/Tilt	Standard	Panther PS
2075 Pro V	Hydraulic w/Tilt	Standard	Mercury PS
2075 Pro V Limited	Mercury PS	N/A	Standard
2175 Pro V	Hydraulic w/Tilt	Standard	Mercury PS
2175 Pro V Limited	Mercury PS	N/A	Standard
<b>PRO V GL</b>			
189 Pro V GL	Hydraulic w/Tilt	Standard	Mercury PS
202 Pro V GL	Mercury PS	N/A	Standard
219 Pro V GL	Mercury PS	N/A	Standard
<b>REBEL XL</b>			
1650 Rebel XL Tiller	Tiller	N/A	N/A
1650 Rebel XL SS	No Feedback	N/A	N/A
1650 Rebel XL Sport	No Feedback	N/A	N/A
<b>RENEGADE</b>			
1775 Renegade	No Feedback	N/A	N/A
1875 Renegade	No Feedback	Hydraulic w/ Tilt	N/A
1975 Renegade	No Feedback	Hydraulic w/ Tilt	N/A
<b>TYEE</b>			
1875 Tyee	Hydraulic w/Tilt	Standard	Panther PS
1875 Tyee Limited	Hydraulic w/Tilt	Standard	Panther PS
1975 Tyee	Hydraulic w/Tilt	Standard	Panther PS
1975 Tyee Limited	Hydraulic w/Tilt	Standard	Panther PS
2075 Tyee	Hydraulic w/Tilt	Standard	Mercury PS
2075 Tyee V Limited	Mercury PS	N/A	Standard
<b>TYEE GL</b>			
189 Tyee GL	Hydraulic w/Tilt	Standard	Mercury PS
<b>TYEE MAGNUM</b>			
2075 Tyee Magnum	Hydraulic w/Tilt	Standard	Mercury PS



# 2022 CARPET/VINYL

BOAT MODEL	LAYOUT	FLOORING OPTION	AFT DECK	COCKPIT	CONSOLE BASE	PORT/STBD DECKS	BOW DECK	BOW PLATE	VERTICAL SURFACES
1675 ADVENTURE	SPORT	Full Vinyl	Carpet	Vinyl	Vinyl	Carpet	Vinyl	Vinyl	Carpet
	SS	Vinyl Main	Carpet	Carpet	Carpet	Carpet	Carpet	Carpet	Carpet
1775 ADVENTURE	SPORT	Full Vinyl	Carpet	Carpet	Carpet	Carpet	Vinyl	Vinyl	Carpet
	SS	Vinyl Main	Carpet	Vinyl	Carpet	Carpet	Carpet	Carpet	Carpet
1600 ALASKAN	SPORT	Full Vinyl	N/A	Vinyl	Carpet	Vinyl	Vinyl	Vinyl	Painted
	TILLER	Composite	N/A	Composite	Carpet	Composite	Composite	Composite	Painted
1800 ALASKAN	SPORT	Full Vinyl	N/A	Vinyl	Carpet	Vinyl	Vinyl	Vinyl	Painted
	SS	Composite	N/A	Composite	Carpet	Composite	Composite	Composite	Painted
2000 ALASKAN	SPORT	Full Vinyl	N/A	Vinyl	Carpet	Vinyl	Vinyl	Vinyl	Painted
	TILLER	Composite	N/A	Composite	N/A	Composite	Composite	Composite	Painted
	SPORT	Full Vinyl	N/A	Vinyl	Carpet	Vinyl	Vinyl	Vinyl	Painted
	SS	Composite	N/A	Composite	Carpet	Composite	Composite	Composite	Painted
	SPORT	Full Vinyl	N/A	Vinyl	Carpet	Vinyl	Vinyl	Vinyl	Painted
	TILLER	Composite	N/A	Composite	N/A	Composite	Composite	Composite	Painted

# 2022 CARPET/VINYL

BOAT MODEL	LAYOUT	FLOORING OPTION	AFT DECK	COCKPIT	CONSOLE BASE	PORT/STBD DECKS	BOW DECK	BOW PLATE	VERTICAL SURFACES
<b>1650 ANGLER</b>	SPORT	Full Vinyl Vinyl Main	Vinyl Carpet	Vinyl Vinyl	Carpet Carpet	Vinyl Carpet	Vinyl Carpet	Vinyl Carpet	Carpet Carpet
	SS	Full Vinyl Vinyl Main	Carpet Carpet	Vinyl Vinyl	Carpet Carpet	Vinyl Carpet	Vinyl Carpet	Vinyl Carpet	Carpet Carpet
	TILLER	Full Vinyl Vinyl Main	Vinyl Carpet	Vinyl Vinyl	N/A N/A	Vinyl Carpet	Vinyl Carpet	Vinyl Carpet	Carpet Carpet
<b>2275 BARON</b>	SPORT	Full Carpet Full Vinyl	Carpet Carpet	Carpet Vinyl	Carpet Carpet	N/A N/A	Carpet Vinyl	Carpet Vinyl	Carpet Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
<b>1775 CROSSOVER XS</b>	SPORT	Full Carpet Full Vinyl	Carpet Carpet	Carpet Vinyl	Carpet Carpet	N/A N/A	Carpet Vinyl	Carpet Vinyl	Carpet Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
<b>1875 CROSSOVER XS</b>	SPORT	Full Carpet Full Vinyl	Carpet Carpet	Carpet Vinyl	Carpet Carpet	N/A N/A	Carpet Vinyl	Carpet Vinyl	Carpet Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
<b>1875 FISHERMAN</b>	SPORT	Full Vinyl Vinyl Main	Carpet Carpet	Vinyl Vinyl	N/A N/A	Carpet Carpet	Vinyl Carpet	Vinyl Carpet	Carpet Carpet
		Full Vinyl	Carpet	Vinyl	N/A	Carpet	Vinyl	Vinyl	Carpet
<b>2075 FISHERMAN</b>	SPORT	Full Vinyl Vinyl Main	Carpet Carpet	Vinyl Vinyl	N/A N/A	Carpet Carpet	Vinyl Carpet	Vinyl Carpet	Carpet Carpet
		Full Vinyl	Carpet	Vinyl	N/A	Carpet	Vinyl	Vinyl	Carpet

# 2022 CARPET/VINYL

BOAT MODEL	LAYOUT	FLOORING OPTION	AFT DECK	COCKPIT	CONSOLE BASE	PORT/STBD DECKS	BOW DECK	BOW PLATE	VERTICAL SURFACES
1400 FURY	SS	Full Vinyl	N/A	Vinyl	Carpet	Vinyl	Vinyl	Carpet	Painted
	TILLER	Vinyl Main	N/A	Vinyl	Carpet	Carpet	Carpet	Carpet	Painted
1600 FURY	SS	Full Vinyl	N/A	Vinyl	N/A	Carpet	Carpet	Carpet	Painted
	TILLER	Vinyl Main	N/A	Vinyl	N/A	Carpet	Carpet	Carpet	Painted
1675 IMPACT XS	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	Carpet	Vinyl	Vinyl	Carpet
	SS	Vinyl Main	Carpet	Vinyl	Carpet	Carpet	Carpet	Carpet	Carpet
1775 IMPACT XS	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	Carpet	Vinyl	Vinyl	Carpet
	SS	Vinyl Main	Carpet	Vinyl	Carpet	Carpet	Carpet	Carpet	Carpet
1875 IMPACT XS	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	Carpet	Vinyl	Vinyl	Carpet
	SS	Vinyl Main	Carpet	Vinyl	Carpet	Carpet	Carpet	Carpet	Carpet
2025 IMPACT XS	XS	Full Vinyl	Carpet	Vinyl	Carpet	Carpet	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	Carpet	Carpet	Carpet	Carpet

# 2022 CARPET/VINYL

BOAT MODEL	LAYOUT	FLOORING OPTION	AFT DECK	COCKPIT	CONSOLE BASE	PORT/STBD DECKS	BOW DECK	BOW PLATE	VERTICAL SURFACES
1675 PRO GUIDE	TILLER	Full Vinyl	Carpet	Vinyl	N/A	Carpet	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Carpet	Carpet
1775 PRO GUIDE	TILLER	Full Vinyl	Carpet	Vinyl	N/A	Carpet	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Carpet	Carpet
1875 PRO GUIDE	TILLER	Full Vinyl	Vinyl	Vinyl	N/A	Vinyl	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Carpet	Carpet
2075 PRO GUIDE	TILLER	Full Vinyl	Vinyl	Vinyl	N/A	Vinyl	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Carpet	Carpet
1875 PRO-V	SPORT	Full Vinyl	Carpet	Vinyl	N/A	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	N/A	N/A	Carpet	Carpet	Carpet
1975 PRO-V	SPORT	Full Vinyl	Carpet	Vinyl	N/A	N/A	Vinyl	N/A	Carpet
		Vinyl Main	Carpet	Vinyl	N/A	N/A	Carpet	N/A	Carpet
2075 PRO-V	SPORT	Full Vinyl	Carpet	Vinyl	N/A	N/A	Vinyl	N/A	Carpet
		Vinyl Main	Carpet	Vinyl	N/A	N/A	Carpet	N/A	Carpet
2175 PRO-V	SPORT	Full Vinyl	Carpet	Vinyl	N/A	N/A	Vinyl	N/A	Carpet
		Vinyl Main	Carpet	Vinyl	N/A	N/A	Carpet	N/A	Carpet
1875 PRO-V BASS	XS	Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	N/A	Carpet
2075 PRO-V BASS	XS	Vinyl Main	Carpet	Vinyl	N/A	N/A	Carpet	N/A	Carpet

# 2022 CARPET/VINYL

BOAT MODEL	LAYOUT	FLOORING OPTION	AFT DECK	COCKPIT	CONSOLE BASE	PORT/STBD DECKS	BOW DECK	BOW PLATE	VERTICAL SURFACES
1875 PRO-V LIMITED	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
1975 PRO-V LIMITED	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
2075 PRO-V LIMITED	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
2175 PRO-V LIMITED	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
1875 PRO-V MUSKY	XS	Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Carpet	Carpet
2075 PRO-V MUSKY	XS	Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Carpet	Carpet
1650 REBEL XL	SPORT	Full Vinyl	Vinyl	Vinyl	Carpet	Vinyl	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	Carpet	Carpet	Carpet	Carpet
	SS	Full Vinyl	Vinyl	Vinyl	Carpet	Vinyl	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	Carpet	Carpet	Carpet	Carpet
TILLER	Full Vinyl	Vinyl	Vinyl	N/A	Vinyl	Vinyl	Vinyl	Vinyl	Carpet
	Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Carpet	Carpet	Carpet
1775 RENEGADE	SS	Polyurea	Polyurea	Polyurea	N/A	Polyurea	Polyurea	Polyurea	Polyurea
		Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Painted	Carpet
1875 RENEGADE	SS	Polyurea	Polyurea	Polyurea	N/A	Polyurea	Polyurea	Polyurea	Polyurea
		Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Painted	Carpet
1975 RENEGADE	SS	Polyurea	Polyurea	Polyurea	N/A	Polyurea	Polyurea	Polyurea	Polyurea
		Vinyl Main	Carpet	Vinyl	N/A	Carpet	Carpet	Painted	Carpet

# 2022 CARPET/VINYL

BOAT MODEL	LAYOUT	FLOORING OPTION	AFT DECK	COCKPIT	CONSOLE BASE	PORT/STBD DECKS	BOW DECK	BOW PLATE	VERTICAL SURFACES
1875 TYEE	SPORT	Full Carpet	Carpet	Carpet	Carpet	N/A	Carpet	Carpet	Carpet
		Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
1975 TYEE	SPORT	Full Carpet	Carpet	Carpet	Carpet	N/A	Carpet	Carpet	Carpet
		Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
2075 TYEE	SPORT	Full Carpet	Carpet	Carpet	Carpet	N/A	Carpet	Carpet	Carpet
		Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
1875 TYEE LIMITED	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
		Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
1975 TYEE LIMITED	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
		Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
2075 TYEE LIMITED	SPORT	Full Vinyl	Carpet	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Carpet	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
		Full Vinyl	Vinyl	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
2075 TYEE MAGNUM	SPORT	Full Vinyl	Vinyl	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet
		Vinyl Main	Vinyl	Vinyl	Carpet	N/A	Carpet	Carpet	Carpet
		Full Vinyl	Vinyl	Vinyl	Carpet	N/A	Vinyl	Vinyl	Carpet

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>1675 ADVENTURE SPORT</b>	60 / 90	MERCURY 60ELPT	2	10.1 X 14 MERC SPITFIRE	NA	30-34
		MERCURY 75ELPT	2	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	38-42
		MERCURY 90ELPT	2	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	41-45
<b>1675 ADVENTURE SS</b>	40 / 90	MERCURY 60ELPT	2	10.1 X 14 MERC SPITFIRE	NA	30-34
		MERCURY 75ELPT	2	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	38-42
		MERCURY 90ELPT	2	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	41-45
<b>1775 ADVENTURE SPORT</b>	60 / 115	MERCURY 60ELPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 75ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	35-39
		MERCURY 90ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	39-43
<b>1775 ADVENTURE SS</b>	60 / 90	MERCURY 115ELPT PRO XS	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	43-47
		MERCURY 60ELPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 75ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	35-39
<b>1600 ALASKAN SS</b>	40 / 75	MERCURY 90ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	39-43
		MERCURY 40ELPT	2	10.6 X 12 MERC SPITFIRE	NA	26-30
		MERCURY 50ELPT	2	10.6 X 12 MERC SPITFIRE	NA	27-31
<b>1600 ALASKAN TILLER</b>	40 / 60	MERCURY 60ELPT	2	14 X 13 BLACK MAX	NA	27-31
		MERCURY 60ELPT	2	10.3 X 13 MERC SPITFIRE	NA	29-33
		MERCURY 60ELPT COMMAND THRUST	2	14 X 13 BLACK MAX	NA	29-33
<b>1600 ALASKAN TILLER</b>	40 / 60	MERCURY 75ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	34-38
		MERCURY 40ELPT	2	10.6 X 12 MERC SPITFIRE	NA	27-31
		MERCURY 40ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	27-31
<b>1600 ALASKAN TILLER</b>	40 / 60	MERCURY 50ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	28-32
		MERCURY 50ELHPT COMMAND THRUST W/ BIG TILLER	2	14 X 13 ALUM BLK MAX	NA	28-32

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>1600 ALASKAN TILLER (Cont.)</b>	40 / 60	MERCURY 60ELPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 60ELHPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 60ELHPT COMMAND THRUST W/ BIG TILLER	2	14 X 13 BLACK MAX	NA	30-34
<b>1800 ALASKAN SPORT &amp; SS</b>	50 / 90	MERCURY 50ELPT	2	10.6 X 12 MERC SPITFIRE	NA	26-30
		MERCURY 60ELPT	2	10.3 X 13 MERC SPITFIRE	NA	27-31
		MERCURY 60ELPT COMMAND THRUST	2	13.8 X 11 MERC SPITFIRE	NA	27-31
		MERCURY 75ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	32-36
		MERCURY 90ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	36-40
<b>1800 ALASKAN TILLER</b>	50 / 75	MERCURY 50ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	27-31
		MERCURY 50ELHPT COMMAND THRUST W/ BIG TILLER	2	14 X 13 BLACK MAX	NA	27-31
		MERCURY 60ELHPT	2	10.3 X 13 MERC SPITFIRE	NA	28-32
		MERCURY 60ELHPT COMMAND THRUST W/ BIG TILLER	2	14 X 13 BLACK MAX	NA	28-32
		MERCURY 75ELPT	2	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	33-37
		MERCURY 90EXLPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	34-38
<b>2000 ALASKAN SPORT &amp; SS</b>	90 / 150	MERCURY 115EXLPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	37-41
		MERCURY 115EXLPT PRO XS 4 STK	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	37-41
		MERCURY 115EXLPT PRO XS COMMAND THRUST	1		NA	
		MERCURY 150XL 45TK	1	NA	19P TEMPEST	43-47
		MERCURY 150XL PRO XS 45TK	1	NA	19P TEMPEST	43-47



# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
2000 ALASKAN TILLER	60 / 150	MERCURY 90ELPT	1 / 2*	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	35-39
		MERCURY 115ELPT PRO XS	1 / 2*	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	38-42
		MERCURY 115ELPT PRO XS COMMAND THRUST	2		NA	38-42
		MERCURY 150XL 45TK	2		19P TEMPEST	43-47
		MERCURY 150XL PRO XS 45TK	2		19P TEMPEST	43-47
1650 ANGLER SPORT & SS	40 / 60	MERCURY 40ELPT	2	10.6 X 12 MERC SPITFIRE	NA	23-27
		MERCURY 50ELPT	2	10.6 X 12 MERC SPITFIRE	NA	29-33
		MERCURY 60ELPT	2	10.1 X 14 MERC SPITFIRE	NA	31-35
		MERCURY 40ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	23-27
1650 ANGLER TILLER	40 / 50	MERCURY 50ELHPT	2	10.3 X 13 MERC SPITFIRE	NA	29-33
		MERCURY 250XL DTS 45TK	3	NA	19P TEMPEST	52-56
2275 BARON	150 / 350	MERCURY 250XL DTS 45TK VERADO	3	NA	19P TEMPEST	52-56
		MERCURY 250XL PRO XS DTS 45TK	3	NA	19P TEMPEST	52-56
		MERCURY 300XL DTS 4 5TK	3	NA	19P TEMPEST	55-59
		MERCURY 300XL DTS 45TK VERADO	3	NA	19P TEMPEST	55-59
		MERCURY 300XL PRO XS DTS 45TK	3	NA	19P TEMPEST	55-59
		MERCURY 350XL L6 VERADO	3	NA	19P TEMPEST	55-59
		MERCURY 400XL VERADO	3	NA	19P TEMPEST	57-61
		MERCURY 115EXLPT	1	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	39-43
1775 CROSSOVER	115 / 150	MERCURY 115EXLPT PRO XS 4 5TK	1	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	39-43
		MERCURY 150XL 45TK	2	NA	19P TEMPEST	49-53
		MERCURY 150XL PRO XS 45TK	2	NA	19P TEMPEST	49-53

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>1875 CROSSOVER</b>	115 / 175	MERCURY 115EXLPT	2	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	38-42
		MERCURY 115EXLPT PRO XS 4 STK	2	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	38-42
		MERCURY 150XL 4STK	2	NA	19P TEMPEST	48-52
		MERCURY 150XL PRO XS 4STK	2	NA	19P TEMPEST	48-52
		MERCURY 175XL 4 STK	2	NA	19P TEMPEST	50-54
		MERCURY 175XL PRO XS 4 STK	2	NA	19P TEMPEST	50-54
<b>1875 FISHERMAN</b>	115 / 150	MERCURY 115EXLPT	1	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	37-41
		MERCURY 115EXLPT PRO XS 4 STK	1	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	37-41
		MERCURY 150XL 4STK	2	NA	19P TEMPEST	43-47
		MERCURY 150XL PRO XS 4STK	2	NA	19P TEMPEST	43-47
		MERCURY 150XL 4STK	2	NA	17P TEMPEST	38-42
		MERCURY 150XL PRO XS 4STK	2	NA	17P TEMPEST	38-42
<b>2075 FISHERMAN</b>	150 / 200	MERCURY 175XL 4 STK	2	NA	19P TEMPEST	40-44
		MERCURY 175XL PRO XS 4 STK	2	NA	19P TEMPEST	40-44
		MERCURY 200XL 4STK	3	NA	19P TEMPEST	43-47
		MERCURY 200XL DTS 4STK	3	NA	19P TEMPEST	43-47
		MERCURY 200XL PRO XS DTS 4STK	3	NA	19P TEMPEST	43-47
		MERCURY 20ELHPT	2	NA	NA	17-21
<b>1400 FURY</b>	20 / 30	MERCURY 25ELPT	2	9.75 X 9.5 ALUM	NA	22-26
		MERCURY 25ELHPT	2	9.75 X 9.5 ALUM	NA	22-26
		MERCURY 30ELPT	2	9.3 X 11 MERC SPITFIRE	NA	23-27
		MERCURY 30ELHPT	2	9.3 X 11 MERC SPITFIRE	NA	23-27

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>1600 FURY SS</b>	20 / 40	MERCURY 20ELPT	2	NA	NA	20-24
		MERCURY 25ELPT	2	9.75 X 9.5 ALUM	NA	21-25
		MERCURY 30ELPT	2	9.3 X 11 MERC SPITFIRE	NA	22-26
		MERCURY 40ELPT	2	10.6 X 12 MERC SPITFIRE	NA	28-32
<b>1600 FURY TILLER</b>	20 / 40	MERCURY 20MLH	2	NA	NA	17-21
		MERCURY 20ELHPT	2	NA	NA	17-21
		MERCURY 25ELHPT	2	9.75 X 9.5 ALUM	NA	22-26
		MERCURY 30ELHPT	2	9.3 X 11 MERC SPITFIRE	NA	23-27
		MERCURY 40ELPT	2	10.6 X 12 MERC SPITFIRE	NA	28-32
		MERCURY 40ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	28-32
<b>1675 IMPACT XS</b>	90	MERCURY 90EXLPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	38-42
<b>1775 IMPACT XS</b>	75 / 125	MERCURY 90EXLPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	36-40
		MERCURY 115EXLPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	41-45
		MERCURY 115EXLPT PRO XS 4 STK	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	41-45
		MERCURY 115EXLPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	40-44
<b>1875 IMPACT XS</b>	90 / 150	MERCURY 115EXLPT PRO XS 4 STK	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	40-44
		MERCURY 150XL 4STK	2	NA	19P TEMPEST	48-52
		MERCURY 150XL PRO XS 4STK	2	NA	19P TEMPEST	48-52
		MERCURY 150XL 4STK	2	NA	19P TEMPEST	43-47
<b>2025 IMPACT XS</b>	135 / 200	MERCURY 150XL PRO XS 4STK	2	NA	19P TEMPEST	43-47
		MERCURY 175XL 4 STK	2	NA	19P TEMPEST	46-50
		MERCURY 175XL PRO XS 4 STK	2	NA	19P TEMPEST	46-50
		MERCURY 200XL 4STK	2	NA	19P TEMPEST	48-52

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>2025 IMPACT XS</b> <i>(Cont.)</i>	135 / 200	MERCURY 200XL DTS 45TK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 40ELPT	2	10.6 X 12 MERC SPITFIRE	NA	25-29
<b>1675 PRO GUIDE</b>	40 / 60	MERCURY 40ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	25-29
		MERCURY 50ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	28-32
		MERCURY 50ELPT	2	10.6 X 12 MERC SPITFIRE	NA	28-32
		MERCURY 60ELPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 60ELHPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 60ELHPT COMMAND THRUST W/BIG TILLER	2	14 X 13 BLACK MAX	NA	30-34
<b>1775 PRO GUIDE</b>	60 / 75	MERCURY 60ELPT	2	10.3 X 13 SPITFIRE	NA	30-34
		MERCURY 75ELPT	2	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	34-38
<b>1875 PRO GUIDE</b>	90	MERCURY 90EXLPT	2	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	36-40
		MERCURY 150XL 45TK	2	NA	19P TEMPEST	42-46
<b>2075 PRO GUIDE</b>	115 / 250	MERCURY 150XL PRO XS 45TK	2	NA	19P TEMPEST	42-46
		MERCURY 175XL 4 5TK	2	NA	19P TEMPEST	44-48
		MERCURY 175XL PRO XS 4 5TK	2	NA	19P TEMPEST	44-48
		MERCURY 200XL 45TK	2	NA	19P TEMPEST	47-51
		MERCURY 200XL DTS 45TK	2	NA	19P TEMPEST	47-51
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	47-51
<b>2075 PRO GUIDE</b>	115 / 250	MERCURY 225XL DTS 45TK	2	NA	19P TEMPEST	49-53
		MERCURY 250XL DTS 45TK	3	NA	19P TEMPEST	52-56

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>1875 PRO-V</b>	135 / 200	MERCURY 150XL 45TK	2	NA	19P TEMPEST	46-50
		MERCURY 150XL PRO XS 45TK	2	NA	19P TEMPEST	46-50
		MERCURY 175XL 4 5TK	2	NA	19P TEMPEST	48-52
		MERCURY 175XL PRO XS 4 5TK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL 45TK	2	NA	19P TEMPEST	52-56
		MERCURY 200XL DTS 45TK	2	NA	19P TEMPEST	52-56
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	52-56
		MERCURY 150XL 45TK	2	NA	19P TEMPEST	44-48
		MERCURY 150XL PRO XS 45TK	2	NA	19P TEMPEST	44-48
		MERCURY 175XL 4 5TK	2	NA	19P TEMPEST	46-50
<b>1975 PRO-V</b>	135 / 225	MERCURY 175XL PRO XS 4 5TK	2	NA	19P TEMPEST	46-50
		MERCURY 200XL 45TK	2	NA	19P TEMPEST	50-54
		MERCURY 200XL DTS 45TK	2	NA	19P TEMPEST	50-54
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	50-54
		MERCURY 225XL DTS 45TK	2	NA	19P TEMPEST	52-56
		MERCURY 225XL PRO XS DTS 45TK	3	NA	17P ENERTIA	52-56
		MERCURY 250XL DTS 45TK	3	NA	19P TEMPEST	54-58
		MERCURY 250XL DTS 45TK VERADO	3	NA	19P TEMPEST	54-58
		MERCURY 250XL PRO XS DTS 45TK	3	NA	19P TEMPEST	54-58
		MERCURY 300XL DTS 4 5TK	3	NA	19P TEMPEST	56-61
<b>2075 PRO-V</b>	200 / 300	MERCURY 300XL DTS 45TK VERADO	3	NA	19P TEMPEST	56-61
		MERCURY 300XL PRO XS DTS 45TK	3	NA	19P TEMPEST	56-61

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINIUM)	PROP (STAINLESS)	APPROX. SPEED
<b>2175 PRO-V</b>	200 / 400	MERCURY 300XL DTS 4 5TK	3	NA	19P TEMPEST	53-57
		MERCURY 300XL DTS 45TK VERADO	3	NA	14.625 X 21 X 3 RH TEMPEST PLUS	53-57
		MERCURY 300XL PRO XS DTS 45TK	3	NA	14.625 X 21 X 3 RH TEMPEST PLUS	53-57
		MERCURY 350XL L6 VERADO	3	NA	15 X 22 BRAVO	55-59
		MERCURY 400XL VERADO	3	NA	15 X 20 BRAVO LF1	57-61
		MERCURY 150XL 45TK	3	NA	19P TEMPEST	46-50
<b>1875 PRO-V BASS XS</b>	115 / 200	MERCURY 150XL PRO XS 45TK	3	NA	19P TEMPEST	46-50
		MERCURY 175XL 4 5TK	3	NA	19P TEMPEST	48-52
		MERCURY 175XL PRO XS 4 5TK	3	NA	19P TEMPEST	48-52
		MERCURY 200XL 45TK	3	NA	19P TEMPEST	52-56
		MERCURY 200XL DTS 45TK	3	NA	19P TEMPEST	52-56
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	52-56
<b>2075 PRO-V BASS XS</b>	175 / 250	MERCURY 200XL 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 200XL DTS 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 225XL DTS 45TK	3	NA	19P TEMPEST	51-55
		MERCURY 225XL PRO XS DTS 45TK	3	NA	19P TEMPEST	51-55
		MERCURY 250XL DTS 45TK	3	NA	21P TEMPEST	56-60
<b>2075 PRO-V BASS XS</b>	175 / 250	MERCURY 250XL DTS 45TK VERADO	3	NA	21P TEMPEST	56-60
		MERCURY 250XL PRO XS DTS 45TK	3	NA	21P TEMPEST	56-60

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINIUM)	PROP (STAINLESS)	APPROX. SPEED
<b>189 PRO-V GL</b>	150 / 200	MERCURY 150XL PRO XS 45TK	1	NA	19P TEMPEST	46-50
		MERCURY 175XL PRO XS 4 5TK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL DTS 45TK	2	NA	19P ENERTIA	50-54
		MERCURY 200XL PRO XS DTS 45TK	2	NA	19P ENERTIA	50-54
<b>202 PRO-V GL</b>	200 / 300	MERCURY 250XL DTS 45TK VERADO	2	NA	19P TEMPEST	51-55
		MERCURY 300XL DTS 45TK VERADO	2	NA	15 X 22 BRAVO	55-59
<b>219 PRO-V GL</b>	225 / 350	MERCURY 300XL DTS 45TK VERADO	2	NA	15 X 22 BRAVO	53-57
		MERCURY 350XL L6 VERADO	2	NA	15.25 X 22 BRAVO	56-60
<b>1875 PRO-V LIMITED</b>	200	MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	52-56
<b>1975 PRO-V LIMITED</b>	225	MERCURY 225XL PRO XS DTS 45TK	3	NA	17P ENERTIA	52-56
<b>2075 PRO-V LIMITED</b>	300	MERCURY 300XL PRO XS DTS 45TK	3	NA	19P TEMPEST	56-61
<b>2175 PRO-V LIMITED</b>	350 / 400	MERCURY 350XL L6 VERADO	3	NA	15 X 22 BRAVO	55-59
		MERCURY 400XL VERADO	3	NA	15 X 20 BRAVO LF1	57-61
<b>1875 PRO-V MUSKY XS</b>	115 / 200	MERCURY 150XL 45TK	3	NA	19P TEMPEST	46-50
		MERCURY 150XL PRO XS 45TK	3	NA	19P TEMPEST	46-50
		MERCURY 175XL 4 5TK	3	NA	19P TEMPEST	48-52
		MERCURY 175XL PRO XS 4 5TK	3	NA	19P TEMPEST	48-52
		MERCURY 200XL 45TK	3	NA	19P TEMPEST	52-56
		MERCURY 200XL DTS 45TK	3	NA	19P TEMPEST	52-56
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	52-56

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>2075 PRO-V MUSKY XS</b>	175 / 250	MERCURY 200XL 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 200XL DTS 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 225XL DTS 45TK	3	NA	19P TEMPEST	51-55
		MERCURY 225XL PRO XS DTS 45TK	3	NA	19P TEMPEST	51-55
		MERCURY 250XL DTS 45TK	3	NA	21P TEMPEST	56-60
<b>1650 REBEL XL SPORT &amp; SS</b>	50 / 90	MERCURY 250XL DTS 45TK VERADO	3	NA	21P TEMPEST	56-60
		MERCURY 250XL PRO XS DTS 45TK	3	NA	21P TEMPEST	56-60
		MERCURY 50ELPT	2	10.6 X 12 MERC SPITFIRE	NA	29-33
		MERCURY 60ELPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 75ELPT	2	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	34-38
		MERCURY 90ELPT	2	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	37-41
<b>1650 REBEL XL TILLER</b>	40 / 60	MERCURY 40ELPT	2	10.6 X 12 MERC SPITFIRE	NA	28-32
		MERCURY 40ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	28-32
		MERCURY 40ELH	2	10.6 X 12 MERC SPITFIRE	NA	28-32
		MERCURY 50ELPT	2	10.6 X 12 MERC SPITFIRE	NA	29-33
		MERCURY 50ELHPT	2	10.6 X 12 MERC SPITFIRE	NA	29-33
		MERCURY 60ELPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
<b>1775 RENEGADE</b>	50 / 90	MERCURY 60ELHPT	2	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 60ELHPT COMMAND THRUST W/BIG TILLER	2	14 X 13 BLACK MAX	NA	30-34
		MERCURY 50ELPT	1	10.6 X 12 MERC SPITFIRE	NA	28-32
		MERCURY 60ELPT	1	10.3 X 13 MERC SPITFIRE	NA	30-34
		MERCURY 75ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	34-38
		MERCURY 90ELPT	1	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	38-42



# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>1875 RENEGADE</b>	90 / 115	MERCURY 75ELPT	4	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	34-38
		MERCURY 90ELPT	4	13 X 17 X 4.25 RH 4 BLADE	17P SPITFIRE X7	38-42
		MERCURY 115ELPT	4	12.5 X 19 X 4.25 RH 4 BLADE	18P VENGEANCE	42-46
		MERCURY 115ELPT PRO XS	4	12.5 X 19 X 4.25 RH 4 BLADE	18P VENGEANCE	42-46
		MERCURY 115ELPT	4	12.5 X 19 X 4.25 RH 4 BLADE	18P VENGEANCE	40-44
<b>1975 RENEGADE</b>	115 / 150	MERCURY 115ELPT PRO XS	4	12.5 X 19 X 4.25 RH 4 BLADE	18P VENGEANCE	40-44
		MERCURY 150L	4	NA	21P TEMPEST	45-49
		MERCURY 150L PRO XS	4	NA	21P TEMPEST	45-49
		MERCURY 115EXLPT PRO XS 4 STK	1	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	38-42
		MERCURY 115EXLPT	1	13 X 17 X 4.25 RH 4 BLADE ALUM	17P SPITFIRE X7	38-42
<b>1875 TYEE</b>	115 / 200	MERCURY 150XL PRO XS 4STK	2	NA	19P TEMPEST	46-50
		MERCURY 150XL 4STK	2	NA	19P TEMPEST	46-50
		MERCURY 175XL PRO XS 4 STK	2	NA	19P TEMPEST	48-52
		MERCURY 175XL 4 STK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL 4STK	2	NA	19P TEMPEST	49-53
		MERCURY 200XL DTS 4STK	2	NA	19P TEMPEST	49-53
		MERCURY 200XL PRO XS DTS 4STK	3	NA	19P TEMPEST	49-53
		MERCURY 150XL 4STK	2	NA	17P TEMPEST	44-48
<b>1975 TYEE</b>	135 / 225	MERCURY 150XL PRO XS 4STK	2	NA	17P TEMPEST	44-48
		MERCURY 175XL 4 STK	2	NA	19P TEMPEST	48-52
		MERCURY 175XL PRO XS 4 STK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL 4STK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL DTS 4STK	2	NA	19P TEMPEST	48-52

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
1975 TYEE (Cont.)	135 / 225	MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 225XL 45TK	2	NA	19P TEMPEST	49-53
		MERCURY 225XL DTS 45TK	2	NA	19P TEMPEST	49-53
		MERCURY 225XL PRO XS DTS 45TK	3	NA	19P TEMPEST	49-53
		MERCURY 200XL 45TK	2	NA	19P TEMPEST	46-50
2075 TYEE	150 / 250	MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	46-50
		MERCURY 225XL DTS 45TK	2	NA	19P TEMPEST	50-54
		MERCURY 225XL PRO XS DTS 45TK	3	NA	19P TEMPEST	50-54
		MERCURY 250XL DTS 45TK	3	NA	19P TEMPEST	52-56
		MERCURY 250XL DTS 45TK VERADO	3	NA	19P TEMPEST	52-56
		MERCURY 250XL PRO XS DTS 45TK	3	NA	19P TEMPEST	52-56
189 TYEE GL	150 / 200	MERCURY 150XL PRO XS 45TK	1	NA	19P TEMPEST	46-50
		MERCURY 175XL PRO XS 4 5TK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL DTS 45TK	2	NA	19P ENERTIA	50-54
		MERCURY 200XL PRO XS DTS 45TK	2	NA	19P ENERTIA	50-54
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	49-53
1875 TYEE LIMITED	200	MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	49-53
1975 TYEE LIMITED	225	MERCURY 225XL PRO XS DTS 45TK	3	NA	19P TEMPEST	49-53
2075 TYEE LIMITED	250	MERCURY 250XL PRO XS DTS 45TK	3	NA	19P TEMPEST	52-56

# LUND 2022 PROP SELECTOR GUIDE

BOAT MODEL	HP (MIN/MAX)	ENGINE	MOUNT HOLE	PROP (ALUMINUM)	PROP (STAINLESS)	APPROX. SPEED
<b>2075 TYEE MAGNUM</b>	150 / 250	MERCURY 200XL 45TK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL DTS 45TK	2	NA	19P TEMPEST	48-52
		MERCURY 200XL PRO XS DTS 45TK	3	NA	19P TEMPEST	48-52
		MERCURY 225XL DTS 45TK	2	NA	19P TEMPEST	50-54
		MERCURY 225XL PRO XS DTS 45TK	3	NA	19P TEMPEST	50-54
		MERCURY 250XL DTS 45TK	3	NA	19P TEMPEST	52-56
		MERCURY 250XL DTS 45TK VERADO	3	NA	19P TEMPEST	52-56
		MERCURY 250XL PRO XS DTS 45TK	3	NA	19P TEMPEST	52-56

# FINANCING GUIDE

Schedule of monthly payments per each  
\$1,000 borrowed

INTEREST RATES	36 MO.	48 MO.	60 MO.	72 MO.	84 MO.	96 MO.
6%	30.42	23.49	19.33	16.57	14.61	13.14
7%	30.88	23.95	19.80	17.05	15.09	13.63
8%	31.34	24.41	20.28	17.53	15.59	14.14
9%	31.80	24.89	20.76	18.03	16.09	14.65
10%	32.27	25.36	21.25	18.53	16.60	15.17
11%	32.74	25.85	21.74	19.03	17.12	15.71
12%	33.21	26.33	22.24	19.55	17.65	16.25
13%	33.69	26.83	22.75	20.07	18.19	16.81
14%	34.18	27.33	23.27	20.61	18.74	17.37