



---

**2023**  
**RED BOOK**

---



THE ULTIMATE FISHING EXPERIENCE

---

# QUALITY FEATURES

---

What sets Lund® apart from other aluminum boat builders is our ability to get more out of the material. We build our boats to a different standard, with longitudinal stringers, double-riveted seams and sophisticated twin-plating that doesn't add excessive weight.

- Aluminum corner castings
- Composite & aluminum transoms
- Durable wraparound windshield
- Easy-access service portals
- Flushmount horn
- Heavy-duty consoles
- Heavy-duty transom and gunwales
- Lighted instrumentation, including fuel gauge, trim gauge, speedometer, tachometer and voltmeter
- Long-lasting oven-cured finish
- Treated marine grade plywood
- Molded interior-surfaces and side panels
- Navigational lighting
- No-pinch integrated seat hinges
- Recessed stainless steel cleats
- Stainless steel bow rails
- Vinyl wrapped interior
- Wider chine for smoother, more stable ride

# TABLE OF CONTENTS

|                     |                            |    |
|---------------------|----------------------------|----|
| <b>ADVENTURE</b>    | 1675 Adventure Sport.....  | 4  |
|                     | 1675 Adventure SS .....    | 5  |
|                     | 1775 Adventure Sport.....  | 6  |
|                     | 1775 Adventure SS .....    | 7  |
| <b>ALASKAN</b>      | 1600 Alaskan SS .....      | 8  |
|                     | 1600 Alaskan Tiller.....   | 9  |
|                     | 1800 Alaskan Sport.....    | 10 |
|                     | 1800 Alaskan SS .....      | 11 |
|                     | 1800 Alaskan Tiller.....   | 12 |
|                     | 2000 Alaskan Sport.....    | 13 |
|                     | 2000 Alaskan SS .....      | 14 |
|                     | 2000 Alaskan Tiller.....   | 15 |
| <b>ANGLER</b>       | 1650 Angler Sport.....     | 16 |
|                     | 1650 Angler SS .....       | 17 |
|                     | 1650 Angler Tiller .....   | 18 |
| <b>BARON®</b>       | 2275 Baron .....           | 19 |
| <b>CROSSOVER XS</b> | 1775 Crossover XS .....    | 20 |
|                     | 1875 Crossover XS .....    | 21 |
| <b>FISHERMAN</b>    | 1875 Fisherman .....       | 23 |
|                     | 2075 Fisherman .....       | 24 |
| <b>FURY</b>         | 1400 Fury SS .....         | 25 |
|                     | 1400 Fury Tiller.....      | 26 |
|                     | 1600 Fury SS .....         | 27 |
|                     | 1600 Fury Tiller.....      | 28 |
| <b>IMPACT XS</b>    | 1775 Impact XS Sport.....  | 29 |
|                     | 1775 Impact XS SS .....    | 30 |
|                     | 1875 Impact XS Sport.....  | 31 |
|                     | 1875 Impact XS SS .....    | 32 |
|                     | 2025 Impact XS Sport.....  | 33 |
| <b>JON</b>          | 1040 Jon-Flat Bow .....    | 34 |
|                     | 1240 Jon-Flat Bow .....    | 35 |
|                     | 1440M Jon-Flat Bow.....    | 36 |
|                     | 1448 Jon-Flat Bow .....    | 37 |
|                     | 1448M Jon-V Bow.....       | 38 |
|                     | 1648 Jon-V Bow .....       | 39 |
|                     | 1648M Jon-V Bow.....       | 40 |
|                     | 1852M Jon-V Bow.....       | 41 |
| <b>PREDATOR</b>     | 1660 Predator Tiller ..... | 42 |
|                     | 1760 Predator SS .....     | 43 |
|                     | 1760 Predator Tiller.....  | 44 |
|                     | 1870 Predator CC.....      | 45 |
|                     | 1870 Predator SS .....     | 46 |
|                     | 1870 Predator Tiller.....  | 47 |
|                     | 2070 Predator CC.....      | 48 |
|                     | 2070 Predator SS .....     | 49 |

|                                    |                                                       |     |
|------------------------------------|-------------------------------------------------------|-----|
| <b>PRO GUIDE</b>                   | 1775 Pro Guide .....                                  | 50  |
|                                    | 1875 Pro Guide .....                                  | 51  |
|                                    | 2075 Pro Guide .....                                  | 52  |
| <b>PRO-V</b>                       | 1875 Pro-V .....                                      | 53  |
|                                    | 1975 Pro-V .....                                      | 54  |
|                                    | 2075 Pro-V .....                                      | 55  |
|                                    | 2175 Pro-V .....                                      | 56  |
| <b>PRO-V BASS</b>                  | 1875 Pro-V Bass XS .....                              | 57  |
|                                    | 2075 Pro-V Bass XS .....                              | 58  |
| <b>PRO-V GL</b>                    | 189 Pro-V GL.....                                     | 59  |
|                                    | 219 Pro-V GL.....                                     | 60  |
| <b>PRO-V MUSKY</b>                 | 1875 Pro-V Musky XS.....                              | 61  |
|                                    | 2075 Pro-V Musky XS.....                              | 62  |
| <b>REBEL XL</b>                    | 1650 Rebel XL Sport .....                             | 63  |
|                                    | 1650 Rebel XL SS.....                                 | 64  |
|                                    | 1650 Rebel XL Tiller .....                            | 65  |
| <b>RENEGADE</b>                    | 1775 Renegade .....                                   | 66  |
|                                    | 1875 Renegade .....                                   | 67  |
|                                    | 1975 Renegade .....                                   | 68  |
| <b>SSV</b>                         | SSV-14 .....                                          | 69  |
|                                    | SSV-16 .....                                          | 70  |
|                                    | SSV-18 .....                                          | 71  |
| <b>TYEE®</b>                       | 1875 Tyee.....                                        | 72  |
|                                    | 1975 Tyee.....                                        | 73  |
|                                    | 2075 Tyee.....                                        | 74  |
| <b>TYEE GL</b>                     | 189 Tyee GL .....                                     | 75  |
| <b>WC</b>                          | WC-12 .....                                           | 76  |
|                                    | WC-14 .....                                           | 77  |
|                                    | WC-16 .....                                           | 78  |
| <b>2023 TROLLING MOTOR GUIDE</b>   |                                                       | 79  |
| <b>2023 STEERING SYSTEMS GUIDE</b> |                                                       | 80  |
| <b>2023 CARPET/VINYL GUIDE</b>     |                                                       | 82  |
| <b>2023 PROP SELECTOR GUIDE</b>    |                                                       | 88  |
| <b>2023 LUND PROMOTIONS</b>        | Military & High School<br>Fishing Team Discounts..... | 100 |



# 1675 ADVENTURE SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (4)

### Fuel Tank

- 21-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23-gal.)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/Walk-Through Windshield
- Flush-Mount Horn
- Full Lighted Instrumentation
- Interior-Lighting
- Lockable Glove Box
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage
- (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4-Step Folding
- Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold-Down Cleats (4)
- Transhield Cover



Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r Trailer
- LUVE22LTSB LundGuard Bunk
- (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias-Ply Tires
- Tongue Jack / LED Lights

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 60 / 90 HP            |
| <b>Beam/Chine</b>           | 87" / 70.75"          |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 10"               |
| <b>Boat Weight</b>          | 1,060 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (90 4S)      |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 1,900 lbs.            |
| <b>Total Storage Length</b> | 18' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 6"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,350 lbs. |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 23"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 60 4S              | 30-34 mph         |
| Mercury® 75 4S              | 38-42 mph         |
| Mercury® 90 4S              | 41-45 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |

# 1675 ADVENTURE SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (4)

### Fuel Tank

- 21-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23-gal.)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush-Mount Horn
- Full Lighted Instrumentation
- Interior-Lighting
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Windshield

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4-Step Folding
- Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold-Down Cleats (4)
- Transhield Cover
- Twin-Plated Bottom (Bow to Amidship)



### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r Trailer
- LUGE22LTSH LundGuard Bunk
- (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias-Ply Tires
- Tongue Jack / LED Lights

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 60 / 90 HP            |
| <b>Beam/Chine</b>           | 87" / 70.75"          |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 10"               |
| <b>Boat Weight</b>          | 1,010 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (90 4S)      |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 1,850 lbs.            |
| <b>Total Storage Length</b> | 18' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 3"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,350 lbs. |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 23"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 60 4S              | 30-34 mph         |
| Mercury® 75 4S              | 38-42 mph         |
| Mercury® 90 4S              | 41-45 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |

# 1775 ADVENTURE SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (6)

### Fuel Tank

- 21-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23-gal.)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/Walk-Through Windshield
- Flush-Mount Horn
- Full Lighted Instrumentation
- Interior-Lighting
- Lockable Glove Box
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7', (5) 7' 5"
- Rod Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4-Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint



- Stainless Steel Fold-Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r Trailer
- LUVE22LTSH LundGuard Bunk (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted Wheels w/Bias-Ply Tires
- Tongue Jack / LED Lights

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 60 / 115 HP           |
| <b>Beam/Chine</b>           | 87" / 70.75"          |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 17' 10"               |
| <b>Boat Weight</b>          | 1,185 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (115 Pro XS) |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 2,025 lbs.            |
| <b>Total Storage Length</b> | 20'                   |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 6"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,400 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 23"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 60 4S              | 30-34 mph         |
| Mercury® 75 4S              | 35-39 mph         |
| Mercury® 90 4S              | 39-43 mph         |
| Mercury® 115 Pro XS         | 43-47 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |

# 1775 ADVENTURE SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (6)

### Fuel Tank

- 21-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23-gal.)
- Livewell Bait Net
- Livewell Divider

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Console w/Windshield
- Flush-Mount Horn
- Full Lighted Instrumentation
- Interior-Lighting
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4-Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold-Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)



### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r Trailer
- LUV22LTSH LundGuard Bunk
- (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias-Ply Tires
- Tongue Jack / LED Lights

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 60 / 90 HP            |
| <b>Beam/Chine</b>           | 87" / 70.75"          |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 17' 10"               |
| <b>Boat Weight</b>          | 1,135 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (90 4S)      |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 1,975 lbs.            |
| <b>Total Storage Length</b> | 20'                   |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 3"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,400 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 23"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 60 4S              | 30-34 mph         |
| Mercury® 75 4S              | 35-39 mph         |
| Mercury® 90 4S              | 39-43 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |

# 1600 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 20-gal. Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury® Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removable Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (7")
- Storage Compartments

### Other Exterior Features

- 4-Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias-Ply Tires
- Load Guides
- Shoreland'r LUV22LTMH
- LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 40 / 75 HP            |
| <b>Beam/Chine</b>           | 81" / 69.5"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 10"               |
| <b>Boat Weight</b>          | 915 lbs.              |
| <b>Motor Weight</b>         | 359 lbs. (75 4S)      |
| <b>Trailer Weight</b>       | 581 lbs.              |
| <b>Total Weight</b>         | 1,855 lbs.            |
| <b>Total Storage Length</b> | 19' 1"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 9"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,350 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |
| <b>Bottom Thickness</b>     | 0.100"                |

|                             |                     |
|-----------------------------|---------------------|
| <b>Max Hull Thickness</b>   | 0.100"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury® 40 4S              | 26-30 mph           |
| Mercury® 50 4S              | 27-31 mph           |
| Mercury® 60 4S              | 29-33 mph           |
| Mercury® 75 4S              | 34-38 mph           |
| <b>Available Colors</b>     | Arctic White        |
|                             | Black               |
|                             | Cobalt Blue         |
|                             | Fall Marsh (Paint)* |
|                             | Gunmetal Metallic   |
|                             | Heritage Red        |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge

# 1600 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (1)
- Seat Bases (3)

### Fuel Tank

- 20-gal. Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Rod Storage (7')
- Storage Compartments

### Other Exterior Features

- 4-Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Aft Trolling Motor Harness w/Plug
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias-Ply Tires
- Load Guides
- Shoreland'r LUV22LTMH
- LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 40 / 60 HP            |
| <b>Beam/Chine</b>           | 81" / 69.5"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 10"               |
| <b>Boat Weight</b>          | 860 lbs.              |
| <b>Motor Weight</b>         | 247 lbs. (60 4S)      |
| <b>Trailer Weight</b>       | 581 lbs.              |
| <b>Total Weight</b>         | 1,688 lbs.            |
| <b>Total Storage Length</b> | 19' 1"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 2"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,350 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                     |
|-----------------------------|---------------------|
| <b>Bottom Thickness</b>     | 0.100"              |
| <b>Max Hull Thickness</b>   | 0.100"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury® 40 4S              | 27-31 mph           |
| Mercury® 50 4S              | 28-32 mph           |
| Mercury® 60 4S              | 30-34 mph           |
| <b>Available Colors</b>     | Arctic White        |
|                             | Black               |
|                             | Cobalt Blue         |
|                             | Fall Marsh (Paint)* |
|                             | Gunmetal Metallic   |
|                             | Heritage Red        |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge

# 1800 ALASKAN SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (1)
- Seat Bases (5)

### Fuel Tank

- 20-gal. Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury® Analog Prerig (without Gauges)
- Navigation Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Dual Consoles w/ Walk-Through Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4-Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias-Ply Tires
- Load Guides
- Shoreland'r LUV2314XL LundGuard
- Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 50 / 90 HP            |
| <b>Beam/Chine</b>           | 83" / 69.5"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 18' 9"                |
| <b>Boat Weight</b>          | 1,105 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (90 4S)      |
| <b>Trailer Weight</b>       | 754 lbs.              |
| <b>Total Weight</b>         | 2,218 lbs.            |
| <b>Total Storage Length</b> | 22'                   |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 6"                 |
| <b>Boat/Trailer Width</b>   | 8'                    |
| <b>Max Capacity</b>         | 7 People / 1,400 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                     |
|-----------------------------|---------------------|
| <b>Bottom Thickness</b>     | 0.100"              |
| <b>Max Hull Thickness</b>   | 0.100"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury® 75 4S              | 32-36 mph           |
| Mercury® 90 4S              | 36-40 mph           |
| <b>Available Colors</b>     | Arctic White        |
|                             | Black               |
|                             | Cobalt Blue         |
|                             | Fall Marsh (Paint)* |
|                             | Gunmetal Metallic   |
|                             | Heritage Red        |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge

# 1800 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (1)
- Seat Bases (5)

### Fuel Tank

- 20-gal. Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury® Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removable Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4-Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks / E-Coat Painted
- Wheels w/Bias-Ply Tires
- Load Guides
- Shoreland'r LUV2314XL LundGuard
- Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 50 / 90 HP            |
| <b>Beam/Chine</b>           | 83" / 69.5"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 18' 9"                |
| <b>Boat Weight</b>          | 1,013 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (90 4S)      |
| <b>Trailer Weight</b>       | 754 lbs.              |
| <b>Total Weight</b>         | 2,143 lbs.            |
| <b>Total Storage Length</b> | 22'                   |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 5"                 |
| <b>Boat/Trailer Width</b>   | 8'                    |
| <b>Max Capacity</b>         | 7 People / 1,600 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |
| <b>Bottom Thickness</b>     | 0.100"                |

|                             |                     |
|-----------------------------|---------------------|
| <b>Max Hull Thickness</b>   | 0.100"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury® 50 4S              | 26-30 mph           |
| Mercury® 60 4S              | 27-31 mph           |
| Mercury® 75 4S              | 32-36 mph           |
| Mercury® 90 4S              | 36-40 mph           |
| <b>Available Colors</b>     | Arctic White        |
|                             | Black               |
|                             | Cobalt Blue         |
|                             | Fall Marsh (Paint)* |
|                             | Gunmetal Metallic   |
|                             | Heritage Red        |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge



# 1800 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 20-gal. Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4-Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Aft Trolling Motor Harness w/Plug
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias-Ply Tires
- Load Guides
- Shoreland'r LUV2314XL LundGuard
- Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 50 / 75 HP            |
| <b>Beam/Chine</b>           | 83" / 69.5"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 18' 9"                |
| <b>Boat Weight</b>          | 975 lbs.              |
| <b>Motor Weight</b>         | 359 lbs. (75 4S)      |
| <b>Trailer Weight</b>       | 754 lbs.              |
| <b>Total Weight</b>         | 2,088 lbs.            |
| <b>Total Storage Length</b> | 22'                   |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 2"                 |
| <b>Boat/Trailer Width</b>   | 8'                    |
| <b>Max Capacity</b>         | 7 People / 1,600 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                     |
|-----------------------------|---------------------|
| <b>Bottom Thickness</b>     | 0.100"              |
| <b>Max Hull Thickness</b>   | 0.100"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury® 50 4S              | 27-31 mph           |
| Mercury® 60 4S              | 28-32 mph           |
| Mercury® 75 4S              | 33-37 mph           |
| <b>Available Colors</b>     | Arctic White        |
|                             | Black               |
|                             | Cobalt Blue         |
|                             | Fall Marsh (Paint)* |
|                             | Gunmetal Metallic   |
|                             | Heritage Red        |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge

# 2000 ALASKAN SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (2)
- Seat Bases (5)

### Fuel Tank

- 29-gal. Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury® Analog Prerig (without Gauges)
- Navigation Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Dual Consoles w/Walk-Through Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4-Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Treated Marine Grade Plywood
- Vinyl Deck Mounting Pad/Bulkhead
- Vinyl Rod Storage Tops
- Transhield Cover



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias-Ply Tires
- Load Guides
- Shoreland'r LUV28BXXL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP           |
| <b>Beam/Chine</b>           | 90.5" / 76"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 6"                |
| <b>Boat Weight</b>          | 1,301 lbs.            |
| <b>Motor Weight</b>         | 455 lbs. (150 4S)     |
| <b>Trailer Weight</b>       | 825 lbs.              |
| <b>Total Weight</b>         | 2,572 lbs.            |
| <b>Total Storage Length</b> | 22' 8"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8'                    |
| <b>Max Capacity</b>         | 7 People / 2,100 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                     |
|-----------------------------|---------------------|
| <b>Bottom Thickness</b>     | 0.125"              |
| <b>Max Hull Thickness</b>   | 0.125"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury® 90 4S              | 34-38 mph           |
| Mercury® 115 4S             | 37-41 mph           |
| Mercury® 150 4S             | 43-47 mph           |
| <b>Available Colors</b>     | Arctic White        |
|                             | Black               |
|                             | Cobalt Blue         |
|                             | Fall Marsh (Paint)* |
|                             | Gunmetal Metallic   |
|                             | Heritage Red        |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge

# 2000 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (2)
- Seat Bases (5)

### Fuel Tank

- 29-gal. Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury® Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removable Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4-Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Vinyl Deck Mounting Pad/Bulkhead
- Vinyl Rod Storage Tops
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias-Ply Tires
- Load Guides
- Shoreland'r LUV28BXXL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

|                      |                       |
|----------------------|-----------------------|
| Min/Max HP           | 90 / 150 HP           |
| Beam/Chine           | 90.5" / 76"           |
| Transom Height       | 25"                   |
| Boat Length          | 20' 6"                |
| Boat Weight          | 1,226 lbs.            |
| Motor Weight         | 455 lbs. (150 4S)     |
| Trailer Weight       | 825 lbs.              |
| Total Weight         | 2,506 lbs.            |
| Total Storage Length | 22' 8"                |
| Boat/Motor On        |                       |
| Trailer Height       | 6' 6"                 |
| Boat/Trailer Width   | 8'                    |
| Max Capacity         | 7 People / 2,100 lbs. |
| Freeboard Thickness  | 0.080"                |

|                      |                     |
|----------------------|---------------------|
| Bottom Thickness     | 0.125"              |
| Max Hull Thickness   | 0.125"              |
| Cockpit Depth        | 21"                 |
| Engine/Approx. Speed |                     |
| Mercury® 90 4S       | 34-38 mph           |
| Mercury® 115 4S      | 37-41 mph           |
| Mercury® 150 4S      | 43-47 mph           |
| Available Colors     | Arctic White        |
|                      | Black               |
|                      | Cobalt Blue         |
|                      | Fall Marsh (Paint)* |
|                      | Gunmetal Metallic   |
|                      | Heritage Red        |
|                      | Wetlands Wrap*      |
| Hull Design          | IPS                 |

\*Optional/Upcharge

# 2000 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (2)
- Seat Bases (4)

### Fuel Tank

- 29-gal. Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Rod Storage (8' Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4-Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Vinyl Deck Mounting Pad/Bulkhead
- Vinyl Rod Storage Tops
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- (2) 2x6 Bunks
- E-Coat Painted Wheels w/Bias-Ply Tires
- Load Guides
- Shoreland'r LUV28BXXL LundGuard Painted Bunk
- Spare Tire
- Swing Tongue
- Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP           |
| <b>Beam/Chine</b>           | 90.5" / 76"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 6"                |
| <b>Boat Weight</b>          | 1,131 lbs.            |
| <b>Motor Weight</b>         | 455 lbs. (150 4S)     |
| <b>Trailer Weight</b>       | 754 lbs.              |
| <b>Total Weight</b>         | 2,411 lbs.            |
| <b>Total Storage Length</b> | 22' 8"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 1"                 |
| <b>Boat/Trailer Width</b>   | 8'                    |
| <b>Max Capacity</b>         | 7 People / 2,100 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                     |
|-----------------------------|---------------------|
| <b>Bottom Thickness</b>     | 0.125"              |
| <b>Max Hull Thickness</b>   | 0.125"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury® 90 4S              | 35-39 mph           |
| Mercury® 115 4S             | 38-42 mph           |
| Mercury® 150 4S             | 43-47 mph           |
| <b>Available Colors</b>     | Arctic White        |
|                             | Black               |
|                             | Cobalt Blue         |
|                             | Fall Marsh (Paint)* |
|                             | Gunmetal Metallic   |
|                             | Heritage Red        |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge

# 1650 ANGLER SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5-gal. Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" Long / 16-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Custom Dual Consoles w/Walk-Through Windshield
- Flush-Mount Horn
- LED Interior-Lighting
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting
- No Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Port Rod Storage-8' 9"
- Lockable Starboard Rod Storage-7' 6"
- Storage Compartments
- Stern Light Pylon Storage Location w/holders

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Aluminum Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- 2-Step Strap Ladder w/ Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug



- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- E-Coat Painted Wheels w/ Radial Tires
- LUB15SEM Bunk Trailer
- Swing Tongue / (2)x4 Bunks / LundGuard Frame / Tongue Jack

|                      |                       |
|----------------------|-----------------------|
| Min/Max HP           | 40 / 60 HP            |
| Beam/Chine           | 80.5" / 66.25"        |
| Transom Height       | 20"                   |
| Boat Length          | 16' 5"                |
| Boat Weight          | 905 lbs.              |
| Motor Weight         | 247 lbs. (50 4S)      |
| Trailer Weight       | 443 lbs.              |
| Total Weight         | 1,595 lbs.            |
| Total Storage Length | 19' 4"                |
| Boat/Motor On        |                       |
| Trailer Height       | 6' 6"                 |
| Boat/Trailer Width   | 7' 8"                 |
| Max Capacity         | 5 People / 1,422 lbs. |

|                     |                   |
|---------------------|-------------------|
| Freeboard Thickness | 0.063"            |
| Bottom Thickness    | 0.080"            |
| Max Hull Thickness  | 0.143"            |
| Cockpit Depth       | 20.75"            |
| Engine              |                   |
| Mercury® 40 4S      | 26-30 mph         |
| Mercury® 50 4S      | 27-31 mph         |
| Mercury® 60 4S      | 28-32 mph         |
| Available Colors    | Arctic White      |
|                     | Black             |
|                     | Cobalt Blue       |
|                     | Gunmetal Metallic |
|                     | Heritage Red      |
| Hull Design         | IPS               |

# 1650 ANGLER SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5-gal. Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" Long / 16-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Custom Console w/Windshield
- Flush-Mount Horn
- LED Interior-Lighting
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting
- No Feedback Steering
- Plug-in Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Lockable Port Rod Storage-8' 9"
- Lockable Starboard Rod Storage-7' 6"
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Aluminum Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- 2-Step Strap Ladder w/Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale

- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern
- Shoreland'r Trailer**
- E-Coat Painted Wheels w/ Radial Tires
- LUB15SEM Bunk Trailer
- Swing Tongue / (2)2x4 Bunks / LundGuard Frame / Tongue Jack



|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 40 / 50 HP            |
| <b>Beam/Chine</b>           | 80.5" / 66.25"        |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 5"                |
| <b>Boat Weight</b>          | 845 lbs.              |
| <b>Motor Weight</b>         | 247 lbs. (50 4S)      |
| <b>Trailer Weight</b>       | 443 lbs.              |
| <b>Total Weight</b>         | 1,535 lbs.            |
| <b>Total Storage Length</b> | 19' 4"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 6"                 |
| <b>Boat/Trailer Width</b>   | 7' 8"                 |
| <b>Max Capacity</b>         | 5 People / 1,422 lbs. |

|                            |                   |
|----------------------------|-------------------|
| <b>Freeboard Thickness</b> | 0.063"            |
| <b>Bottom Thickness</b>    | 0.080"            |
| <b>Max Hull Thickness</b>  | 0.143"            |
| <b>Cockpit Depth</b>       | 20.75"            |
| <b>Engine</b>              |                   |
| Mercury® 40 4S             | 26-30 mph         |
| Mercury® 50 4S             | 27-31 mph         |
| Mercury® 60 4S             | 28-32 mph         |
| <b>Available Colors</b>    | Arctic White      |
|                            | Black             |
|                            | Cobalt Blue       |
|                            | Gunmetal Metallic |
|                            | Heritage Red      |
| <b>Hull Design</b>         | IPS               |

# 1650 ANGLER TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5-gal. Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" / 16-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Flush-Mount Horn
- LED Interior-Lighting (1)
- Main Power Tiller Handle
- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Fuel Tank Storage
- Lockable Port Rod Storage-8' 9"
- Locakable Starboard Rod Storage-7' 6"
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Aluminum Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- 2-Step Strap Ladder w/ Mesh Bag
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern



### Shoreland'r Trailer

- E-Coat Painted Wheels w/ Radial Tires
- LUB15SEM Bunk Trailer
- Swing Tongue / (2)2x4 Bunks / LundGuard Frame / Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 40 / 50 HP            |
| <b>Beam/Chine</b>           | 80.5" / 66.25"        |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 5"                |
| <b>Boat Weight</b>          | 763 lbs.              |
| <b>Motor Weight</b>         | 247 lbs. (50 4S)      |
| <b>Trailer Weight</b>       | 443 lbs.              |
| <b>Total Weight</b>         | 1,453 lbs.            |
| <b>Total Storage Length</b> | 19' 4"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 6"                 |
| <b>Boat/Trailer Width</b>   | 7' 8"                 |
| <b>Max Capacity</b>         | 5 People / 1,422 lbs. |

|                            |                   |
|----------------------------|-------------------|
| <b>Freeboard Thickness</b> | 0.063"            |
| <b>Bottom Thickness</b>    | 0.080"            |
| <b>Max Hull Thickness</b>  | 0.143"            |
| <b>Cockpit Depth</b>       | 20.75"            |
| <b>Engine</b>              |                   |
| Mercury® 40 4S             | 26-30 mph         |
| Mercury® 50 4S             | 27-31 mph         |
| <b>Available Colors</b>    | Arctic White      |
|                            | Black             |
|                            | Cobalt Blue       |
|                            | Gunmetal Metallic |
|                            | Heritage Red      |
| <b>Hull Design</b>         | IPS               |

# 2275 BARON®

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Pro Ride Seats (4)
- Air Ride Mainstay w/Slider (1)
- Air Ride Pedestals (3)
- Seat Bases (8)

### Fuel Tank

- 70-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Pro Long Livewell Systems

- Bow Livewell (25" Long / 9-gal.)
- Aft Livewell (38" Long / 24-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle (Port and Starboard) • Kicker Stereo (2 Speakers) • Auto-Style Fuse Panel
- Bow Trolling Motor Plug (24/36V)
- Curved Windshield w/Walk-Thru
- Full Lighted Instrumentation
- Horn • Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Molded Auto Style Consoles
- Navigational Lighting • Plug-In Wire Harness

### Storage

- Aft Storage for Sun Top, Complete Top or Bimini Top • Bow Cargo Net Storage • Console Storage • In-Floor Battery Storage • Lockable In-Floor Rod Storage (9' - 5 tubes, 8' 6" - 5 tubes) • Lockable Port Rod Locker (10' - 4 tubes) • Lockable Storage

### Other Exterior Features

- Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom
- 4-Step Boarding Ladder • Hull Drain Plug • ProTrak Gunwale
- Stainless Steel Bow Rails
- Stainless Steel Flush-Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)



### Other Interior Features

- Aft Casting Platform • Bow Backrests • Battery Holders
- Bilge Pumps (1 Auto, 1 Manual)
- Bow Casting Platform • Bow Deck Mounting Pad • Bow Pro Deck Conversion • Vinyl Wrapped Side Panels • Drink Holders • Fire Extinguisher • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- (4) 2x6 Bunks • Load Guides
- Custom LundGuard Painted Bunk Trailer with Diamond Plated Fenders • Spare Tire • Swing Tongue
- Tongue Jack

|                                     |                             |
|-------------------------------------|-----------------------------|
| <b>Min/Max HP</b>                   | 150 / 400 HP                |
| <b>Beam/Chine</b>                   | 102" / 89"                  |
| <b>Transom Height</b>               | 25"                         |
| <b>Boat Length</b>                  | 22' 9"                      |
| <b>Boat Weight</b>                  | 2,450 lbs.                  |
| <b>Motor Weight</b>                 | 668 lbs.<br>(400 L6 Verado) |
| <b>Trailer Weight</b>               | 1,225 lbs.                  |
| <b>Total Weight</b>                 | 4,343 lbs.                  |
| <b>Total Storage Length</b>         | 23' 10"                     |
| <b>Boat/Motor On Trailer Height</b> | 7' 8"                       |
| <b>Boat/Trailer Width</b>           | 8' 6"                       |
| <b>Max Capacity</b>                 | 12 People / 2,950 lbs.      |
| <b>Freeboard Thickness</b>          | 0.080"                      |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.125"                                                                    |
| <b>Max Hull Thickness</b>   | 0.225"                                                                    |
| <b>Cockpit Depth</b>        | 30.5"                                                                     |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 250 4S             | 52-56 mph                                                                 |
| Mercury® 300 Verado         | 55-59 mph                                                                 |
| Mercury® 350 L6 Verado      | 55-59 mph                                                                 |
| Mercury® 400 L6 Verado      | 57-61 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Bottom/Deck Colors</b>   | Black<br>Silver Stone                                                     |
| <b>Hull Design</b>          | IPS2                                                                      |



# 1775 CROSSOVER XS

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Rear Jump Seats  
• Seat Slider • ProRide Seats (3)  
• Seat Bases (6) • Solid Fixed  
Mainstay (1) • Solid Removable  
Pedestal (2)

### Fuel Tank

28-gal. Fuel Tank

### Flooring

Vinyl Main Floor/Carpeted Decks

### Livewell Systems

Aerated Livewell w/Autotimer  
• Aerated Livewell (38" Long / 24-  
gal.) • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V Power Receptacle • Auto-Style  
Fuses • Bow Trolling Motor Plug  
(12/24V) • Custom Dual Consoles  
w/Walk-Through Windshield • Full  
Lighted Instrumentation • Horn  
• iPod® Storage Compartment /  
Cubby • Kicker Stereo with 2 MB  
Quart Speakers • Lockable Glovebox  
• Mercury® Analog Prerig w/Gauges  
• Navigational Lighting • Plug-In Wire  
Harness • Steering -No Feedback Tilt

### Storage

Aft Storage for Sun Top,  
Complete Top, or Bimini Top  
• Battery Storage Compartments  
• Lockable 2 Level Center Rod  
Locker (10 Rods, 7' Max Rod Length)  
• Lockable Lower Center Wakeboard  
Storage • Lockable Storage • Open  
Port Side Storage (7' 6" Max. Rod  
Length) • Storage Compartments

### Other Exterior Features

Aluminum Corner Castings  
• Boarding Ladder 4-Step Folding  
Pan Mounted • Bow & Stern Eyes  
• Composite Transom • Factory  
Engine Rigging Standard • Level  
Flotation Compliance • Stainless  
Steel Fold-Down Cleats (4)  
• Transhield Cover • Twin Plated  
Bottom (Bow to Admidship)



### Other Interior Features

Aft Casting Platform • Battery  
Holders (3) • Bilge Pump (1 pump  
Auto/Manual) • Bow Backrests  
• Bow Casting Platform • Bow  
Cushions • Bow Deck Mounting Pad  
• Cockpit Depth • Drink Holders (5)  
• Dual Trak Gunwale • Grab Handles  
• Removable Aft Casting Platform  
Extension (Port Side) • Self-Draining  
Splash Pan • Ski Pylon • Ski Tow Base  
• SportTrak Accessory Brackets (2)  
• Treated Marine Grade Plywood -  
Bow to Stern

### Shoreland'r Trailer

(4) 2x6 Bunks • Load Guides  
• LUV30BESWSS0 LundGuard Bunk  
• Spare Tire • Swing Tongue  
• Tongue Jack

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 150 HP      |
| <b>Beam/Chine</b>           | 95" / 82"         |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 17' 10"           |
| <b>Boat Weight</b>          | 1,520 lbs.        |
| <b>Motor Weight</b>         | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>       | 750 lbs.          |
| <b>Total Weight</b>         | 2,725 lbs.        |
| <b>Total Storage Length</b> | 20'               |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |

|                                        |                       |
|----------------------------------------|-----------------------|
| <b>Max Capacity</b>                    | 7 People / 1,750 lbs. |
| <b>Freeboard Thickness</b>             | 0.063"                |
| <b>Bottom Thickness</b>                | 0.080"                |
| <b>Max Hull Thickness</b>              | 0.160"                |
| <b>Cockpit Depth</b>                   | 25"                   |
| <b>Engine/Approx. Speed</b>            |                       |
| Mercury® 115 4S                        | 39-43 mph             |
| Mercury® 150 4S                        | 49-53 mph             |
| <b>Exterior and Bottom/Deck Colors</b> |                       |
| See color options on page 22           |                       |
| <b>Hull Design</b>                     | IPS                   |

# 1875 CROSSOVER XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Rear Jump Seats
- Seat Slider • ProRide Seats (3)
- Seat Bases (6) • Solid Fixed Mainstay (1) • Solid Pedestals (2)

### Fuel Tank

35-gal. Fuel Tank

### Flooring

Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell w/Autotimer • Aft Livewell (38" Long / 24 -gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle • Auto-Style Fuses • Bow Trolling Motor Plug (12/24V) • Custom Dual Consoles w/ Walk-Through Windshield • Full Lighted Instrumentation • Horn • Interior Lighting - LED • iPOD® Storage Compartment / Cubby • Kicker Stereo with 2 MB Quart Speakers • Lockable Glovebox • Mercury® Analog Prerig w/ Gauges • Navigational Lighting • Plug-In Wire Harness • Steering-No Feedback Tilt

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top • Battery Storage Compartments • Lockable 2 Level Center Rod Locker (10 Rods, 7' Max Rod Length) • Lockable Lower Center Wakeboard Storage
- Lockable Storage • Open Port Side Storage (8' 6" Max. Rod Length)
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4-Step Folding Pan Mounted • Bow & Stern Eyes
- Composite Transom • Factory Engine Rigging Standard • Level Flotation Compliance • Stainless Steel Fold-Down Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Admidship)



### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump Auto/Manual) • Bow Backrests
- Bow Casting Platform • Bow Cushions • Bow Deck Mounting Pad
- Cockpit Depth • Drink Holders (5)
- Dual Trak Gunwale • Grab Handles • Removable Aft Casting Platform Extension (Port Side)
- Self-Draining Splash Pan
- Ski Pylon • Ski Tow Base
- SportTrak Accessory Brackets (2)
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Load Guides • Shoreland'r Trailer LUV30BLWTMH • Painted Bunk
- Spare Tire • Swing Tongue
- Tongue Jack

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 175 HP      |
| <b>Beam/Chine</b>           | 95" / 82"         |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 10"           |
| <b>Boat Weight</b>          | 1,669 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (175 4S) |
| <b>Trailer Weight</b>       | 907 lbs.          |
| <b>Total Weight</b>         | 3,051 lbs.        |
| <b>Total Storage Length</b> | 21' 5"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |

|                                        |                              |
|----------------------------------------|------------------------------|
| <b>Max Capacity</b>                    | 8 People / 1,800 lbs.        |
| <b>Freeboard Thickness</b>             | 0.080"                       |
| <b>Bottom Thickness</b>                | 0.100"                       |
| <b>Max Hull Thickness</b>              | 0.180"                       |
| <b>Cockpit Depth</b>                   | 25"                          |
| <b>Engine/Approx. Speed</b>            |                              |
| Mercury® 115 4S                        | 38-42 mph                    |
| Mercury® 150 4S                        | 48-52 mph                    |
| Mercury® 175 4S                        | 50-54 mph                    |
| <b>Exterior and Bottom/Deck Colors</b> |                              |
|                                        | See color options on page 22 |
| <b>Hull Design</b>                     | IPS                          |

# CROSSOVER COLOR OPTIONS

## 1775 CROSSOVER XS

### Boat Color and Graphics

Black Deck/Bottom, Cobalt Blue Freeboards  
Black Deck/Bottom, Gunmetal Freeboards  
Black Deck/Bottom, Red Freeboards  
Black Deck/Bottom, White Freeboards  
Gunmetal Deck/Bottom, Black Freeboards  
Gunmetal Deck/Bottom, Cobalt Blue Freeboards  
Gunmetal Deck/Bottom, Red Freeboards  
Gunmetal Deck/Bottom, White Freeboards  
White Deck/Bottom, Black Freeboards  
White Deck/Bottom, Cobalt Blue Freeboards  
White Deck/Bottom, Gunmetal Freeboards  
White Deck/Bottom, Red Freeboards  
Graphic Package - Blue  
Graphic Package - Charcoal  
Graphic Package - Red

## 1875 CROSSOVER XS

### Boat Color and Graphics

Black Deck/Bottom, Cobalt Blue Freeboards  
Black Deck/Bottom, Gunmetal Freeboards  
Black Deck/Bottom, Red Freeboards  
Black Deck/Bottom, White Freeboards  
Gunmetal Deck/Bottom, Black Freeboards  
Gunmetal Deck/Bottom, Cobalt Blue Freeboards  
Gunmetal Deck/Bottom, Red Freeboards  
Gunmetal Deck/Bottom, White Freeboards  
White Deck/Bottom, Black Freeboards  
White Deck/Bottom, Cobalt Blue Freeboards  
White Deck/Bottom, Gunmetal Freeboards  
White Deck/Bottom, Red Freeboards  
Graphic Package - Blue  
Graphic Package - Charcoal  
Graphic Package - Red

# 1875 FISHERMAN

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Fold-Down Jump Seats
- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 32-gal. Fuel Tank

### Aerated Livewell w/Autotimer

- Aerated Aft Livewell (35" long / 18-gal.)

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Auto-Style Fuses
- Bow Trolling Motor Plug (12/24V)
- Custom Dual Consoles w/Walk-Through Windshield
- Full Lighted Instrumentation Horn
- Interior LED Lighting
- Lockable Glovebox
- Navigational Lighting
- Plug-In Wire Harness
- Steering-No Feedback Tilt

### Storage

- Battery Storage Compartments
- Bubble Sealed Bow Storage
- Lockable Center Bow Rod Storage (5) 7' 6", (5) 7' 2"
- Lockable Storage
- Open Port Side Rod Storage 8' 2"
- Open Starboard Side Storage
- Storage Compartments

### Other Exterior Features

- 2-Step Strap Ladder w/ Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging Standard
- Level Flotation Compliance
- Stainless Steel Fold-Down Cleats (6)
- Transhield Cover
- Twin Plated Bottom (Bow to Admidship)



### Other Interior Features

- Aluminum Floor and Deck
- Battery Holders (3)
- Bilge Pump (1 pump Auto/Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Dual Trak Gunwale
- Grab Handles
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Toe Holds
- Vertical Rod Rack with Tool Holders (5 Tubes and 8 Tool Holders)
- Vinyl Main Floor/Carpeted Decks
- Weatherboards Reinforced for Downriggers

### Shoreland'r Trailer

- (4) 2x6 Bunks
- Bunk Trailer LundGuard w/Swing Tongue, Load Guides, Spare Tire Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP           |
| <b>Beam/Chine</b>           | 99" / 86"             |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 10"               |
| <b>Boat Weight</b>          | 1,615 lbs.            |
| <b>Motor Weight</b>         | 456 lbs. (150 Pro XS) |
| <b>Trailer Weight</b>       | 704 lbs.              |
| <b>Total Weight</b>         | 2,775 lbs.            |
| <b>Total Storage Length</b> | 21' 3"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 8 People / 1,950 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.200"            |
| <b>Cockpit Depth</b>        | 29"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 115 4S             | 37-41 mph         |
| Mercury® 150 4S             | 43-47 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
| <b>Hull Design</b>          | IPS               |

# 2075 FISHERMAN

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Fold-Down Jump Seats
- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 40-gal. Fuel Tank

### Aerated Livewell w/Autotimer

- Aerated Aft Livewell (35" Long / 18-gal.)

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Auto-Style Fuses
- Bow Trolling Motor Plug (24v/36v)
- Custom Dual Consoles w/Walk-Through Windshield
- Full Lighted Instrumentation Horn
- Hydraulic steering with tilt
- Interior LED Lighting
- Lockable Glovebox
- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Bubble Sealed Bow Storage
- Lockable Center Bow Rod Storage (5) 7' 6", (5) 7' 2"
- Lockable Storage
- Open Port Side Rod Storage 10'
- Open Starboard Side Storage
- Storage Compartments

### Other Exterior Features

- 2-Step Strap Ladder w/ Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging Standard
- Level Flotation Compliance
- Stainless Steel Fold-Down Cleats (6)
- Transhield Cover
- Twin Plated Bottom (Bow to Admidship)



### Other Interior Features

- Aluminum Floor and Deck
  - Battery Holders (4)
  - Bilge Pump (1 pump Auto/Manual)
  - Bow Casting Platform
  - Bow Deck Mounting Pad
  - Drink Holders
  - Dual Trak Gunwale
  - Grab Handles
  - Self-Draining Splash Pan
  - SportTrak Accessory Brackets (2)
  - Toe Holds
  - Vertical Rod Rack with Tool Holders (5 Tubes and 8 Tool Holders)
  - Vinyl Main Floor/Carpeted Decks
  - Weatherboards Reinforced for Downriggers
- ### Shoreland'r Trailer
- (4) 2x6 Bunks
  - Bunk Trailer LundGuard w/Swing Tongue, Load Guides, Spare Tire
  - Tongue Jack

|                      |                       |
|----------------------|-----------------------|
| Min/Max HP           | 150 / 200 HP          |
| Beam/Chine           | 99" / 86"             |
| Transom Height       | 25"                   |
| Boat Length          | 20' 10"               |
| Boat Weight          | 1,850 lbs.            |
| Motor Weight         | 505 lbs. (200 Pro XS) |
| Trailer Weight       | 945 lbs.              |
| Total Weight         | 3,300 lbs.            |
| Total Storage Length | 22' 7"                |
| Boat/Motor On        |                       |
| Trailer Height       | 7'                    |
| Boat/Trailer Width   | 8' 6"                 |
| Max Capacity         | 9 People / 2,200 lbs. |
| Freeboard Thickness  | 0.080"                |

|                      |                   |
|----------------------|-------------------|
| Bottom Thickness     | 0.125"            |
| Max Hull Thickness   | 0.225"            |
| Cockpit Depth        | 29"               |
| Engine/Approx. Speed |                   |
| Mercury® 150 4S      | 38-42 mph         |
| Mercury® 175 4S      | 40-44xmph         |
| Mercury® 200 4S      | 43-47 mph         |
| Available Colors     | Arctic White      |
|                      | Black             |
|                      | Cobalt Blue       |
|                      | Gunmetal Metallic |
|                      | Heritage Red      |
| Bottom/Deck Colors   | Black             |
|                      | Silver Stone      |
| Hull Design          | IPS               |

# 1400 FURY SS

## STANDARD FEATURES

### Seats/Pedestals

- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)
- Seat Bases (3)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11-gal.)
- LiveWell Bait Net

### Consoles/Instrumentation/Lighting

- Plug-In Wire Harness
- Flush Mount Horn
- Navigational Lighting
- No Feedback Steering

### Storage

- Battery Storage Compartment
- Port and Stbd Rod Storage (7')
- Storage Compartments
- Fuel Tank Storage

### Other Exterior Features


- 2-Step Strap Ladder w/Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging
- Level Flotation Compliance
- Dual Trak Gunwale
- Stainless Steel Fold Down Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holder (1)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood – Bow to Stern

### Shoreland'r Trailer

- (2) 2x4 Bunks / Lundguard Frame
- LUB14TS Bunk Trailer
- E-Coat Painted Wheel w/Bias Ply Tire
- Tongue Jack



|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 20 / 30 HP            |
| <b>Beam/Chine</b>           | 69.5" / 56"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 14' 9"                |
| <b>Boat Weight</b>          | 545 lbs.              |
| <b>Motor Weight</b>         | 172 lbs. (30 4S)      |
| <b>Trailer Weight</b>       | 274 lbs.              |
| <b>Total Weight</b>         | 991 lbs.              |
| <b>Total Storage Length</b> | 19' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 7"                 |
| <b>Boat/Trailer Width</b>   | 6'                    |
| <b>Max Capacity</b>         | 4 People / 1,080 lbs. |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.080"            |
| <b>Cockpit Depth</b>        | 21"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 25 4S              | 22-26 mph         |
| Mercury® 30 4S              | 23-27 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |

# 1400 FURY TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)
- Seat Bases (3)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11-gal.)
- LiveWell Bait Net

### Consoles/Instrumentation/Lighting

- Plug-In Wire Harness
- Flush Mount Horn
- Navigational Lighting

### Storage

- Battery Storage Compartment
- Port and Stbd Rod Storage (7')
- Storage Compartments
- Fuel Tank Storage

### Other Exterior Features


- 2-Step Strap Ladder w/Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging
- Level Flotation Compliance
- Dual Trak Gunwale
- Stainless Steel Fold Down Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holder (1)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood – Bow to Stern

### Shoreland'r Trailer

- (2) 2x4 Bunks / Lundguard Frame
- LUB14TS Bunk Trailer
- E-Coat Painted Wheel w/Bias Ply Tire
- Tongue Jack



|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 20 / 30 HP            |
| <b>Beam/Chine</b>           | 69.5" / 56"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 14' 9"                |
| <b>Boat Weight</b>          | 500 lbs.              |
| <b>Motor Weight</b>         | 172 lbs. (30 4S)      |
| <b>Trailer Weight</b>       | 274 lbs.              |
| <b>Total Weight</b>         | 946 lbs.              |
| <b>Total Storage Length</b> | 19' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 2"                 |
| <b>Boat/Trailer Width</b>   | 6'                    |
| <b>Max Capacity</b>         | 4 People / 1,080 lbs. |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.080"            |
| <b>Cockpit Depth</b>        | 21"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 20 4S              | 17-21 mph         |
| Mercury® 25 4S              | 22-26 mph         |
| Mercury® 30 4S              | 23-27 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |

# 1600 FURY SS

## STANDARD FEATURES

### Seats/Pedestals

- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)
- Seat Bases (4)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11-gal.)
- LiveWell Bait Net

### Consoles/Instrumentation/Lighting

- Plug-In Wire Harness
- Flush Mount Horn
- Navigational Lighting
- Mercury Analog Prerig (without Gauges)
- No Feedback Steering

### Storage

- Battery Storage Compartment
- Port and Stbd Rod Storage (7' 6")
- Storage Compartments
- Fuel Tank Storage

### Other Exterior Features


- 2-Step Strap Ladder w/Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging
- Level Flotation Compliance
- Dual Trak Gunwale
- Stainless Steel Fold Down Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holder (1)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood – Bow to Stern

### Shoreland'r Trailer

- (2) 2x4 Bunks / Lundguard Frame
- LUB14TM Bunk Trailer
- E-Coat Painted Wheel w/Bias Ply Tire
- Tongue Jack



|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 20 / 40 HP            |
| <b>Beam/Chine</b>           | 73.5" / 56"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 2"                |
| <b>Boat Weight</b>          | 565 lbs.              |
| <b>Motor Weight</b>         | 204 lbs. (40 4S)      |
| <b>Trailer Weight</b>       | 280 lbs.              |
| <b>Total Weight</b>         | 1,049 lbs.            |
| <b>Total Storage Length</b> | 20' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 7"                 |
| <b>Boat/Trailer Width</b>   | 6' 2"                 |
| <b>Max Capacity</b>         | 5 People / 1,200 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.080"            |
| <b>Cockpit Depth</b>        | 21"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 25 4S              | 21-25 mph         |
| Mercury® 30 4S              | 22-26 mph         |
| Mercury® 40 4S              | 28-32 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |



# 1600 FURY TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)
- Seat Bases (4)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11-gal.)
- LiveWell Bait Net

### Consoles/Instrumentation/Lighting

- Plug-In Wire Harness
- Flush Mount Horn
- Navigational Lighting
- Main Power Tiller Handle

### Storage

- Battery Storage Compartment
- Port and Stbd Rod Storage (7' 6")
- Storage Compartments
- Fuel Tank Storage

### Other Exterior Features


- 2-Step Strap Ladder w/Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging
- Level Flotation Compliance
- Dual Trak Gunwale
- Stainless Steel Fold Down Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holder (1)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Self-Draining Splash Pan
- Treated Marine Grade Plywood – Bow to Stern

### Shoreland'r Trailer

- (2) 2x4 Bunks / Lundguard Frame
- LUB14TM Bunk Trailer
- E-Coat Painted Wheel w/Bias Ply Tire
- Tongue Jack



|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 20 /40 HP             |
| <b>Beam/Chine</b>           | 73.5" / 56"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 2"                |
| <b>Boat Weight</b>          | 502 lbs.              |
| <b>Motor Weight</b>         | 204 lbs. (40 4S)      |
| <b>Trailer Weight</b>       | 280 lbs.              |
| <b>Total Weight</b>         | 1,004 lbs.            |
| <b>Total Storage Length</b> | 20' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 2"                 |
| <b>Boat/Trailer Width</b>   | 6' 2"                 |
| <b>Max Capacity</b>         | 5 People / 1,200 lbs. |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Freeboard Thickness</b>  | 0.063"                                                                    |
| <b>Bottom Thickness</b>     | 0.080"                                                                    |
| <b>Max Hull Thickness</b>   | 0.080"                                                                    |
| <b>Cockpit Depth</b>        | 21"                                                                       |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 25 4S              | 21-25 mph                                                                 |
| Mercury® 30 4S              | 22-26 mph                                                                 |
| Mercury® 40 4S              | 28-32 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Hull Design</b>          | IPS                                                                       |

# 1775 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats  
• Standard Seats (2) • Fixed Solid Mainstay (1) • Solid - Removable Pedestal (1) • Seat Bases (6)

### Fuel Tank

30-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell w/Autotimer  
• Aft Livewell (38" Long / 24-gal.)  
• Bow Livewell (27" Long / 11-gal.)  
• Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting


Custom Console w/Walk-Through Windshield • Full Lighted Instrumentation • Horn  
• Kicker Stereo • LED Interior-Lighting • Lockable Glove Box  
• Mercury® Analog Prerig w/Gauges  
• Navigational Lighting  
• No-Feedback Steering • Plug-In Wire Harness

### Storage

Battery Storage Compartments  
• Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 8' • Lockable Port Side Rod Storage - 7'6"  
• Starboard Rod Storage - 7'6"  
• Lockable Storage • Storage Compartments • Port and Starboard Console Cubby Storage

### Other Exterior Features

Aluminum Corner Castings  
• Boarding Ladder 4-Step Folding  
• Pan Mounted • Bow & Stern Eyes  
• Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance  
• Stainless Steel Fold-Down Cleats  
• Transhield Cover • Twin Plated Bottom (Bow to Amidship)  
• Composite Transom



### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump Manual) • Bow Casting Platform  
• Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug  
• Drink Holders • Dual Trak Gunwale  
• Port Splash Pan Insert • Self-Draining Splash Pan • Treated Marine Grade Plywood

### Trailer

Load Guides • Shoreland'r Trailer  
• (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs  
• LUV23SELWSSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 75 / 125 HP           |
| <b>Beam/Chine</b>           | 96" / 81.5"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 17' 11"               |
| <b>Boat Weight</b>          | 1,390 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (115 Pro XS) |
| <b>Trailer Weight</b>       | 739 lbs.              |
| <b>Total Weight</b>         | 2,488 lbs.            |
| <b>Total Storage Length</b> | 20' 2"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 0"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,700 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 90 4S              | 36-40 mph         |
| Mercury® 115 4S             | 41-45 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
| <b>Hull Design</b>          | IPS               |

# 1775 IMPACT XS SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Standard Seats (2) • Fixed Solid Mainstay (1) • Solid - Removable Pedestal (1) • Seat Bases (6)

### Fuel Tank

- 30-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (38" Long / 24-gal.)
- Bow Livewell (27" Long / 11-gal.)
- Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting

- Custom Console w/Windshield
- Full Lighted Instrumentation
- Horn • Kicker Stereo • LED Interior-Lighting • Lockable Glove Box • Mercury® Analog Prerig w/ Gauges • Navigational Lighting
- No-Feedback Steering • Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 8' • Lockable Port Side Rod Storage - 7'6"
- Starboard Rod Storage - 7'6"
- Lockable Storage • Storage Compartments • Port and Starboard Console Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4-Step Folding Pan Mounted • Bow & Stern Eyes
- Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance
- Stainless Steel Fold-Down Cleats
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)
- Composite Transom

### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Drink Holders



- Bilge Pump (1 pump Manual)
- Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug • Dual Trak Gunwale • Port Splash Pan Insert
- Self-Draining Splash Pan • Treated Marine Grade Plywood

### Trailer

- Load Guides • Shoreland'r Trailer
- (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted • Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs
- LUV23SELWSSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 75 / 125 HP           |
| <b>Beam/Chine</b>           | 96" / 81.5"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 17' 11"               |
| <b>Boat Weight</b>          | 1,330 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (115 Pro XS) |
| <b>Trailer Weight</b>       | 739 lbs.              |
| <b>Total Weight</b>         | 2,428 lbs.            |
| <b>Total Storage Length</b> | 20' 2"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,700 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 90 4S              | 36-40 mph         |
| Mercury® 115 4S             | 41-45 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silve Stone       |
| <b>Hull Design</b>          | IPS               |

# 1875 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • Standard Seats (3) • Fixed Solid Mainstay (1) • Solid - Removable Pedestal (2) • Seat Bases (6)

### Fuel Tank

36-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell w/Autotimer • Aft Livewell (38" Long / 24-gal.) • Bow Livewell (27" Long / 11-gal.) • Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting

Custom Dual Consoles w/ Walk-Through Windshield • Full Lighted Instrumentation • Horn • Kicker Stereo • LED Interior Lighting • Mercury® Analog PreRig w/Gauges • Navigational Lighting • No-Feedback Steering • Plug-In Wire Harness

### Storage


Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 7'6", (5) 8' • Lockable Port Side Rod Storage - 8'6" • Lockable Storage • Starboard Rod Storage - 8'6" • Storage Compartments • Port and Starboard Console • Cubby Storage

### Other Exterior Features

Aluminum Corner Castings • Boarding Ladder 4-Step Folding Pan Mounted • Bow & Stern Eyes • Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance • Stainless Steel Fold-Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship) • Composite Transom

### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump Manual) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug



• Drink Holders • Dual Trak Gunwale • Port Splash Pan Insert • Self-Draining Splash Pan • Treated Marine Grade Plywood

### Trailer

Load Guides • Shoreland'r Trailer • (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs • LUV30BELWMSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP           |
| <b>Beam/Chine</b>           | 96" / 81.5"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 11"               |
| <b>Boat Weight</b>          | 1,520 lbs.            |
| <b>Motor Weight</b>         | 455 lbs. (150 4S)     |
| <b>Trailer Weight</b>       | 765 lbs.              |
| <b>Total Weight</b>         | 2,740 lbs.            |
| <b>Total Storage Length</b> | 21' 5"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 7 People / 1,800 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 115 4S             | 40-44 mph         |
| Mercury® 150 4S             | 48-52 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
| <b>Hull Design</b>          | IPS               |

# 1875 IMPACT XS SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats • Standard Seats (3) • Fixed Solid Mainstay (1) • Solid - Removable Pedestal (2) • Seat Bases (6)

### Fuel Tank

- 36-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer • Aft Livewell (38" Long / 24-gal.) • Bow Livewell (27" Long / 11-gal.) • Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting

- Custom Console w/Windshield • Full Lighted Instrumentation • Horn • Kicker Stereo • LED Interior-Lighting • Mercury® Analog Prerig w/Gauges • Navigational Lighting • No-Feedback Steering • Plug-In Wire Harness

### Storage


- Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 7'6", (5) 8' • Lockable Port Side Rod Storage - 8'6" • Lockable Storage • Starboard Rod Storage - 8'6" • Storage Compartments • Port and Starboard Console Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings • Boarding Ladder 4-Step Folding Pan Mounted • Bow & Stern Eyes • Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance • Stainless Steel Fold-Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship) • Composite Transom

### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump Manual) • Bow Casting Platform • Bow Deck Mounting Pad



- Bow Trolling Motor Harness w/ Plug • Drink Holders • Dual Trak Gunwale • Port Splash Pan Insert • Self-Draining Splash Pan • Treated Marine Grade Plywood

### Trailer

- Load Guides • Shoreland'r Trailer • (4) 2x6 Bunks / LundGuard Painted Frame • Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs • LUV30BELWMSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP           |
| <b>Beam/Chine</b>           | 96" / 81.5"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 11"               |
| <b>Boat Weight</b>          | 1,460 lbs.            |
| <b>Motor Weight</b>         | 455 lbs. (150 4S)     |
| <b>Trailer Weight</b>       | 765 lbs.              |
| <b>Total Weight</b>         | 2,680 lbs.            |
| <b>Total Storage Length</b> | 21' 5"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 7 People / 1,800 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.080"                                                                    |
| <b>Max Hull Thickness</b>   | 0.160"                                                                    |
| <b>Cockpit Depth</b>        | 22.75"                                                                    |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 115 4S             | 40-44 mph                                                                 |
| Mercury® 150 4S             | 48-52 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Bottom/Deck Colors</b>   | Black<br>Silver Stone                                                     |
| <b>Hull Design</b>          | IPS                                                                       |

# 2025 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Seat Slider • Standard Seats (4)
- Fixed Solid Mainstay (1)
- Solid - Removable Pedestals (3)
- Seat Bases (6)

### Fuel Tank

46-gal. Fuel Tank

### Flooring Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (38" Long / 24-gal.)
- Bow Livewell (27" Long / 11-gal.)
- Freshwater Pickup for Aft Livewell
- Livewell Bait Net • Livewell Divider

### Consoles/Instrumentation/Lighting


- Custom Dual Consoles w/
- Walk-Through Windshield • Full
- Lighted Instrumentation • Horn
- Kicker Stereo • LED Interior-
- Lighting • Mercury® Analog Prerig
- w/Gauges • Navigational Lighting
- Plug-In Wire Harness • Steering-
- Hydraulic with Tilt

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage
- w/Tubes (6) 7'6", (6) 8' • Lockable
- Port Side Rod Storage 8'6"
- Port and Starboard Console
- Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4-Step Folding
- Pan Mounted • Bow & Stern Eyes
- Factory Engine Rigging • Hull Drain
- Plug • Stainless Steel Retractable
- Cleats • Transhield Cover • Twin
- Plated Bottom (Bow to Amidship)
- Composite Transom



### Other Interior Features

- Aft Casting Platform • Battery
- Holders (4) • Bilge Pump (1 pump
- Manual/Auto) • Bow Casting
- Platform • Bow Deck Mounting
- Pad • Bow Trolling Motor Harness
- w/Plug • Drink Holders • Dual Trak
- Gunwale • Grab Handles • Self-
- Draining Splash Pan • Ski Tow-
- Base only (No Pylon Included)
- SportTrak Accessory Brackets (2)
- Treated Marine Grade Plywood -
- Bow to Stern

### Shoreland'r Trailer

- Load Guides • (4) 2x6 Bunks /
- LundGuard Painted Frame • Spare
- Tire • Swing Tongue / E-Coat
- Painted Wheels w/Radial Tires/
- Tandem Axles w/Brakes on One
- Axle • Tongue Jack / LED Lights /
- Retractable Tie Downs
- LUV40TBXLW


|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 135 / 200 HP          |
| <b>Beam/Chine</b>           | 96" / 81.75"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 2"                |
| <b>Boat Weight</b>          | 1,685 lbs.            |
| <b>Motor Weight</b>         | 475 lbs. (200 4S)     |
| <b>Trailer Weight</b>       | 1,202 lbs.            |
| <b>Total Weight</b>         | 3,362 lbs.            |
| <b>Total Storage Length</b> | 23' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 8 People / 2,000 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.180"            |
| <b>Cockpit Depth</b>        | 21.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 150 4S             | 43-47 mph         |
| Mercury® 175 4S             | 46-50 mph         |
| Mercury® 200 4S             | 48-52 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
| <b>Hull Design</b>          | IPS2              |

# 1040 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed-In Keels
- Bow Handle
- 2 Transom Handles
- Formed-In Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks




|              |      |
|--------------|------|
| Min / Max HP | 5 HP |
| Beam         | 56"  |
| Transom      | 15"  |
| Boat Length  | 10'  |

|                  |                     |
|------------------|---------------------|
| Boat Weight      | 87 lbs.             |
| Max Capacity     | 3 People / 419 lbs. |
| Available Colors | Olive Drab          |
| Hull Design      | Mod-V               |

# 1240 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed-In Keels
- Bow Handle
- 2 Transom Handles
- Formed-In Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks



|                     |        |
|---------------------|--------|
| <b>Min / Max HP</b> | 10 HP  |
| <b>Beam</b>         | 56"    |
| <b>Transom</b>      | 15"    |
| <b>Boat Length</b>  | 11' 9" |


|                         |                     |
|-------------------------|---------------------|
| <b>Boat Weight</b>      | 107 lbs.            |
| <b>Max Capacity</b>     | 3 People / 535 lbs. |
| <b>Available Colors</b> | Olive Drab          |
| <b>Hull Design</b>      | Mod-V               |



# 1440M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed-In Keels
- Bow Handle
- 2 Transom Handles
- Formed-In Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks




|              |        |
|--------------|--------|
| Min / Max HP | 20 HP  |
| Beam         | 59"    |
| Transom      | 15"    |
| Boat Length  | 13' 8" |

|                  |                     |
|------------------|---------------------|
| Boat Weight      | 205 lbs.            |
| Max Capacity     | 3 People / 780 lbs. |
| Available Colors | Olive Drab          |
| Hull Design      | Mod-V               |

# 1448 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed-In Keels
- Bow Handle
- 2 Transom Handles
- Formed-In Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/ Gravity-Fed Livewell Storage




|              |            |
|--------------|------------|
| Min / Max HP | 25 HP      |
| Beam         | 70"        |
| Transom      | 15" or 20" |
| Boat Length  | 13' 8"     |

|                  |                     |
|------------------|---------------------|
| Boat Weight      | 260 lbs.            |
| Max Capacity     | 4 People / 825 lbs. |
| Available Colors | Olive Drab          |
| Hull Design      | Mod-V               |

# 1448M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Modified V Bow
- Formed-In Keels
- Bow Handle
- 2 Transom Handles
- Formed-In Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity-Fed
- Livewell/Storage




|              |            |
|--------------|------------|
| Min / Max HP | 25 HP      |
| Beam         | 70"        |
| Transom      | 15" or 20" |
| Boat Length  | 13' 8"     |

|                  |                     |
|------------------|---------------------|
| Boat Weight      | 260 lbs.            |
| Max Capacity     | 4 People / 825 lbs. |
| Available Colors | Olive Drab          |
| Hull Design      | Mod-V               |

# 1648 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed-In Keels
- Bow Handle
- 2 Transom Handles
- Formed-In Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity-Fed Livewell/  
Storage
- Stainless Steel Bow Eye




|              |            |
|--------------|------------|
| Min / Max HP | 35 HP      |
| Beam         | 70"        |
| Transom      | 15" or 20" |
| Boat Length  | 15' 8.5"   |

|                  |                       |
|------------------|-----------------------|
| Boat Weight      | 275 lbs.              |
| Max Capacity     | 3 People / 1,014 lbs. |
| Available Colors | Olive Drab            |
| Hull Design      | Mod-V                 |

# 1648M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Modified V Bow
- Formed-In Keels
- Bow Handle
- 2 Transom Handles
- Formed-In Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity-Fed Livewell/  
Storage
- Stainless Steel Bow Eye




|              |            |
|--------------|------------|
| Min / Max HP | 35 HP      |
| Beam         | 70"        |
| Transom      | 15" or 20" |
| Boat Length  | 15' 8.5"   |

|                  |                       |
|------------------|-----------------------|
| Boat Weight      | 275 lbs.              |
| Max Capacity     | 3 People / 1,014 lbs. |
| Available Colors | Olive Drab            |
| Hull Design      | Mod-V                 |

# 1852M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Modified V Bow
- Formed-In Keels
- Bow Handle
- 2 Transom Handles
- Formed-In Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity-Fed Livewell Storage
- Stainless Steel Bow Eye



|                     |                |
|---------------------|----------------|
| <b>Min / Max HP</b> | 65 HP (Remote) |
|                     | 45 HP (Tiller) |
| <b>Beam</b>         | 75"            |
| <b>Transom</b>      | 20"            |
| <b>Boat Length</b>  | 17' 9"         |

|                         |                       |
|-------------------------|-----------------------|
| <b>Boat Weight</b>      | 475 lbs.              |
| <b>Max Capacity</b>     | 4 People / 1,443 lbs. |
| <b>Available Colors</b> | Olive Drab            |
| <b>Hull Design</b>      | Mod-V                 |

# 1660 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Fold-Down Seats (2)  
(Mossy Oak®)
- Pedestal Bases (5)

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Aerated Livewell Systems
- Bow Livewell (Manual Aeration)  
(31" Long / 18-gal.)

### Other Exterior Features


- 2-Step Strap Ladder w/ Mesh Bag
- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- Navigational Lighting
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- Battery Trays – 1 Small
- Battery Trays – 1 Large
- Bilge Pump
- Bow Trolling Motor Plug
- Edge Trim and Compression  
Latches on Doors
- Side Rod Holder & Rod Tube  
Combo – 7' 6"

### KaravanTrailer

- Black Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 50 HP            |
| <b>Beam/Chine</b>           | 85" / 60.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16'              |
| <b>Boat Weight</b>          | 670 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (50 4S) |
| <b>Trailer Weight</b>       | 385 lbs.         |
| <b>Total Weight</b>         | 1,302 lbs.       |
| <b>Total Storage Length</b> | 19' 6"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 5' 8"            |
| <b>Boat/Trailer Width</b>   | 7' 2"            |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Capacity</b>         | 4 People / 550 lbs.      |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 22.25"                   |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury® 50 4S              | 30-32 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak Break Up*      |
|                             | Mossy Oak® Shadow Grass* |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 1760 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal
- 2 Fold-Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20-gal. Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration  
(31" Long / 18-gal.)

### Consoles/Instrumentation/Lighting

- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console (Helm)

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2-Step Strap Ladder w/ Mesh Bag
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Edge Trim and Compression
- Latches on Doors
- Horn
- Side Rod Holder & Rod Tube
- Combo - 7' 6"

### Karavan Trailer

- Black Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 75 HP            |
| <b>Beam/Chine</b>           | 85" / 60.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 17'              |
| <b>Boat Weight</b>          | 910 lbs.         |
| <b>Motor Weight</b>         | 359 lbs. (60 4S) |
| <b>Trailer Weight</b>       | 385 lbs.         |
| <b>Total Weight</b>         | 1,654 lbs.       |
| <b>Total Storage Length</b> | 19' 6"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 3"            |
| <b>Boat/Trailer Width</b>   | 7' 2"            |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Capacity</b>         | 5 People / 700 lbs.      |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 20.5"                    |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury® 60 4S              | 33-35 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak Break Up*      |
|                             | Mossy Oak® Shadow Grass* |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge



# 1760 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Fold-Down Seats (2)  
(Mossy Oak®)
- Pedestal Bases (5)

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Aerated Livewell Systems
- Bow Livewell (Manual Aeration)  
(31" Long / 18-gal.)

### Other Exterior Features


- 2-Step Strap Ladder w/ Mesh Bag
- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- Navigational Lighting
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- Battery Trays – 1 Small
- Battery Trays – 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Edge Trim and Compression  
Latches on Doors
- Side Rod Holder & Rod Tube  
Combo – 8' 6"

### Karavan Trailer

- Black Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 60 HP            |
| <b>Beam/Chine</b>           | 85" / 60.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 17'              |
| <b>Boat Weight</b>          | 787 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (60 4S) |
| <b>Trailer Weight</b>       | 385 lbs.         |
| <b>Total Weight</b>         | 1,419 lbs.       |
| <b>Total Storage Length</b> | 19' 6"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 5' 8"            |
| <b>Boat/Trailer Width</b>   | 7' 2"            |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Capacity</b>         | 5 People / 750 lbs.      |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 22.25"                   |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury® 60 4S              | 33-35 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak Break Up*      |
|                             | Mossy Oak® Shadow Grass* |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 1870 PREDATOR CC

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- Padded Leaning Post
- Seat Bases (2)

### Fuel Tank

- 20-gal. Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23-gal.)

### Consoles/Instrumentation/Lighting

- Center Console
- Center Console Grab Rail
- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Windscreen

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2-Step Strap Ladder w/ Mesh Bag
- Battery Trays -1 Small
- Battery Trays -1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Edge Trim and Compression Latches on Doors
- Horn
- Side Rod Holder & Rod Tube Combo - 8' 6"

### Karavan Trailer

- Black Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



|                             |                 |
|-----------------------------|-----------------|
| <b>Min/Max HP</b>           | 90 HP           |
| <b>Beam/Chine</b>           | 96" / 70.5"     |
| <b>Transom Height</b>       | 20"             |
| <b>Boat Length</b>          | 18'             |
| <b>Boat Weight</b>          | 1,008 lbs.      |
| <b>Motor Weight</b>         | 359lbs. (90 4S) |
| <b>Trailer Weight</b>       | 520 lbs.        |
| <b>Total Weight</b>         | 1,887 lbs.      |
| <b>Total Storage Length</b> | 20' 11"         |
| <b>Boat/Motor On</b>        |                 |
| <b>Trailer Height</b>       | 7' 6"           |
| <b>Boat/Trailer Width</b>   | 8'`             |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Capacity</b>         | 7 People / 950 lbs.      |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 20.5"                    |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury® 90 4S              | 37-39 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak Break Up*      |
|                             | Mossy Oak® Shadow Grass* |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 1870 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal
- 2 Fold-Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20-gal. Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23-gal.)

### Consoles/Instrumentation/Lighting

- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console (Helm)

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2-Step Strap Ladder w/ Mesh Bag
- Battery Trays – 1 Small
- Battery Trays – 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder – Black
- Edge Trim and Compression
- Latches on Doors
- Horn
- Side Rod Holder & Rod Tube
- Combo – 8' 6"
- SportTrak/Pro Trak Gunnel

### Karavan Trailer

- Black Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 90 HP            |
| <b>Beam/Chine</b>           | 96" / 70.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 18'              |
| <b>Boat Weight</b>          | 1,008 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 520 lbs.         |
| <b>Total Weight</b>         | 1,887 lbs.       |
| <b>Total Storage Length</b> | 20' 11"          |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 3"            |
| <b>Boat/Trailer Width</b>   | 8'               |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Capacity</b>         | 7 People / 950 lbs.      |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 20.5"                    |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury® 90 4S              | 37-39 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak Break Up*      |
|                             | Mossy Oak® Shadow Grass* |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 1870 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

Standard Fold-Down Seats (2)  
(Mossy Oak®)

Pedestal Bases (5)

### Flooring

Non-skid Floor Liner

### Livewell Systems

Aerated Livewell Systems

Bow Livewell (Manual Aeration)  
(43" Long / 23-gal.)

### Other Exterior Features

2-Step Strap Ladder w/Mesh Bag

6" Black Nylon Cleats

Aluminum Transom

Hull Drain Plug

Navigational Lighting

NMMA® Certified

SportTrak / ProTrak Gunnel

Transducer Bracket (Welded)

Trim Tabs

Utility Mod-V Graphics

### Other Interior Features

Battery Trays - 1 Small

Battery Trays - 1 Large

Bilge Pump (1 Manual)

Bow Trolling Motor Plug

Edge Trim and Compression

Latches on Doors

Side Rod Holder & Rod Tube


Combo - 9' 6"

### Karavan Trailer

Black Bunk Trailer w/Load Guides

Swing Tongue

Trailer Jack



|                             |                 |
|-----------------------------|-----------------|
| <b>Min/Max HP</b>           | 75 HP           |
| <b>Beam/Chine</b>           | 96" / 70.5"     |
| <b>Transom Height</b>       | 20"             |
| <b>Boat Length</b>          | 18'             |
| <b>Boat Weight</b>          | 953 lbs.        |
| <b>Motor Weight</b>         | 359lbs. (75 4S) |
| <b>Trailer Weight</b>       | 520 lbs.        |
| <b>Total Weight</b>         | 1,832 lbs.      |
| <b>Total Storage Length</b> | 20' 11"         |
| <b>Boat/Motor On</b>        |                 |
| <b>Trailer Height</b>       | 5' 8"           |
| <b>Boat/Trailer Width</b>   | 8'              |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Capacity</b>         | 6 People / 846 lbs.      |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 20.5"                    |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury® 75 4S              | 32-34 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak Break Up*      |
|                             | Mossy Oak® Shadow Grass* |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 2070 PREDATOR CC

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- Padded Leaning Post
- Seat Bases (2)

### Fuel Tank

- 20-gal. Integrated Fuel Tank

### Flooring

- Non-Skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23-gal.)

### Consoles/Instrumentation/Lighting

- Center Console
- Center Console Grab Rail
- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Windscreen

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- Battery Trays – 1 Small
- Battery Trays – 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder – Black
- Horn
- Side Rod Holder & Rod Tube Combo – 9' 6"

### Karavan Trailer

- Black Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 150 HP            |
| <b>Beam/Chine</b>           | 96" / 70.5"       |
| <b>Transom Height</b>       | 20"               |
| <b>Boat Length</b>          | 20'               |
| <b>Boat Weight</b>          | 1,175 lbs.        |
| <b>Motor Weight</b>         | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>       | 520 lbs.          |
| <b>Total Weight</b>         | 2,150 lbs.        |
| <b>Total Storage Length</b> | 22' 5"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7' 6"             |
| <b>Boat/Trailer Width</b>   | 8'                |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Capacity</b>         | 7 People / 1,100 lbs.    |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 21.25"                   |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury® 150 4S             | 51-53 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak Break Up*      |
|                             | Mossy Oak® Shadow Grass* |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 2070 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- 2 Fold-Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20-gal. Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23-gal.)

### Consoles/Instrumentation/Lighting

- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console w/Steering

### Other Exterior Features


- 6" Black Nylon Cleats
- Aluminum Transom
- Hull Drain Plug
- NMMA® Certified
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- Battery Trays – 1 Small
- Battery Trays – 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder – Black
- Horn
- Side Rod Holder & Rod Tube
- Combo – 9' 6"
- SportTrak/Pro Trak Gunnel

### Karavan Trailer

- Black Bunk Trailer w/Load Guides
- Swing Tongue
- Trailer Jack



|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 150 HP            |
| <b>Beam/Chine</b>           | 96" / 70.5"       |
| <b>Transom Height</b>       | 20"               |
| <b>Boat Length</b>          | 20'               |
| <b>Boat Weight</b>          | 1,175 lbs.        |
| <b>Motor Weight</b>         | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>       | 520 lbs.          |
| <b>Total Weight</b>         | 2,150 lbs.        |
| <b>Total Storage Length</b> | 22' 5"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 3"             |
| <b>Boat/Trailer Width</b>   | 8'                |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Capacity</b>         | 7 People / 1,100 lbs.    |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 21.25"                   |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury® 150 4S             | 51-53 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak Break Up*      |
|                             | Mossy Oak® Shadow Grass* |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 1775 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 21-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (37" Long / 16-gal.)
- Livewell Bait Net
- Liveweel Divider

### Console/Instrumentation/Lighting

- 12V Power Receptacle
- Electronics Command Center
- Flush-Mount Horn
- Interior-Lighting
- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 5", (5) 6' 6"
- Storage Compartments
- Tackle Storage
- Tool Holder

### Other Exterior Features

- 3-Step Boarding Ladder
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Factory Engine Rigging
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Battery Holders (3)
- Treated Marine Grade Plywood – Bow to Stern



- Bilge Pump (1 Pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Grab Handles (3)
- Self-Draining Splash Pan

### Trailer

- (2) 2x4 Bunk
- Load Guides
- LundGuard Painted Bunk
- Shoreland'r Trailer LUB22SELMSSO
- Spare Tire
- Swing Tongue
- Trailer Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 50 / 75 HP            |
| <b>Beam/Chine</b>           | 87" / 70.75"          |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 17' 10"               |
| <b>Boat Weight</b>          | 1,010 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (75 4S)      |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 1,850 lbs.            |
| <b>Total Storage Length</b> | 20'                   |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 2"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,400 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.080"                                                                    |
| <b>Max Hull Thickness</b>   | 0.143"                                                                    |
| <b>Cockpit Depth</b>        | 22.25"                                                                    |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 60 4S              | 30-34 mph                                                                 |
| Mercury® 75 4S              | 34-38 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Bottom/Deck Colors</b>   | Black<br>Silver Stone                                                     |
| <b>Hull Design</b>          | IPS                                                                       |

# 1875 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (3) • Helm Seat Slider
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (2) • Seat Bases (7)

### Fuel Tank

- 35-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Bait Station (1) Drop-In • Aerated Livewell w/Autotimer • Aft Livewell w/Recirc (42" Long / 22-gal.)
- Bow Livewell (27" Long / 11-gal.)
- Livewell Bait Net • Livewell Divider

### Console/Instrumentation/Lighting

- 12V Power Receptacle • Auto-Style Fuse Panel • Electronics Command Center • Mercury® Analog Prerig
- Full Lighted Instrumentation
- Horn • Kicker Stereo • Interior and Livewell Lighting • Navigational Lighting • Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 7' • Lockable Side Rod Storage (3) 9' • (2) 8' 6" • Lockable Storage • Storage Compartments • Bow Cargo Nets

### Other Exterior Features

- 4-Step Collapsible Boarding Ladder
- Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom
- Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance
- Stainless Steel Recessed Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Trolling Motor Harness w/ Marincos-Style Plug • Battery Holders (3) • Bilge Pump (1 pump Manual/ Auto) • Bow Casting Platform



- Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Marine Style Plug • Drink Holders (3) • Dual Trak Gunwale • Grab Handles (3)
- Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • Treated Marine Grade Plywood - Bow to Stern

### Trailer

- (4) 2x6 Bunk • Load Guides
- Shoreland'r Trailer LUV30BLWTMH LundGuard Painted Bunk • Spare Tire
- Swing Tongue • Trailer Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 90 HP                 |
| <b>Beam/Chine</b>           | 93" / 81"             |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 10"               |
| <b>Boat Weight</b>          | 1,335 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (90 4S)      |
| <b>Trailer Weight</b>       | 765 lbs.              |
| <b>Total Weight</b>         | 2,459 lbs.            |
| <b>Total Storage Length</b> | 21' 6"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,650 lbs. |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 19.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 90 4S              | 36-40 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
| <b>Hull Design</b>          | IPS2              |



# 2075 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (3) • Helm Seat Slider
- Fixed Solid Mainstay (1)
- Removable Solid Pedestal (2)
- Seat Bases (7)

### Fuel Tank

43-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

- Bait Station (1) Drop-In • Aerated Livewell w/Autotimer • Aft Livewell w/Recirc (42" Long / 22-gal.)
- Bow Livewell (27" Long / 11-gal.)
- Livewell Bait Net • Livewell Divider

### Console/Instrumentation/Lighting

- 12V Power Receptacle • Auto-Style Fuse Panel • Electronics Command Center • Mercury® Analog Prerig
- Full Lighted Instrumentation
- Interior and Livewell Lighting
- Kicker Stereo • Horn • Navigational Lighting • Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7', (5) 7'6", (5) 8'
- Lockable Side Rod Storage (3) 9'6", (2) 9' • Bow Cargo Nets

### Other Exterior Features

- 4-Step Collapsible Ladder
- Aluminum Corner Castings
- Bow & Stern Eyes • Composite Transom • Factory Engine Rigging
- Hull Drain Plug • Stainless Steel Recessed Cleats (4) • Transshield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Trolling Motor Harness w/Marinco-Style Plug • Battery Holders (3) • Bilge Pump (1 pump Manual/Auto)



- Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Marinco-Style Plug
- Drink Holders (4) • Dual Trak Gunwale • Grab Handles (5) • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • Treated Marine Grade Plywood - Bow to Stern

### Trailer

- (4) 2x6 Bunk • Load Guides
- Shoreland'r Trailer LUV40TBXLW LundGuard Painted Bunk • Spare Tire • Swing Tongue • Trailer Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 115 / 250 HP          |
| <b>Beam/Chine</b>           | 93" / 81"             |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 9"                |
| <b>Boat Weight</b>          | 1,500 lbs.            |
| <b>Motor Weight</b>         | 527 lbs. (250 4S)     |
| <b>Trailer Weight</b>       | 1,213 lbs.            |
| <b>Total Weight</b>         | 3,240 lbs.            |
| <b>Total Storage Length</b> | 23' 2"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 2"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 6 People / 2,000 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |
| <b>Bottom Thickness</b>     | 0.100"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Max Hull Thickness</b>   | 0.180"                                                                    |
| <b>Cockpit Depth</b>        | 20.25"                                                                    |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 150 4S             | 42-46 mph                                                                 |
| Mercury® 175 4S             | 44-48 mph                                                                 |
| Mercury® 200 4S             | 47-51 mph                                                                 |
| Mercury® 225 4S             | 49-53 mph                                                                 |
| Mercury® 250 4S             | 52-56 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Bottom/Deck Colors</b>   | Black<br>Silver Stone                                                     |
| <b>Hull Design</b>          | IPS2                                                                      |

# 1875 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestal (1) • Captain and Passenger Seat Sliders • Pro Ride Seats (3) • Seat Bases (7)

### Fuel tank

50-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### ProLong Plus Livewell Systems

Aft Livewell w/Recirc and Pump Out (44" Long / 31-gal.) • Bow Livewell (28" Long / 14-gal.) • Aft Livewell Bait Bucket • Aft Livewell Divider • Freshwater Pick Up (Aft Livewell) • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V Power Receptacle • Automotive Style Fuse Panel • Dual Pro-Control Consoles w/Walk-Through Windshield • Flush-Mount Horn • Full Lighted Instrumentation • Hydraulic Steering w/Tilt • Wrap-Around Interior LED Lighting • Premium Rockford Fosgate Stereo w/ 4" Speakers (2) and 6" Speakers (2) • Mercury® Analog Prerig w/ Gauges • Navigational Lighting • Dual USB Port (Type A and C) • Recessed Controls • Lighted Livewell (Bow & Aft)

### Storage

Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Rod Storage (5) 8", (5) 7' 9", (5) 7' 4" • Lockable Port Side Rod Storage (2) 9' (2) 7' 11" • Port Console Walk-Way Storage Drawer • Under Console Storage Drawers (Port & Starboard) • Built-In Bow Insulated Cooler • Cockpit & Bow On-the-Go Rod Storage • Console Storage • Bow Cargo Nets

### Other Exterior Features

Integrated 4-Step Ladder • Bow & Stern Eyes • Composite Transom



• Aluminum Corner Castings • Factory Engine Rigging • Level Flotation Compliance • ProTrak Gunwale • Stainless Steel Flish Mount Cleats (6) • Transhield Cover • Twin-Plated Bottom (Bow to Amidship) • Stainless Steel Prop Standard • Hull Drain Plug

### Other Interior Features

Aft Casting Platform • Battery Holders (4) • Bilge Pump (1 Manual/ Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Plug (24V/36V) • Drink Holders • Fire Extinguisher • Integrated Ruler w/Storage • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming • Bow Trim Switch • Stainless Steel Door Pulls • Aluminum Floor and Deck

### Shorelnd'r Trailer

(4) 2x6 Bunks / Languard Frame • LUV30BLWTMH LundGuard Bunk • Single Axle w/Brakes • Spare Tire w/Bracket • Swing Tongue • E-Coat Painted Wheel w/Radial Tire • Tongue Jack • LED Lights • Retractable Tie Downs • Load Guides

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 150 / 200 HP          |
| <b>Beam/Chine</b>           | 100" / 87"            |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 11"               |
| <b>Boat Weight</b>          | 1,839 lbs.            |
| <b>Motor Weight</b>         | 475 lbs. (200 4S)     |
| <b>Trailer Weight</b>       | 945 lbs.              |
| <b>Total Weight</b>         | 3,259 lbs.            |
| <b>Total Storage Length</b> | 24' 5"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 8 People / 2,350 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.200"            |
| <b>Cockpit Depth</b>        | 22.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 150 4S             | 46-50 mph         |
| Mercury® 175 4S             | 48-52 mph         |
| Mercury® 200 4S             | 52-56 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
| <b>Hull Design</b>          | IPS2              |

# 1975 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- AirRide Fixed Mainstay (2)
- AirRide Removable Pedestals (2)
- Captain & Passenger Seat Sliders (2) • ProRide Seats (4)
- Seat Bases (7)

### Fuel tank

50-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### ProLong Plus Livewell Systems


- Aft Livewell w/Recirc and Pump Out (44" Long / 31-gal.) • Aft Livewell Bait Bucket • Bow Livewell w/Recirc and Pump Out (28" Long / 14-gal.)
- Freshwater Pick Up (Aft Livewell)
- Aft Livewell Divider • Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle • Automotive Style Fuse Panel • Dual Pro-Control Consoles w/Walk-Through Windshield • Flush-Mount Horn
- Full Lighted Instrumentation
- Hydraulic Steering w/Tilt • Wrap-Around Interior LED Lighting
- Livewell Lighting (Bow and Aft)
- Dual USB (Type A and C)
- Premium Rockford Fosgate Stereo w/4" Speakers (2) and 6" Speakers (2) • Mercury® Analog Prerig w/Gauges • Navigational Lighting • Recessed Controls

### Storage

- Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Rod Storage (5) 8', (5) 7' 9", (5) 7' 4"
- Lockable Port Side Rod Storage (2) 10 (2) 8' 10" • Lockable Storage • Port Console Walkway Storage Drawer • Under Console Storage Drawers (Port and Starboard)
- Built-In Bow On-the-Go Rod Storage
- Built-in Bow Insulated Cooler
- Console Storage • Bow Cargo Nets



### Other Exterior Features

- Integrated 4-Step Ladder • Bow & Stern Eyes • Aluminum Corner Castings • Composite Transom Factory Engine Rigging • Level Flotation Compliance • ProTrak Gunwale • Stainless Steel Flush Mount Cleats (6) • Transhield Cover
- Twin-Plated Bottom (Bow to Amidship) • Stainless Prop Standard
- Hull Drain Plug

### Other Interior Features

- Aft Casting Platform • Battery Holders (4) • Bilge Pump (1 Manual/ Automatic) • Bow Casting Platform
- Bow Deck Mounting Pad • Bow Trolling Motor Plug (24/36V)
- Drink Holders • Fire Extinguisher
- Integrated Ruler w/Storage • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming • Bow Trim Switch
- Stainless Steel Door Pulls
- Aluminum Floor and Deck

### Shoreland'r Trailer

- (4) 2x6 Bunks / Lundguard Frame
- LUV40TEXWMSO-03 Tandem Axle Bunk Trailer • Single Axle w/Brakes
- Swing Tongue • E-Coat Painted
- Wheel w/Radial Tire • Tongue Jack
- LED Lights • Retractable Tie Downs
- Spare Tire w/Bracket • Load Guides

|                                     |                       |
|-------------------------------------|-----------------------|
| <b>Min/Max HP</b>                   | 150 / 225 HP          |
| <b>Beam/Chine</b>                   | 100" / 87"            |
| <b>Transom Height</b>               | 25"                   |
| <b>Boat Length</b>                  | 19' 10"               |
| <b>Boat Weight</b>                  | 2,012 lbs.            |
| <b>Motor Weight</b>                 | 475 lbs. (225 4S)     |
| <b>Trailer Weight</b>               | 1,255 lbs.            |
| <b>Total Weight</b>                 | 3,742 lbs.            |
| <b>Total Storage Length</b>         | 22' 6"                |
| <b>Boat/Motor On Trailer Height</b> | 6' 11"                |
| <b>Boat/Trailer Width</b>           | 8' 6"                 |
| <b>Max Capacity</b>                 | 8 People / 2,550 lbs. |
| <b>Freeboard Thickness</b>          | 0.080"                |
| <b>Bottom Thickness</b>             | 0.100"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Max Hull Thickness</b>   | 0.200"            |
| <b>Cockpit Depth</b>        | 22.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 150 4S             | 44-48 mph         |
| Mercury® 175 4S             | 46-50 mph         |
| Mercury® 200 4S             | 50-54 mph         |
| Mercury® 225 4S             | 52-56 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
| <b>Hull Design</b>          | IPS2              |

# 2075 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • AirRide  
Fixed Mainstay (2) • AirRide  
Removable Pedestals (2) • Captain  
and Passenger Seat Sliders (2)  
• ProRide Seats (4) • Seat Bases (7)

### Fuel Tank

62 Gal Fuel Tank

### Flooring

Vinyl Main Floor

### ProLong Plus Livewell Systems


Aft Livewell w/Recirc and Pump  
Out 44" Long / 31 Gallon • Bow  
Livewell w/Recirc and Pump Out  
28" Long / 14 Gallon • Aft Livewell  
Bait Bucket • Aft Livewell Divider  
• Freshwater Pick Up (Aft Livewell)  
• Livewell Bait Net

### Consoles/Instrumentation/Lighting

12V Power Receptacle  
• Automotive Style Fuse Panel  
• Dual Pro-Control Consoles w/  
Walk-Through Windshield  
• Flush Mount Horn • Full Lighted  
Instrumentation • Mercury Power  
Steering w/Tilt • Wrap-Around  
LED Interior Lighting • Premium  
Rockford Fosgate Stereo w/4"  
Speakers (2) and 6" Speakers (2)  
• Mercury Analog Prerig w/Gauges  
• Navigational Lighting • Dual USB  
Port (Type A and C) • Recessed  
Controls • Lighted Livewell (Bow  
and Aft)

### Storage

Advanced Water Control Door  
Frames • Battery Storage  
Compartments • Lockable Center  
Rod Storage (5) 9' (5) 8' 10" (5) 8' 6"  
• Lockable Port Rod Storage (4) 10'  
• Lockable Storage • Port Console  
Walk-Way Storage Drawer • Under  
Console Storage Drawers (Port and  
Starboard) • Built-In Bow Insulated  
Cooler • Cockpit and Bow On-the-  
Go Rod Storage • Console Storage  
• Bow Cargo Nets



### Other Exterior Features

Integrated 4-Step Ladder • Bow  
& Stern Eyes • Aluminum Corner  
Castings • Composite Transom  
• Factory Engine Rigging • Level  
Flotation Compliance • ProTrak  
Gunwale • Stainless Steel • Flush  
Mount Cleats (6) • Transhield Cover  
• Twin-Plated Bottom (Bow to  
Amidship) • Stainless Prop Standard  
• Hull Drain Plug • Raised Lund  
Logo on Freeboards

### Other Interior Features

Aft Casting Platform • Battery  
Holders (5) • Bilge Pump (2)  
(1 Automatic) • Bow Casting  
Platform • Bow Deck Mounting  
Pad • Bow and Aft Trolling Motor  
Plug (24/36V) • Drink Holders • Fire  
Extinguisher • Integrated Ruler  
w/Storage • Self-Draining Splash  
Pan • Ski Tow Base (Ski Pole Not  
Included) • SportTrak Accessory  
Brackets (2) • SportTrak Coaming  
• Bow Trim Switch • Stainless Steel  
Door Pulls • Aluminum Floor and  
Deck • Kicker Fuel Line

### Shoreland'r Trailer

(4) 2x6 Bunks / Lundguard Frame  
• LUV40TEXWMSO-03 Tandem  
Axle • Bunk Trailer • Single Axle w/  
Brakes on • Swing Tongue  
• E-Coat Painted Wheel w/Radial  
Tire • Tongue Jack • LED Lights  
• Retractable Tie Downs • Spare Tire  
w/Bracket • Load Guides • Diamond  
Plated Fender Inserts

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 200 / 300 HP          |
| <b>Beam/Chine</b>           | 102" / 89"            |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 10"               |
| <b>Boat Weight</b>          | 2,243 lbs.            |
| <b>Motor Weight</b>         | 527 lbs. (300 4S)     |
| <b>Trailer Weight</b>       | 1,293 lbs.            |
| <b>Total Weight</b>         | 4,063 lbs.            |
| <b>Total Storage Length</b> | 22' 11"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 9 People / 2,750 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |
| <b>Bottom Thickness</b>     | 0.125"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Max Hull Thickness</b>   | 0.225"                                                                    |
| <b>Cockpit Depth</b>        | 22.5"                                                                     |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 200 4S             | 45-49 mph                                                                 |
| Mercury® 225 4S             | 51-55 mph                                                                 |
| Mercury® 250 4S             | 54-58 mph                                                                 |
| Mercury® 300 4S             | 56-61 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Bottom/Deck Colors</b>   | Black<br>Silver Stone                                                     |
| <b>Hull Design</b>          | IPS2                                                                      |

# 2175 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • AirRide  
Fixed Mainstay (2) • AirRide  
Removable Pedestals (2) • Captain  
and Passenger Seat Sliders (2)  
• ProRide Seats (4) • Seat Bases (7)

### Fuel Tank

66 Gal Fuel Tank

### Flooring

Vinyl Main Floor

### ProLong Plus Livewell Systems


Aft Livewell w/Recirc and Pump Out  
44" Long / 31 Gallon • Bow Livewell  
w/Recirc and Pump Out 28" Long /  
14 Gallon • Aft Livewell Bait Bucket  
• Aft Livewell Divider • Freshwater  
Pick Up (Aft Livewell) • Livewell  
Bait Net

### Consoles/Instrumentation/Lighting

12V Power Receptacle • Automotive  
Style Fuse Panel • Dual Pro-  
Control Consoles w/Walk-Through  
Windshield • Flush Mount Horn  
• Full Lighted Instrumentation  
• Mercury Power Steering w/Tilt  
• Wrap-Around LED Interior Lighting  
• Premium Rockford Fosgate Stereo  
w/4" Speakers (2) and 6" Speakers  
(2) • Mercury Analog Prerig w/  
Gauges • Navigational Lighting  
• Dual USB Port (Type A and C)  
• Recessed Controls • Lighted  
Livewell (Bow and Aft)

### Storage

Advanced Water Control Door  
Frames • Battery Storage  
Compartments • Lockable Center  
Rod Storage (5) 9' (5) 8' 10" (5) 8' 6"  
• Lockable Port Rod Storage (4) 10'  
• Lockable Storage • Port Console  
Walk-Way Storage Drawer • Under  
Console Storage Drawers (Port and  
Starboard) • Built-In Bow Insulated  
Cooler • Cockpit and Bow On-the-Go  
Rod Storage • Console Storage  
• Bow Cargo Nets



### Other Exterior Features

Integrated 4-Step Ladder • Bow  
& Stern Eyes • Aluminum Corner  
Castings • Composite Transom  
• Factory Engine Rigging • Level  
Flotation Compliance • ProTrak  
Gunwale • Stainless Steel Flush  
Mount Cleats (6) • Transhield Cover  
• Twin-Plated Bottom (Bow to  
Amidship) • Stainless Prop Standard  
• Hull Drain Plug • Raised Lund  
Logo on Freeboards

### Other Interior Features

Aft Casting Platform • Battery  
Holders (5) • Bilge Pump (2)  
(1 Automatic) • Bow Casting Platform  
• Bow Deck Mounting Pad • Bow and  
Aft Trolling Motor Plug (24/36V)  
• Drink Holders • Fire Extinguisher  
• Integrated Ruler w/Storage • Self-  
Draining Splash Pan • Ski Tow Base  
(Ski Pole Not Included) • SportTrak  
Accessory Brackets (2) • SportTrak  
Coaming • Bow Trim Switch • Stain-  
less Steel Door Pulls • Aluminum  
Floor and Deck • Kicker Fuel Line

### Shoreland'r railer

(4) 2x6 Bunks / Lundguard Frame  
• LUV40TEXWMSO-03 Tandem Axle  
Bunk Trailer • Single Axle w/Brakes  
on • Swing Tongue • E-Coat Painted  
Wheel w/Radial Tire • Tongue Jack  
• LED Lights • Retractable Tie Downs  
• Spare Tire w/Bracket • Load Guides  
• Diamond Plated Fender Inserts

|                                         |                             |
|-----------------------------------------|-----------------------------|
| <b>Min/Max HP</b>                       | 200 / 400 HP                |
| <b>Beam/Chine</b>                       | 102" / 89"                  |
| <b>Transom Height</b>                   | 25"                         |
| <b>Boat Length</b>                      | 21' 10"                     |
| <b>Boat Weight</b>                      | 2,350 lbs.                  |
| <b>Motor Weight</b>                     | 668 lbs.<br>(400 L6 Verado) |
| <b>Trailer Weight</b>                   | 1,232 lbs.                  |
| <b>Total Weight</b>                     | 4,250 lbs.                  |
| <b>Total Storage Length</b>             | 25' 1"                      |
| <b>Boat/Motor On<br/>Trailer Height</b> | 7'                          |
| <b>Boat/Trailer Width</b>               | 8' 6"                       |
| <b>Max Capacity</b>                     | 9 People / 2,950 lbs.       |
| <b>Freeboard Thickness</b>              | 0.080"                      |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.125"                                                                    |
| <b>Max Hull Thickness</b>   | 0.225"                                                                    |
| <b>Cockpit Depth</b>        | 22.5"                                                                     |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 300 Verado         | 53-57 mph                                                                 |
| Mercury® 350 L6 Verado      | 55-59 mph                                                                 |
| Mercury® 400 L6 Verado      | 57-61 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Bottom/Deck Colors</b>   | Black<br>Silver Stone                                                     |
| <b>Hull Design</b>          | IPS2                                                                      |

# 1875 PRO-V BASS XS

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seat • Butt Seat w/Adjustable Pedestal • Pro Ride Seats (2) • Seat Bases (3) • Seat Sliders (2)

### Fuel Tank

39-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Pro Long Plus Aft Livewell w/ Recirc (36" Long / 28-gal.) • Livewell Pumpout • Livewell Bait Net

### Consoles/Instrumentation/Lighting

12V Power Receptacle • Auto-Style Fuse Panel • Custom Fiberglass Console & Dash w/Windscreen • Full-Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt • Interior LED Lighting • Kicker Stereo • Livewell Lighting • Mercury® Analog Prerig w/Gauges • Navigational Lighting • Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage


Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 9', (5) 8' 6", (4) 8' • Lockable Storage

### Other Exterior Features

3-Step Ladder Flush-Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Factory Engine Rigging • Exterior Paint Clearcoat • Level Flotation Compliance • Hull Drain Plug • Monochromatic Paint • ProTrak Gunwale • Stainless Steel Flip Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Manual/ Automatic) • Bow Casting Platform • Bow Deck Mounting Pad



• Bow Trim Switch • Bow Trolling Motor Harness w/Plug • Cooler & Cooler Storage • Drink Holders • Fire Extinguisher • Integrated Ruler w/Storage • On-the-Go Rod Storage • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Wood Free Construction

### Trailer

Load Guides • LUV30BELWMSO LundGuard Painted Bunk Trailer • Spare Tire • Swing Tongue • Trailer Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 115 / 200 HP          |
| <b>Beam/Chine</b>           | 96" / 81.5"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 9"                |
| <b>Boat Weight</b>          | 1,475 lbs.            |
| <b>Motor Weight</b>         | 475 lbs. (200 4S)     |
| <b>Trailer Weight</b>       | 765 lbs.              |
| <b>Total Weight</b>         | 2,715 lbs.            |
| <b>Total Storage Length</b> | 21' 3"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 5"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 5 People / 1,650 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.100"                                                                    |
| <b>Max Hull Thickness</b>   | 0.180"                                                                    |
| <b>Cockpit Depth</b>        | 20"                                                                       |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 150 4S             | 46-50 mph                                                                 |
| Mercury® 175 4S             | 48-52 mph                                                                 |
| Mercury® 200 4S             | 52-56 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Hull Design</b>          | IPS2                                                                      |

# 2075 PRO-V BASS XS

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats • 2 Pro Ride Seats • Butt Seat w/Adjustable Pedestal • Seat Bases (3) • Seat Slider (2)

### Fuel tank

49-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Pro Long Plus Aft Livewell w/ Recirc (36" Long / 28-gal.) • Livewell Pumpout • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V Power Receptacle • Auto-Style Fuse Panel • Custom Fiberglass Console & Dash w/ Windscreen • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt Helm • Interior LED Lighting • Kicker Stereo • Livewell Lighting • Mercury® Analog Prerig w/Gauges • Navigational Lighting • Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage

Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Bow Rod Storage • (5) 10', (5) 9' 6", (5) 8' • Lockable Storage • Storage Compartments

### Other Exterior Features

3-Step Ladder Flush-Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Exterior Paint Clearcoat • Factory Engine Rigging • Hull Drain Plug • Level Flotation Compliance • Mono-chromatic Paint • ProTrak Gunwale • Stainless Steel Flip Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)



### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Manual/Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Harness w/Plug (24V/36V) • Cooler & Cooler Storage • Drink Holders • Fire Extinguisher • Integrated Ruler w/ Storage • On-the-Go Rod Storage • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Wood Free Construction

### Trailer

Load Guides • LUV40TEYWMSO LundGuard Painted Tandem Axle Bunk Trailer • Spare Tire • Swing Tongue • Trailer Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 175 / 250 HP          |
| <b>Beam/Chine</b>           | 96" / 81.75"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 10"               |
| <b>Boat Weight</b>          | 1,850 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (250 Pro XS) |
| <b>Trailer Weight</b>       | 1,025 lbs.            |
| <b>Total Weight</b>         | 3,380 lbs.            |
| <b>Total Storage Length</b> | 23' 11"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 5 People / 1,800 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.125"                                                                    |
| <b>Max Hull Thickness</b>   | 0.205"                                                                    |
| <b>Cockpit Depth</b>        | 20"                                                                       |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 200 4S             | 48-52 mph                                                                 |
| Mercury® 225 Pro XS         | 51-55 mph                                                                 |
| Mercury® 250 Pro XS         | 56-60 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Hull Design</b>          | IPS2                                                                      |

# 189 PRO-V GL

## STANDARD FEATURES

### Seats/Pedestals

Pro Ride Seats (3)  
Air Ride Mainstay (1)  
Air Ride Pedestals (2)  
Seat Bases (7)

### Fuel tank

41-gal. Fuel Tank

### Flooring

Marine Grade Carpet  
Non-Skid Fiberglass (Main Floor)

### Pro Long Plus Livewell Systems


Bow Livewell (46" Long / 22-gal.)  
Aft Livewell (24" Long / 12-gal.)  
Bait Stations (2) Drop-In  
Livewell Bait Net

### Consoles/Instrumentation/Lighting

12V Power Receptacle  
Battery Condition Indicator  
Bow & Aft Trolling Motor Plugs  
(12/24/36V.)  
Bow Panel with Trim Switch  
Breaker Panel  
Console Footrest  
Custom GL Console & Dash w/  
Windshield  
Full Lighted Instrumentation  
Horn  
Hydraulic Tilt Steering  
Interior and Livewell Lighting  
Kicker KMC1 Stereo w/2 Speakers  
Navigational Lighting  
Plug-In Wire Harness  
Recessed Controls

### Storage

Battery Storage Compartments  
Bow Cargo Net Storage  
Cooler/Storage Compartment  
Lockable Center Rod Storage (5) 8',  
(5) 7' 6", (5) 7'  
Lockable Storage  
Storage Compartments



### Other Exterior Features

3-Step Ladder Flush-Mount in  
Transom  
Bow & Stern Eyes  
Hull Drain Plug  
Stainless Steel Cleats  
Transhield Cover

### Other Interior Features

Aft Casting Platform  
Battery Holders  
Bilge Pumps  
Bow Casting Platform  
Bow Deck Mounting Pad  
Custom Molded Side Panels  
Drink Holders  
Fire Extinguisher  
Freshwater Pickup  
Self-Draining Splash Pan  
SportTrak Accessory Brackets (2)  
SportTrak Coaming  
Stern Rails  
Trolling Motor Mounting Surface

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 150 / 200 HP          |
| <b>Beam/Chine</b>           | 102" / 82.75"         |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 9"                |
| <b>Boat Weight</b>          | 2,550 lbs.            |
| <b>Motor Weight</b>         | 475 lbs. (200 4S)     |
| <b>Trailer Weight</b>       | 840 lbs.              |
| <b>Total Weight</b>         | 3,865 lbs.            |
| <b>Total Storage Length</b> | 22'                   |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 6 People / 1,900 lbs. |

|                             |                                                                                                                                                                                                       |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cockpit Depth</b>        | 27"                                                                                                                                                                                                   |
| <b>Engine/Approx. Speed</b> |                                                                                                                                                                                                       |
| Mercury® 150 4S             | 46-50 mph                                                                                                                                                                                             |
| Mercury® 175 4S             | 48-52 mph                                                                                                                                                                                             |
| Mercury® 200 4S             | 50-54 mph                                                                                                                                                                                             |
| <b>Available Colors</b>     | Black/Silver/Gunmetal<br>Black/White Gunmetal<br>Blue/Silver/Gunmetal<br>Burgundy/Gunmetal/Gunmetal<br>Gunmetal/Silver/Silver<br>Red/Silver/Gunmetal<br>Red/White/Gunmetal<br>White/Gunmetal/Gunmetal |
| <b>Hull Design</b>          | IPS3                                                                                                                                                                                                  |



# 219 PRO-V GL

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (4)
- Air Ride Pedestals (2)
- Air Ride Mainstay (2)
- Seat Bases (7)

### Fuel Tank

- 65-gal. Fuel Tank

### Flooring

- Non-Skid Fiberglass (Main Floor)
- Marine Grade Carpet

### Livewell Systems

- Bait Stations (2) Drop-In
- Pro Long Plus Livewell Systems
- Bow Livewell (30" Long / 20-gal.)
- Aft Livewell (51" Long / 33-gal.)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom GL Console & Dash w/  
Windshield

- 12V Power Receptacle (2)

- Breaker Panel

- Battery Condition Indicator

- Bow Panel with Trim Switch

- Console Footrest (Port and  
Starboard)

- Full Lighted Instrumentation
- Horn

- Interior and Livewell Lighting

- Mercury® Power Steering

- Navigational Lighting

- Plug-In Wire Harness

- Premium Rockford Fosgate

- Stereo w/2 Speakers

- Recessed Controls

### Storage

- Battery Storage Compartments

- Removable Storage Pods -

- Port and Starboard


- Bow Cargo Net Storage

- Cooler/Storage Compartment

- Storage Compartments

- Lockable Center Rod Storage  
(6) 9' 6", (6) 9', (4) 8'

- Lockable Storage



### Other Exterior Features

- Bow & Stern Eyes

- Flush-Mount Stainless Cleats (4)

- Hull Drain Plug

- Transhield Cover

### Other Interior Features

- Aft Casting Platform

- Battery Holders (5)

- Bow & Aft Trolling Motor Plugs  
(12/24/36V)

- Bow Casting Platform

- Bow Deck Mounting Pad

- Bow Rails

- Custom Molded Side Panels

- Drink Holders

- Fire Extinguisher

- Self-Draining Splash Pan

- SportTrak Coaming

- SportTrak Accessory Brackets (2)

- Trolling Motor Mounting Surface

- Bilge Pumps (1 Manual/1 Auto)

- Freshwater Pickup

|                             |                             |
|-----------------------------|-----------------------------|
| <b>Min/Max HP</b>           | 225 / 400 HP                |
| <b>Beam/Chine</b>           | 102" / 87.5"                |
| <b>Transom Height</b>       | 25"                         |
| <b>Boat Length</b>          | 21' 9"                      |
| <b>Boat Weight</b>          | 3,000 lbs.                  |
| <b>Motor Weight</b>         | 668 lbs.<br>(400 L6 Verado) |
| <b>Trailer Weight</b>       | 1,015 lbs.                  |
| <b>Total Weight</b>         | 4,683 lbs.                  |
| <b>Total Storage Length</b> | 25' 5"                      |
| <b>Boat/Motor On</b>        |                             |
| <b>Trailer Height</b>       | 7'                          |
| <b>Boat/Trailer Width</b>   | 8' 6"                       |
| <b>Max Capacity</b>         | 8 People / 2,150 lbs.       |

|                             |                                                                                                                                                                                                       |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cockpit Depth</b>        | 24.5"                                                                                                                                                                                                 |
| <b>Engine/Approx. Speed</b> |                                                                                                                                                                                                       |
| Mercury® 300 Verado         | 53-57 mph                                                                                                                                                                                             |
| Mercury® 350 L6 Verado      | 56-60 mph                                                                                                                                                                                             |
| Mercury® 400 L6 Verado      | 57-61 mph                                                                                                                                                                                             |
| <b>Available Colors</b>     | Black/Silver/Gunmetal<br>Black/White Gunmetal<br>Blue/Silver/Gunmetal<br>Burgundy/Gunmetal/Gunmetal<br>Gunmetal/Silver/Silver<br>Red/Silver/Gunmetal<br>Red/White/Gunmetal<br>White/Gunmetal/Gunmetal |
| <b>Hull Design</b>          | IPS3                                                                                                                                                                                                  |

# 1875 PRO-V MUSKY XS

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seat • Butt Seat w/Adjustable Pedestal • Pro Ride Seats (2) • Seat Bases (3) • Seat Sliders (2)

### Fuel Tank

39-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Pro Long Plus Aft Livewell w/Recirc (36" Long / 28-gal.) • Livewell Pumpout • Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V Power Receptacle • Auto-Style Fuse Panel • Custom Fiberglass Console & Dash w/Windscreen • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt • Interior LED Lighting • Kicker Stereo • Livewell Lighting • Mercury® Analog Prerig w/Gauges • Navigational Lighting • Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage

Advanced Water Control Door Frames • Drop-in Tackle Storage • Battery Storage Compartments • Lockable Center Bow Rod Storage w/Tubes (5) 9", (5) 8' 6", (4) 8' • Lockable Storage

### Other Exterior Features

3-Step Ladder Flush-Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes • Composite Transom • Factory Engine Rigging • Hull Drain Plug • Exterior Paint Clearcoat • Level Flotation Compliance • Monochromatic Paint • ProTrak Gunwale • Stainless Steel Flip Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)



### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Manual Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Harness w/Plug • Cooler & Cooler Storage • Drink Holders • Fire Extinguisher • Integrated Ruler w/Storage • On-the-Go Rod Storage • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Wood Free Construction

### Trailer

Load Guides • LUV30BELWMSO LundGuard Painted Bunk Trailer • Spare Tire • Swing Tongue • Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 115 / 200 HP          |
| <b>Beam/Chine</b>           | 96" / 81.5"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 9"                |
| <b>Boat Weight</b>          | 1,475 lbs.            |
| <b>Motor Weight</b>         | 475 lbs. (200 4S)     |
| <b>Trailer Weight</b>       | 765 lbs.              |
| <b>Total Weight</b>         | 2,715 lbs.            |
| <b>Total Storage Length</b> | 21' 3"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 5"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 5 People / 1,650 lbs. |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Freeboard Thickness</b>  | 0.080"                                                                    |
| <b>Bottom Thickness</b>     | 0.100"                                                                    |
| <b>Max Hull Thickness</b>   | 0.180"                                                                    |
| <b>Cockpit Depth</b>        | 20"                                                                       |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 150 4S             | 46-50 mph                                                                 |
| Mercury® 175 4S             | 48-52 mph                                                                 |
| Mercury® 200 4S             | 52-56 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Hull Design</b>          | IPS2                                                                      |

# 2075 PRO-V MUSKY XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- 2 Pro Ride Seats • Butt Seat w/ Adjustable Pedestal • Seat Bases (3)
- Seat Slider (2)

### Fuel tank

- 49-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Pro Long Plus Aft Livewell w/Recirc (36" Long / 28-gal.) • Livewell Pumpout • Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle • Auto-Style Fuse Panel • Custom Fiberglass Console & Dash w/Windscreen
- Full Lighted Instrumentation
- Horn • Hydraulic Steering w/Tilt Helm • Interior LED Lighting
- Kicker Stereo • Livewell Lighting
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting • Plug-In Wire Harness • Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Bow Rod Storage (5) 10', (5) 9' 6", (5) 8' • Lockable Storage • Drop-in Tackle Storage

### Other Exterior Features

- 3-Step Ladder Flush-Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Exterior Paint Clearcoat • Factory Engine Rigging • Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint • ProTrak Gunwale • Stainless Steel Flip Down Cleats • Transhield Cover • Twin Plated Bottom (Bow to Amidship)



### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Manual/ Automatic) • Bow Casting Platform
- Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Harness w/Plug (24V/36V) • Cooler & Cooler Storage • Drink Holders
- Fire Extinguisher • Integrated Ruler w/Storage • On-the-Go Rod Storage • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Wood Free Construction

### Trailer

- Load Guides • LUV40TEYWMSO LundGuard Painted Tandem Axle Bunk Trailer • Spare Tire • Swing Tongue • Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 175 / 250 HP          |
| <b>Beam/Chine</b>           | 96" / 81.75"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 10"               |
| <b>Boat Weight</b>          | 1,850 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (250 Pro XS) |
| <b>Trailer Weight</b>       | 1,025 lbs.            |
| <b>Total Weight</b>         | 3,380 lbs.            |
| <b>Total Storage Length</b> | 23' 11"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 5 People / 1,800 lbs. |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.080"            |
| <b>Bottom Thickness</b>     | 0.125"            |
| <b>Max Hull Thickness</b>   | 0.205"            |
| <b>Cockpit Depth</b>        | 20"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 200 4S             | 48-52 mph         |
| Mercury® 225 Pro XS         | 51-55 mph         |
| Mercury® 250 Pro XS         | 56-60 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS2              |

# 1650 REBEL XL SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (6)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19-gal. Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" /16-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/  
Walkthrough Windshield
- Flush-Mount Horn
- Full Lighted Instrumentation
- LED Interior-Lighting (1)
- Lockable Glove Box
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Port and Starboard Rod  
Storage 7' 6"
- Storage Compartments

### Other Exterior Features

- 2-Step Strap Ladder w/ Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging
- Level Flotation Compliance
- Travel Cover Black
- Twin Plated Bottom (Bow to  
Admidship)
- Dual Trak Gunwale
- Transhield Cover

### Other Interior Features

- Aft Casting Platform



- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Grab handles (5)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood –  
Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2) 2x4 Bunks / LundGuard Frame
- LUB22SELMSSO-16 Bunk Trailer  
with LundGuard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias-Ply Tires
- Tongue Jack / LED Lights

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 50 / 90 HP            |
| <b>Beam/Chine</b>           | 85" / 70.5"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 7"                |
| <b>Boat Weight</b>          | 965 lbs.              |
| <b>Motor Weight</b>         | 359 lbs. (90 4S)      |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 1,805 lbs.            |
| <b>Total Storage Length</b> | 18' 9"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 6"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 5 People / 1,350 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.080"                                                                    |
| <b>Max Hull Thickness</b>   | 0.143"                                                                    |
| <b>Cockpit Depth</b>        | 22.5"                                                                     |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 50 4S              | 29-33 mph                                                                 |
| Mercury® 60 4S              | 30-34 mph                                                                 |
| Mercury® 75 4S              | 34-38 mph                                                                 |
| Mercury® 90 4S              | 37-41 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Hull Design</b>          | IPS                                                                       |

# 1650 REBEL XL SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (6)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19-gal. Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" Long / 16-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush-Mount Horn
- Full Lighted Instrumentation
- LED Interior-Lighting (1)
- Mercury® Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Windshield

### Storage

- Battery Storage Compartments
- Lockable Port and Starboard Rod
- Storage 7' 6"


- Storage Compartments

### Other Exterior Features

- 2-Step Strap Ladder w/ Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging
- Level Flotation Compliance
- Travel Cover Black
- Twin Plated Bottom (Bow to Amidship)
- Dual Trak Gunwale
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (2)
- Bilge Pump (1 Manual)



- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Grab Handles (6)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood – Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2) 2x4 Bunks / LundGuard Frame
- LUB22SELMSSO-16 Bunk Trailer with LundGuard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias-Ply Tires
- Tongue Jack / LED Lights

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 50 / 75 HP            |
| <b>Beam/Chine</b>           | 85" / 70.5"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 7"                |
| <b>Boat Weight</b>          | 915 lbs.              |
| <b>Motor Weight</b>         | 359 lbs. (75 Pro XS)  |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 1,755 lbs.            |
| <b>Total Storage Length</b> | 18' 9"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 11"                |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 5 People / 1,350 lbs. |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 22.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 50 4S              | 29-33 mph         |
| Mercury® 60 4S              | 30-34 mph         |
| Mercury® 75 4S              | 34-38 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |

# 1650 REBEL XL TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (4)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19-gal. Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" Long / 16-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush-Mount Horn
- LED Interior-Lighting (1)
- Main Power Tiller Handle
- Navigational Lighting
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Port and Starboard Rod Storage 7' 6"
- Storage Compartments

### Other Exterior Features

- 2-Step Strap Ladder w/ Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Riggine
- Level Flotation Compliance
- Transhield Cover
- Travel Cover Black
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Casting Platform



- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Grab handles (5)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2)2x4 Bunks / LundGuard Frame
- LUB22SELMSSO-16 Bunk Trailer with LundGuard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias-Ply Tires
- Tongue Jack / LED Lights

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 40 / 60 HP            |
| <b>Beam/Chine</b>           | 85" / 70.5"           |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 16' 7"                |
| <b>Boat Weight</b>          | 870 lbs.              |
| <b>Motor Weight</b>         | 247 lbs. (60 4S)      |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 1,598 lbs.            |
| <b>Total Storage Length</b> | 18' 9"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 4"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Capacity</b>         | 5 People / 1,350 lbs. |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Freeboard Thickness</b>  | 0.063"                                                                    |
| <b>Bottom Thickness</b>     | 0.080"                                                                    |
| <b>Max Hull Thickness</b>   | 0.143"                                                                    |
| <b>Cockpit Depth</b>        | 22.5"                                                                     |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 40 4S              | 28-32 mph                                                                 |
| Mercury® 50 4S              | 29-33 mph                                                                 |
| Mercury® 60 4S              | 30-34 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Hull Design</b>          | IPS                                                                       |

# 1775 RENEGADE

## STANDARD FEATURES

### Seats/Pedestals

- 2 Person Bench Seat
- Seat Bases (2)
- Standard Seats w/Solid Removable Pedals (2)

### Fuel Tank

- 22-gal. Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (36" Long/28 Gal)
- ProLong Livewell System with Pumpout

### Consoles/Instrumentation/Lighting


- 12 V Power Receptacle
- Bow Trim Switch
- Dual USB Port
- Horn
- LED Interior-Lighting
- Mercury® Mechanical Control
- Multifunction Gauges
- Navigational Lighting
- Steering-No Feed Back
- Windshield, Starboard Console

### Storage

- Integrated Cooler with Drain
- Lockable Center Bow Rod Storage (10) 8' 1"
- Bow On-the-Go Rod Storage
- Port On-the-Go Rod Storage
- Storage Compartments w/Bubble Seal
- Storage Compartments

### Other Exterior Features

- 2-Step Strap Ladder-Port Side
- Aluminum Transom
- Bow & Stern Eyes
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Factory Engine Rigging Standard
- Stainless Steel Fold-Down Cleats (4)



### Other Interior Features

- Battery Holders
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Plug (12/24V)
- Cupholders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Wood Free Construction

### Shoreland'r Trailer

- Bunk Trailer LundGuard w/Swing Tonque, Load Guides, Spare Tire

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 50 / 90 HP            |
| <b>Beam/Chine</b>           | 95" / 68"             |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 17' 9"                |
| <b>Boat Weight</b>          | 1,221 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (90 4S)      |
| <b>Trailer Weight</b>       | 596 lbs.              |
| <b>Total Weight</b>         | 2,176 lbs.            |
| <b>Total Storage Length</b> | 20' 4"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 4"                 |
| <b>Boat/Trailer Width</b>   | 8'                    |
| <b>Max Capacity</b>         | 4 People / 1,225 lbs. |
| <b>Freeboard Thickness</b>  | 0.100"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.100"                                                                    |
| <b>Max Hull Thickness</b>   | 0.100"                                                                    |
| <b>Cockpit Depth</b>        | 19"                                                                       |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 50 4S              | 28-32 mph                                                                 |
| Mercury® 60 4S              | 30-34 mph                                                                 |
| Mercury® 75 4S              | 34-38 mph                                                                 |
| Mercury® 90 4S              | 38-42 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Hull Design</b>          | IPS                                                                       |

# 1875 RENEGADE

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- ProRide Seats (4)
- Seat Bases (4)
- Solid Removable Pedestal (2)

### Fuel tank

- 32-gal. Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (36" Long/28 Gal)
- ProLong Livewell System with Pumpout

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Bow Trim Switch
- Dual USB Port
- LED Interior-Lighting
- Mercury® Mechanical Control
- Multifunction Gauges
- Navigational Lighting
- Steering-No Feed Back
- Windshield, Starboard Console

### Storage


- Bow On-the-Go Rod Storage
- Lockable Center Bow Rod Storage (10) 9' 6"
- Cooler 12 Can Legend Igloo
- Port On-the-Go Rod Storage
- Storage Compartments
- Storage Compartments w/Bubble Seal

### Other Exterior Features

- 4-Step Transom Mount Ladder – Port Side
- Aluminum Transom
- Bow & Stern Eyes
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Stainless Steel Fold-Down Cleats (4)

### Other Interior Features

- Battery Holders
- Bilge Pump (1 Manual)



- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Bow Trolling Motor Plug (12/24V)
- Cupholders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Wood Free Construction

### Shoreland'r Trailer

- Bunk Trailer LundGuard w/Swing Tonque, Load Guides, Spare Tire

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 75 / 115 HP           |
| <b>Beam/Chine</b>           | 95" / 68"             |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 18' 9"                |
| <b>Boat Weight</b>          | 1,255 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (115 Pro XS) |
| <b>Trailer Weight</b>       | 705 lbs.              |
| <b>Total Weight</b>         | 2,319 lbs.            |
| <b>Total Storage Length</b> | 22' 5"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 2"                 |
| <b>Boat/Trailer Width</b>   | 8' 2"                 |
| <b>Max Capacity</b>         | 5 People / 1,400 lbs. |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.100"            |
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.100"            |
| <b>Cockpit Depth</b>        | 19"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 75 4S              | 34-38 mph         |
| Mercury® 90 4S              | 38-42 mph         |
| Mercury® 115 4S             | 42-46 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |



# 1975 RENEGADE

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- ProRide Seats (4)
- Seat Bases (4)
- Solid Removable Pedestal (2)

### Fuel tank

- 32-gal. Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (36" Long/28 Gal)
- ProLong Livewell System with Pumpout

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Bow Trim Switch
- Dual USB Port
- LED Interior-Lighting
- Mercury® Mechanical Control
- Multifunction Gauges
- Navigational Lighting
- Steering-No Feed Back
- Windshield, Starboard Console

### Storage


- Bow On-the-Go Rod Storage
- Lockable Center Bow Rod Storage (10) 10' 6"
- Cooler 12 Can Legend Igloo
- Port On-the-Go Rod Storage
- Storage Compartments
- Storage Compartments w/Bubble Seal

### Other Exterior Features

- 4-Step Transom Mount Ladder – Port Side
- Aluminum Transom
- Bow & Stern Eyes
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Stainless Steel Fold-Down Cleats (4)

### Other Interior Features

- Battery Holders
- Bilge Pump (1 Manual)
- Bow Casting Platform



- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Bow Trolling Motor Plug (12/24V)
- Cupholders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Wood Free Construction

### Shoreland'r Trailer

- Bunk Trailer LundGuard w/Swing Tonque, Load Guides, Spare Tire


|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 115 / 150 HP          |
| <b>Beam/Chine</b>           | 95" / 68"             |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 19' 9"                |
| <b>Boat Weight</b>          | 1520 lbs.             |
| <b>Motor Weight</b>         | 456 lbs. (150 Pro XS) |
| <b>Trailer Weight</b>       | 797 lbs.              |
| <b>Total Weight</b>         | 2,773 lbs.            |
| <b>Total Storage Length</b> | 23' 2"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 6"                 |
| <b>Boat/Trailer Width</b>   | 8' 2"                 |
| <b>Max Capacity</b>         | 5 People / 1,500 lbs. |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.100"            |
| <b>Bottom Thickness</b>     | 0.125"            |
| <b>Max Hull Thickness</b>   | 0.125"            |
| <b>Cockpit Depth</b>        | 19"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 115 4S             | 40-44 mph         |
| Mercury® 150 4S             | 45-49 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Hull Design</b>          | IPS               |

# SSV-14

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Pan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Handles



|                       |                                             |
|-----------------------|---------------------------------------------|
| <b>Min/Max HP</b>     | 30 HP                                       |
| <b>Beam/Chine</b>     | 70" / 55.5"                                 |
| <b>Transom Height</b> | 15" or 20"                                  |
| <b>Boat Length</b>    | 14' 2"                                      |
| <b>Boat Weight</b>    | 285 lbs. (15")<br>295 lbs. (20")            |
| <b>Motor Weight</b>   | 172 lbs. (30 4S)                            |
| <b>Trailer Weight</b> | 274 lbs.                                    |
| <b>Total Weight</b>   | 731 / 741 lbs.                              |
| <b>Max Capacity</b>   | 4 People / 915 lbs.(15")<br>1,020 lbs.(20") |


|                            |                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------|
| <b>Freeboard Thickness</b> | 0.063"                                                                                   |
| <b>Bottom Thickness</b>    | 0.063"                                                                                   |
| <b>Max Hull Thickness</b>  | 0.063"                                                                                   |
| <b>Available Colors</b>    | Aluminum<br>Arctic White*<br>Black<br>Cobalt Blue*<br>Fall Marsh (Camo)*<br>Heritage Red |
| <b>Hull Design</b>         | IPS                                                                                      |

*\*Optional/Upcharge*

# SSV-16

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Pan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Handles



|                       |                                                          |
|-----------------------|----------------------------------------------------------|
| <b>Min/Max HP</b>     | 40 HP                                                    |
| <b>Beam/Chine</b>     | 72" / 55.5"                                              |
| <b>Transom Height</b> | 15" or 20"                                               |
| <b>Boat Length</b>    | 16' 2"                                                   |
| <b>Boat Weight</b>    | 340 lbs. (15")<br>350 lbs. (20")                         |
| <b>Motor Weight</b>   | 204 lbs. (40 4S)                                         |
| <b>Trailer Weight</b> | 280 lbs.                                                 |
| <b>Total Weight</b>   | 824 / 834 lbs.                                           |
| <b>Max Capacity</b>   | 5 People / 1,100 lbs.(15")<br>6 People / 1,200 lbs.(20") |


|                            |                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------|
| <b>Freeboard Thickness</b> | 0.063"                                                                                   |
| <b>Bottom Thickness</b>    | 0.080"                                                                                   |
| <b>Max Hull Thickness</b>  | 0.080"                                                                                   |
| <b>Available Colors</b>    | Aluminum<br>Arctic White*<br>Black<br>Cobalt Blue*<br>Fall Marsh (Camo)*<br>Heritage Red |
| <b>Hull Design</b>         | IPS                                                                                      |

*\*Optional/Upcharge*

# SSV-18

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Plan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Eyes



|                       |                       |
|-----------------------|-----------------------|
| <b>Min/Max HP</b>     | 60 HP                 |
| <b>Beam/Chine</b>     | 76" / 57"             |
| <b>Transom Height</b> | 20"                   |
| <b>Boat Length</b>    | 18' 4"                |
| <b>Boat Weight</b>    | 460 lbs.              |
| <b>Motor Weight</b>   | 247 lbs. (60 4S)      |
| <b>Trailer Weight</b> | 335 lbs.              |
| <b>Total Weight</b>   | 1,042 lbs.            |
| <b>Max Capacity</b>   | 7 People / 1,500 lbs. |

|                            |                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------|
| <b>Freeboard Thickness</b> | 0.063"                                                                                   |
| <b>Bottom Thickness</b>    | 0.100"                                                                                   |
| <b>Max Hull Thickness</b>  | 0.100"                                                                                   |
| <b>Available Colors</b>    | Aluminum<br>Arctic White*<br>Black<br>Cobalt Blue*<br>Fall Marsh (Camo)*<br>Heritage Red |
| <b>Hull Design</b>         | IPS                                                                                      |

\*Optional/Upcharge

# 1875 TYEE

## STANDARD FEATURES

### Seats/Pedestals

- Pro-Ride Seats (3)
- Air Ride Fixed Mainstay (1)
- Air Ride Removeable Pedestal (2)
- Driver Seat Slider
- Seat Bases (6)
- Aft Integrated Jump Seats

### Fuel Tank

- 40-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell Systems
- Bow Livewell (25" Long / 9-gal.)
- Aft Livewell (38" Long / 24-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle • Auto-Style Fuse Panel • Bow Trolling Motor Harness w/Plug • Custom Dual Consoles w/Walk-Through Windshield • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt Helm • Integrated LED Lighting • Livewell Lighting • Lockable Glovebox • Mercury® Analog Prerig w/Gauges • Navigational Lighting • Plug-In Wire Harness • Kicker Stereo w/2 Jensen Speakers

### Storage

- Battery Storage Compartments • Console Storage • Storage Compartments • Lockable Port Rod Storage (4) 8' • Lockable In-Floor Rod Storage (5) 7' 6", (5) 8' • Raised In-Floor Center Storage Compartment • Aft Storage for Sun Top, Complete Top, or Bimini Top • Bow Cargo Net Storage

### Other Exterior Features

- Aluminum Corner Castings • Boarding Ladder 4-Step Folding Pan Mounted • Bow & Stern Eyes • Composite Transom • Hull Drain Plug • Level Flotation Compliance



- ProTrak Gunwale • Stainless Steel Bow Rails • Stainless Steel Cleats (4 Recessed) • Twin Plated Bottom (Bow to Amidship) • Transhield Cover

### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Auto/Manual) • Treated Marine Grade Plywood • Bow to Stern • Bow Casting Platform • Bow Deck Mounting Pad • Bow Pro Deck Conversion • Bow Backrests • Drink Holders • Self-Draining Splash Pan • Ski Tow Base (Ski Pylon Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming • Vinyl Wrapped Side Panels • Fire Extinguisher

### Trailer

- Load Guide • LUV30BELMSO-16 LundGuard Painted Bunk • Spare Tire • Swing Tongue • Trailer Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 115 / 200 HP          |
| <b>Beam/Chine</b>           | 98" / 86.25"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 10"               |
| <b>Boat Weight</b>          | 1,760 lbs.            |
| <b>Motor Weight</b>         | 475 lbs. (200 4S)     |
| <b>Trailer Weight</b>       | 765 lbs.              |
| <b>Total Weight</b>         | 3,000 lbs.            |
| <b>Total Storage Length</b> | 21' 4"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 2"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 8 People / 1,950 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Bottom Thickness</b>     | 0.100"                                                                    |
| <b>Max Hull Thickness</b>   | 0.180"                                                                    |
| <b>Cockpit Depth</b>        | 27"                                                                       |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 150 4S             | 46-50 mph                                                                 |
| Mercury® 175 4S             | 48-52 mph                                                                 |
| Mercury® 200 4S             | 49-53 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Black                                                     |
| <b>Hull Design</b>          | IPS2                                                                      |

# 1975 TYEE

## STANDARD FEATURES

### Seats/Pedestals

Pro-Ride Seats (3) • Air Ride Fixed Mainstay (1) • Air Ride Removeable Pedestal (2) • Driver Seat Slider  
Seat Bases (6) • Aft Integrated Jump Seats

### Fuel Tank

40-gal. Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell Systems • Bow Livewell (25" Long / 9-gal.)  
• Aft Livewell (38" Long / 24-gal.)  
• Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V Power Receptacle • Custom Dual Consoles w/Walk-Through Windshield • Kicker Stereo (2 Speakers) • Auto-Style Fuse Panel • Bow Trolling Motor Plug • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt Helm • Integrated LED Lighting • Livewell Lighting • Lockable Glove Box • Mercury® Analog Rerig w/Gauges • Navigational Lighting • Plug-In Wire Harness

### Storage

Battery Storage Compartments • Console Storage • Lockable Port Rod Storage (4) 9' • Lockable In-Floor Rod Storage (5) 9', (5) 8' 6" • Raised In-Floor Center Storage Compartment • Aft Storage for Sun Top, Complete Top, or Bimini Top • Bow Cargo Net Storage

### Other Exterior Features

Aluminum Corner Castings • Boarding Ladder 4-Step Folding Pan Mounted • Bow & Stern Eyes • Composite Transom • Hull Drain Plug • Level Flotation Compliance • ProTrak Gunwale



- Stainless Steel Bow Rails
- Stainless Steel Cleats (4 Recessed)
- Twin Plated Bottom (Bow to Amidship) • Transhield Cover

### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Auto/Manual) • Drink Holders • Treated Marine Grade Plywood – Bow to Stern • Bow Casting Platform • Bow Deck Mounting Pad • Bow Pro Deck Conversion • Bow Backrests • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Vinyl Wrapped Side Panels • Fire Extinguisher

### Trailer

Load Guides • LUV40TBLWTMH LundGuard Painted Bunk • Spare Tire • Swing Tongue • Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 135 / 225 HP          |
| <b>Beam/Chine</b>           | 98" / 86.25"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 19' 10"               |
| <b>Boat Weight</b>          | 1,955 lbs.            |
| <b>Motor Weight</b>         | 475 lbs. (225 4S)     |
| <b>Trailer Weight</b>       | 1,016 lbs.            |
| <b>Total Weight</b>         | 3,446 lbs.            |
| <b>Total Storage Length</b> | 22' 6"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 2"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 9 People / 2,050 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |
| <b>Bottom Thickness</b>     | 0.100"                |

|                             |                                                                           |
|-----------------------------|---------------------------------------------------------------------------|
| <b>Max Hull Thickness</b>   | 0.200"                                                                    |
| <b>Cockpit Depth</b>        | 27"                                                                       |
| <b>Engine/Approx. Speed</b> |                                                                           |
| Mercury® 150 4S             | 44-48 mph                                                                 |
| Mercury® 175 4S             | 48-52 mph                                                                 |
| Mercury® 200 4S             | 48-52 mph                                                                 |
| Mercury® 225 4S             | 49-53 mph                                                                 |
| <b>Available Colors</b>     | Arctic White<br>Black<br>Cobalt Blue<br>Gunmetal Metallic<br>Heritage Red |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Black                                                     |
| <b>Hull Design</b>          | IPS2                                                                      |

# 2075 TYEE

## STANDARD FEATURES

### Seats/Pedestals

- Pro-Ride Seats (4) • Air Ride
- Pedestals (3) • Air Ride Mainstay (1)
- Driver Seat Slider • Seat Bases (6)
- Aft Integrated Jump Seats

### Fuel Tank

- 50-gal. Fuel Tank

### Flooring

- Vinyl Main Floor

### Aerated Livewell Systems

- Bow Livewell (25" Long / 9-gal.)
- Aft Livewell (38" Long / 24-gal.)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- Kicker Stereo (2 Speakers) • 12V
- Power Receptacle • Auto-Style Fuse
- Panel • Bow Trolling Motor Plug
- Custom Dual Consoles w/Walk-Through Windshield • Horn
- Lockable Glove Box • Full Lighted Instrumentation • Hydraulic Tilt Steering • Interior and Livewell Lighting • Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Console Storage • Storage Compartments • Lockable Port Rod Storage (4) 8' • Lockable In-Floor Rod Storage (4) 8' • (6) 7' 6"
- Lockable Storage • Raised In-Floor Center Storage Compartment
- Aft Storage for Sun Top, Complete Top, or Bimini Top • Bow Cargo Net Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4-Step Folding
- Pan Mounted • Bow & Stern Eyes
- Composite Transom • Hull Drain Plug • Level Flotation Compliance
- Stainless Steel Bow Rails • Stainless Steel Cleats (4) • Recessed Twin Plated Bottom (Bow to Amidship)
- Transhield Cover



### Other Interior Features

- Aft Casting Platform • Battery Holders (4) • Bilge Pump – 1 Auto/Manual • Drink Holders • Treated Marine Grade Plywood - Bow to Stern • Bow Casting Platform • Bow Deck Mounting Pad • Bow Backrests • Vinyl Wrapped Side Panels • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • SportTrak Coaming • Fire Extinguisher

### Shoreland'r Trailer

- Load Guides • LUV40TBLWTMH
- LundGuard Painted Bunk • Spare Tire • Swing Tongue • Tongue Jack

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 150 / 250 HP          |
| <b>Beam/Chine</b>           | 99.5" / 87"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 8"                |
| <b>Boat Weight</b>          | 2,000 lbs.            |
| <b>Motor Weight</b>         | 527 lbs. (250 4S)     |
| <b>Trailer Weight</b>       | 1,202 lbs.            |
| <b>Total Weight</b>         | 3,729 lbs.            |
| <b>Total Storage Length</b> | 23' 1"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 2"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Capacity</b>         | 9 People / 2,350 lbs. |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.200"            |
| <b>Cockpit Depth</b>        | 30"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury® 200 4S             | 46-50 mph         |
| Mercury® 225 4S             | 50-54 mph         |
| Mercury® 250 4S             | 52-56 mph         |
| <b>Available Colors</b>     | Arctic White      |
|                             | Black             |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
|                             | Heritage Red      |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
| <b>Hull Design</b>          | IPS2              |

# 189 TYEE GL

## STANDARD FEATURES

### Seats/Pedestals

Aft Integrated Jump Seats  
Pro Ride Seats (3)  
Air Ride Mainstays (2)  
Air Ride Pedestal (1)  
Seat Bases (7)

### Fuel tank

41-gal. Fuel Tank

### Flooring

Marine Grade carpet (Casting Platforms)  
Non-Skid Fiberglass (Main Floor)  
Pro Long Livewell Systems  
Bow Baitwell/Livewell (21" Long / 9-gal.)  
Aft Livewell/ Baitwell (31" Long / 16-gal.)  
Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V Power Receptacle  
Bow Trolling Motor Plug  
Breaker Panel  
Console Footrest  
Curved Windshield w/Walk-Through Windshield  
Full Lighted Instrumentation  
Horn  
Hydraulic Tilt Steering  
Interior and Livewell Lighting  
Kicker KMC1 Stereo w/2 Speakers  
Navigational Lighting  
Plug-In Wire Harness  
ProControl GL Auto Style Console

### Storage

Console Storage  
Cooler/Storage Compartment  
In-Floor Battery Storage  
Lockable Bow Rod Storage  
2 (7'), 4 (6' 6")  
Lockable Storage  
Ski Rope Storage  
Ski Storage  
Storage Compartments

### Other Exterior Features

Boarding Ladder  
Bow & Stern Eyes  
Bow Rails



Hull Drain Plug  
Level Flotation Compliance  
Shipping Cover  
Stainless Steel Flush-Mount Cleats

### Other Interior Features

Aft Casting Platform  
Aft Seat Conversion  
Battery Holders  
Bilge Pump  
Bow Casting Platform  
Bow Cushions/Bolsters  
Bow Pro Deck Conversion  
Custom Molded Side Panels  
Drink Holders  
Fire Extinguisher  
Sculpted Console Front  
Self-Draining Splash Pan  
Ski Pylon  
SportTrak Accessory Brackets  
SportTrak GL Coaming  
Trolling Motor Mounting Surface

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 150 / 200 HP      |
| <b>Beam/Chine</b>           | 102" / 82.75"     |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 9"            |
| <b>Boat Weight</b>          | 2,500 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 840 lbs.          |
| <b>Total Weight</b>         | 3,815 lbs.        |
| <b>Total Storage Length</b> | 22'               |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |

**Max Capacity** 8 People / 1,900 lbs.

### Engine/Approx. Speed

|                 |           |
|-----------------|-----------|
| Mercury® 175 4S | 48-52 mph |
| Mercury® 200 4S | 50-54 mph |

### Available Colors

Black/Silver/Gunmetal  
Black/White Gunmetal  
Blue/Silver/Gunmetal  
Burgundy/Gunmetal/Gunmetal  
Gunmetal/Silver/Silver  
Red/Silver/Gunmetal  
Red/White/Gunmetal  
White/Gunmetal/Gunmetal

### Hull Design


IPS3



# WC-12

## STANDARD FEATURES

- Cross Seats (2)
- Modified Split Seat (2)
- Composite Transom
- Aluminum Keelsons (2)
- Bow Eye
- Perma-Ply Seat Tops
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



|                |                     |
|----------------|---------------------|
| Min/Max HP     | 15 HP               |
| Beam           | 61"                 |
| Transom Height | 15"                 |
| Boat Length    | 12' 1"              |
| Boat Weight    | 205 lbs.            |
| Motor Weight   | 99 lbs. (15 4S)     |
| Trailer Weight | 173 lbs.            |
| Total Weight   | 477 lbs.            |
| Max Capacity   | 3 People / 700 lbs. |


|                     |                                                                                          |
|---------------------|------------------------------------------------------------------------------------------|
| Freeboard Thickness | 0.063"                                                                                   |
| Bottom Thickness    | 0.063"                                                                                   |
| Max Hull Thickness  | 0.063"                                                                                   |
| Available Colors    | Aluminum<br>Arctic White*<br>Black<br>Cobalt Blue*<br>Fall Marsh (Camo)*<br>Heritage Red |
| Hull Design         | Semi V-Hull                                                                              |

*\*Optional/Upcharge*

# WC-14

## STANDARD FEATURES

Cross Seats (2)  
Modified Split Seat (2)  
Composite Transom  
Aluminum Keelsons (4)  
Bow Eye  
Perma-Ply Seat Tops  
Hull Drain Plug  
Level Flotation Compliance  
Oar Locks  
Stern Handles  
Flat Bottom



|                       |                                    |
|-----------------------|------------------------------------|
| <b>Min/Max HP</b>     | 25 HP                              |
| <b>Beam</b>           | 69"                                |
| <b>Transom Height</b> | 15" or 20"                         |
| <b>Boat Length</b>    | 14' 6"                             |
| <b>Boat Weight</b>    | 285 lbs. (15") /<br>295 lbs. (20") |
| <b>Motor Weight</b>   | 157 lbs. (25 4S)                   |
| <b>Trailer Weight</b> | 274 lbs.                           |
| <b>Total Weight</b>   | 716 / 726 lbs.                     |
| <b>Max Capacity</b>   | 4 People / 1,000 lbs.              |


|                            |                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------|
| <b>Freeboard Thickness</b> | 0.063"                                                                                   |
| <b>Bottom Thickness</b>    | 0.063"                                                                                   |
| <b>Max Hull Thickness</b>  | 0.063"                                                                                   |
| <b>Available Colors</b>    | Aluminum<br>Arctic White*<br>Black<br>Cobalt Blue*<br>Fall Marsh (Camo)*<br>Heritage Red |
| <b>Hull Design</b>         | Semi V-Hull                                                                              |

\*Optional/Upcharge

# WC-16

## STANDARD FEATURES

- Cross Seats (3)
- Modified Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Perma-Ply Seat Tops
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



|                       |                                  |
|-----------------------|----------------------------------|
| <b>Min/Max HP</b>     | 25 HP                            |
| <b>Beam</b>           | 72"                              |
| <b>Transom Height</b> | 15" or 20"                       |
| <b>Boat Length</b>    | 16' 2"                           |
| <b>Boat Weight</b>    | 315 lbs. (15")<br>335 lbs. (20") |
| <b>Motor Weight</b>   | 157 lbs. (25 4S)                 |
| <b>Trailer Weight</b> | 280 lbs.                         |
| <b>Total Weight</b>   | 762 / 772 lbs.                   |
| <b>Max Capacity</b>   | 5 People / 1,150 lbs.            |

|                            |                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------|
| <b>Freeboard Thickness</b> | 0.063"                                                                                   |
| <b>Bottom Thickness</b>    | 0.063"                                                                                   |
| <b>Max Hull Thickness</b>  | 0.063"                                                                                   |
| <b>Available Colors</b>    | Aluminum<br>Arctic White*<br>Black<br>Cobalt Blue*<br>Fall Marsh (Camo)*<br>Heritage Red |
| <b>Hull Design</b>         | Semi V-Hull                                                                              |

*\*Optional/Upcharge*

# 2023 TROLLING MOTOR GUIDE

## BOW TROLLING MOTOR SUGGESTED LENGTH

|                    | 45" | 50" / 54" | 60" | 72" |
|--------------------|-----|-----------|-----|-----|
| ADVENTURE          |     | X         | X   |     |
| ALASKAN            |     |           |     |     |
| 1600 / 1800        |     | X         |     |     |
| 2000               |     |           | X   |     |
| ANGLER             |     | X         |     |     |
| BARON              |     |           |     | X   |
| CROSSOVER XS       |     |           | X   |     |
| FISHERMAN          |     |           | X   |     |
| FURY               |     | X         |     |     |
| IMPACT XS          |     |           | X   |     |
| PRO GUIDE          |     |           | X   |     |
| PRO-V              |     |           | X   | X   |
| PRO-V BASS / MUSKY |     | X         |     |     |
| PRO-V GL           |     |           | X   |     |
| REBEL XL           |     | X         |     |     |
| RENEGADE           | X   | X         |     |     |
| TYEE               |     |           | X   | X   |
| TYEE GL            |     |           | X   |     |

# 2023 STEERING SYSTEMS

| BOAT MODEL                   | STANDARD STEERING SYSTEM | HYDRAULIC STEERING OPTION | POWER STEERING OPTION |
|------------------------------|--------------------------|---------------------------|-----------------------|
| <b>ADVENTURE</b>             |                          |                           |                       |
| 1675 Adventure SS            | No Feedback              | N/A                       | N/A                   |
| 1675 Adventure Sport         | No Feedback              | N/A                       | N/A                   |
| 1775 Adventure SS            | No Feedback              | N/A                       | N/A                   |
| 1775 Adventure Sport         | No Feedback              | N/A                       | N/A                   |
| <b>ALASKAN</b>               |                          |                           |                       |
| 1600 Alaskan Tiller          | Tiller                   | N/A                       | N/A                   |
| 1600 Alaskan SS              | No Feedback              | N/A                       | N/A                   |
| 1800 Alaskan Tiller          | Tiller                   | Uflex ZTF Tiller          | N/A                   |
| 1800 Alaskan SS              | No Feedback              | N/A                       | N/A                   |
| 1800 Alaskan Sport           | No Feedback              | N/A                       | N/A                   |
| 2000 Alaskan Tiller - 90/115 | Tiller                   | Uflex ZTF Tiller          | N/A                   |
| 2000 Alaskan Tiller - 150    | N/A                      | N/A                       | Tiller w/ MERCURY® PS |
| 2000 Alaskan SS              | No Feedback              | Hydraulic w/ Tilt         | N/A                   |
| 2000 Alaskan Sport           | No Feedback              | Hydraulic w/ Tilt         | N/A                   |
| <b>ANGLER</b>                |                          |                           |                       |
| 1650 Angler Tiller           | Tiller                   | N/A                       | N/A                   |
| 1650 Angler SS               | No Feedback              | N/A                       | N/A                   |
| 1650 Angler Sport            | No Feedback              | N/A                       | N/A                   |
| <b>BARON</b>                 |                          |                           |                       |
| 2275 Baron                   | Hydraulic w/Tilt         | Standard                  | MERCURY® PS           |
| <b>CROSSOVER</b>             |                          |                           |                       |
| 1775 Crossover               | No Feedback w/Tilt       | Hydraulic w/Tilt          | N/A                   |
| 1875 Crossover               | No Feedback w/Tilt       | Hydraulic w/Tilt          | N/A                   |
| <b>FISHERMAN</b>             |                          |                           |                       |
| 1875 Fisherman               | No Feedback w/ Tilt      | Hydraulic w/ Tilt         | N/A                   |
| 2075 Fisherman               | Hydraulic w/ Tilt        | Standard                  | Panther PS            |
| <b>FURY</b>                  |                          |                           |                       |
| 1400 Fury Tiller             | Tiller                   | N/A                       | N/A                   |
| 1400 Fury SS                 | No Feedback              | N/A                       | N/A                   |
| 1600 Fury Tiller             | Tiller                   | N/A                       | N/A                   |
| 1600 Fury SS                 | No Feedback              | N/A                       | N/A                   |
| <b>IMPACT</b>                |                          |                           |                       |
| 1775 Impact XS               | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 1875 Impact XS               | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 2025 Impact XS               | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| <b>PREDATOR</b>              |                          |                           |                       |
| 1660 Predator Tiller         | Tiller                   | N/A                       | N/A                   |
| 1760 Predator Tiller         | Tiller                   | N/A                       | N/A                   |
| 1760 Predator SS             | No Feedback              | N/A                       | N/A                   |
| 1870 Predator Tiller         | Tiller                   | N/A                       | N/A                   |
| 1870 Predator SS             | No Feedback              | N/A                       | N/A                   |
| 1870 Predator CC             | No Feedback              | N/A                       | N/A                   |
| 2070 Predator CC             | No Feedback              | Hydraulic                 | N/A                   |

# 2023 STEERING SYSTEMS

| BOAT MODEL           | STANDARD STEERING SYSTEM | HYDRAULIC STEERING OPTION | POWER STEERING OPTION |
|----------------------|--------------------------|---------------------------|-----------------------|
| <b>PRO GUIDE</b>     |                          |                           |                       |
| 1775 Pro Guide       | Tiller                   | N/A                       | N/A                   |
| 1875 Pro Guide       | Tiller                   | Uflex ZTF Tiller          | N/A                   |
| 2075 Pro Guide       | Tiller w/MERCURY® PS     | N/A                       | Standard              |
| <b>PRO V BASS</b>    |                          |                           |                       |
| 1875 Pro V Bass XS   | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 2075 Pro V Bass XS   | Hydraulic w/Tilt         | Standard                  | MERCURY® PS           |
| <b>PRO V MUSKY</b>   |                          |                           |                       |
| 1875 Pro V Musky XS  | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 2075 Pro V Musky XS  | Hydraulic w/Tilt         | Standard                  | MERCURY® PS           |
| <b>PRO V</b>         |                          |                           |                       |
| 1875 Pro V           | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1975 Pro V           | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 2075 Pro V           | Hydraulic w/Tilt         | Standard                  | MERCURY® PS           |
| 2175 Pro V           | Hydraulic w/Tilt         | Standard                  | MERCURY® PS           |
| <b>PRO V GL</b>      |                          |                           |                       |
| 189 Pro V GL         | Hydraulic w/Tilt         | Standard                  | MERCURY® PS           |
| 219 Pro V GL         | MERCURY® PS              | N/A                       | Standard              |
| <b>REBEL XL</b>      |                          |                           |                       |
| 1650 Rebel XL Tiller | Tiller                   | N/A                       | N/A                   |
| 1650 Rebel XL SS     | No Feedback              | N/A                       | N/A                   |
| 1650 Rebel XL Sport  | No Feedback              | N/A                       | N/A                   |
| <b>RENEGADE</b>      |                          |                           |                       |
| 1775 Renegade        | No Feedback              | N/A                       | N/A                   |
| 1875 Renegade        | No Feedback              | Hydraulic w/ Tilt         | N/A                   |
| 1975 Renegade        | No Feedback              | Hydraulic w/ Tilt         | N/A                   |
| <b>TYEE</b>          |                          |                           |                       |
| 1875 Tyee            | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1975 Tyee            | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 2075 Tyee            | Hydraulic w/Tilt         | Standard                  | MERCURY® PS           |
| <b>TYEE GL</b>       |                          |                           |                       |
| 189 Tyee GL          | Hydraulic w/Tilt         | Standard                  | MERCURY® PS           |

# 2023 CARPET/VINYL

| BOAT MODEL     | LAYOUT | FLOORING<br>OPTION | AFT DECK | COCKPIT   | CONSOLE<br>BASE | PORT/STBD<br>DECKS | BOW DECK  | BOW PLATE | VERTICAL<br>SURFACES |
|----------------|--------|--------------------|----------|-----------|-----------------|--------------------|-----------|-----------|----------------------|
| 1675 ADVENTURE | SPORT  | Full Vinyl         | Carpet   | Vinyl     | Vinyl           | Carpet             | Vinyl     | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Carpet    | Carpet          | Carpet             | Carpet    | Carpet    | Carpet               |
|                | SS     | Full Vinyl         | Carpet   | Carpet    | Carpet          | Carpet             | Vinyl     | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Carpet    | Carpet          | Carpet             | Carpet    | Carpet    | Carpet               |
| 1775 ADVENTURE | SPORT  | Full Vinyl         | Carpet   | Vinyl     | Carpet          | Carpet             | Vinyl     | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Vinyl     | Carpet          | Carpet             | Carpet    | Carpet    | Carpet               |
|                | SS     | Full Vinyl         | Carpet   | Vinyl     | Carpet          | Carpet             | Vinyl     | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Vinyl     | Carpet          | Carpet             | Carpet    | Carpet    | Carpet               |
| 1600 ALASKAN   | SS     | Full Vinyl         | N/A      | Vinyl     | Carpet          | Vinyl              | Vinyl     | Vinyl     | Painted              |
|                |        | Composite          | N/A      | Composite | Carpet          | Composite          | Composite | Composite | Painted              |
|                | TILLER | Full Vinyl         | N/A      | Vinyl     | N/A             | Vinyl              | Vinyl     | Vinyl     | Painted              |
|                |        | Composite          | N/A      | Composite | N/A             | Composite          | Composite | Composite | Painted              |
| 1800 ALASKAN   | SPORT  | Full Vinyl         | N/A      | Vinyl     | Carpet          | Vinyl              | Vinyl     | Vinyl     | Painted              |
|                |        | Composite          | N/A      | Composite | Carpet          | Composite          | Composite | Composite | Painted              |
|                | SS     | Full Vinyl         | N/A      | Vinyl     | Carpet          | Vinyl              | Vinyl     | Vinyl     | Painted              |
|                |        | Composite          | N/A      | Composite | Carpet          | Composite          | Composite | Composite | Painted              |
|                | TILLER | Full Vinyl         | N/A      | Vinyl     | N/A             | Vinyl              | Vinyl     | Vinyl     | Painted              |
|                |        | Composite          | N/A      | Composite | N/A             | Composite          | Composite | Composite | Painted              |
| 2000 ALASKAN   | SPORT  | Full Vinyl         | N/A      | Vinyl     | Carpet          | Vinyl              | Vinyl     | Vinyl     | Painted              |
|                |        | Composite          | N/A      | Composite | Carpet          | Composite          | Composite | Composite | Painted              |
|                | SS     | Full Vinyl         | N/A      | Carpet    | Carpet          | Carpet             | Vinyl     | Vinyl     | Painted              |
|                |        | Composite          | N/A      | Composite | Carpet          | Composite          | Composite | Composite | Painted              |
|                | TILLER | Full Vinyl         | N/A      | Vinyl     | N/A             | Vinyl              | Vinyl     | Vinyl     | Painted              |
|                |        | Composite          | N/A      | Composite | N/A             | Composite          | Composite | Composite | Painted              |

# 2023 CARPET/VINYL

| BOAT MODEL        | LAYOUT | FLOORING<br>OPTION | AFT DECK | COCKPIT | CONSOLE<br>BASE | PORT/STBD<br>DECKS | BOW DECK | BOW PLATE | VERTICAL<br>SURFACES |
|-------------------|--------|--------------------|----------|---------|-----------------|--------------------|----------|-----------|----------------------|
| 1650 ANGLER       | SPORT  | Full Vinyl         | Vinyl    | Vinyl   | Carpet          | Vinyl              | Vinyl    | Vinyl     | Carpet               |
|                   |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |
|                   | SS     | Full Vinyl         | Vinyl    | Vinyl   | Carpet          | Vinyl              | Vinyl    | Vinyl     | Carpet               |
|                   |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |
|                   | TILLER | Full Vinyl         | Vinyl    | Vinyl   | N/A             | Vinyl              | Vinyl    | Vinyl     | Carpet               |
|                   |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |
| 2275 BARON        | SPORT  | Full Carpet        | Carpet   | Carpet  | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
|                   |        | Full Vinyl         | Carpet   | Vinyl   | Carpet          | N/A                | Vinyl    | Vinyl     | Carpet               |
|                   |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
|                   |        | Full Carpet        | Carpet   | Carpet  | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
| 1775 CROSSOVER XS | SPORT  | Full Carpet        | Carpet   | Carpet  | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
|                   |        | Full Vinyl         | Carpet   | Vinyl   | Carpet          | N/A                | Vinyl    | Vinyl     | Carpet               |
|                   |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
| 1875 CROSSOVER XS | SPORT  | Full Carpet        | Carpet   | Carpet  | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
|                   |        | Full Vinyl         | Carpet   | Vinyl   | Carpet          | N/A                | Vinyl    | Vinyl     | Carpet               |
|                   |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
| 1875 FISHERMAN    | SPORT  | Full Vinyl         | Carpet   | Vinyl   | N/A             | Carpet             | Vinyl    | Vinyl     | Carpet               |
|                   |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |
| 2075 FISHERMAN    | SPORT  | Full Vinyl         | Carpet   | Vinyl   | N/A             | Carpet             | Vinyl    | Vinyl     | Carpet               |
|                   |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |



# 2023 CARPET/VINYL

| BOAT MODEL     | LAYOUT | FLOORING<br>OPTION | AFT DECK | COCKPIT | CONSOLE<br>BASE | PORT/STBD<br>DECKS | BOW DECK | BOW PLATE | VERTICAL<br>SURFACES |
|----------------|--------|--------------------|----------|---------|-----------------|--------------------|----------|-----------|----------------------|
| 1400 FURY      | SS     | Full Vinyl         | N/A      | Vinyl   | Painted         | Vinyl              | Vinyl    | Vinyl     | Painted              |
|                |        | Vinyl Main         | N/A      | Vinyl   | Painted         | Carpet             | Carpet   | Carpet    | Painted              |
|                | TILLER | Full Vinyl         | N/A      | Vinyl   | N/A             | Vinyl              | Vinyl    | Vinyl     | Painted              |
|                |        | Vinyl Main         | N/A      | Vinyl   | N/A             | Carpet             | Carpet   | Carpet    | Painted              |
| 1600 FURY      | SS     | Full Vinyl         | N/A      | Vinyl   | Painted         | Vinyl              | Vinyl    | Vinyl     | Painted              |
|                |        | Vinyl Main         | N/A      | Vinyl   | Painted         | Carpet             | Carpet   | Carpet    | Painted              |
|                | TILLER | Full Vinyl         | N/A      | Vinyl   | N/A             | Vinyl              | Vinyl    | Vinyl     | Painted              |
|                |        | Vinyl Main         | N/A      | Vinyl   | N/A             | Carpet             | Carpet   | Carpet    | Painted              |
| 1775 IMPACT XS | SPORT  | Full Vinyl         | Carpet   | Vinyl   | Carpet          | Carpet             | Vinyl    | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |
|                | SS     | Full Vinyl         | Carpet   | Vinyl   | Carpet          | Carpet             | Vinyl    | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |
| 1875 IMPACT XS | SPORT  | Full Vinyl         | Carpet   | Vinyl   | Carpet          | Carpet             | Vinyl    | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |
|                | SS     | Full Vinyl         | Carpet   | Vinyl   | Carpet          | Carpet             | Vinyl    | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |
| 2025 IMPACT XS | XS     | Full Vinyl         | Carpet   | Vinyl   | Carpet          | Carpet             | Vinyl    | Vinyl     | Carpet               |
|                |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |

# 2023 CARPET/VINYL

| BOAT MODEL      | LAYOUT | FLOORING<br>OPTION | AFT DECK | COCKPIT | CONSOLE<br>BASE | PORT/STBD<br>DECKS | BOW DECK | BOW PLATE | VERTICAL<br>SURFACES |
|-----------------|--------|--------------------|----------|---------|-----------------|--------------------|----------|-----------|----------------------|
| 1775 PRO GUIDE  | TILLER | Full Vinyl         | Carpet   | Vinyl   | N/A             | Carpet             | Vinyl    | Vinyl     | Carpet               |
|                 |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |
| 1875 PRO GUIDE  | TILLER | Full Vinyl         | Vinyl    | Vinyl   | N/A             | Vinyl              | Vinyl    | Vinyl     | Carpet               |
|                 |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |
| 2075 PRO GUIDE  | TILLER | Full Vinyl         | Vinyl    | Vinyl   | N/A             | Vinyl              | Vinyl    | Vinyl     | Carpet               |
|                 |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |
| 1875 PRO-V      | SPORT  | Full Vinyl         | Carpet   | Vinyl   | N/A             | N/A                | Vinyl    | Vinyl     | Carpet               |
|                 |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | N/A                | Carpet   | Carpet    | Carpet               |
| 1975 PRO-V      | SPORT  | Full Vinyl         | Carpet   | Vinyl   | N/A             | N/A                | Vinyl    | N/A       | Carpet               |
|                 |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | N/A                | Carpet   | N/A       | Carpet               |
| 2075 PRO-V      | SPORT  | Full Vinyl         | Carpet   | Vinyl   | N/A             | N/A                | Vinyl    | N/A       | Carpet               |
|                 |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | N/A                | Carpet   | N/A       | Carpet               |
| 2175 PRO-V      | SPORT  | Full Vinyl         | Carpet   | Vinyl   | N/A             | N/A                | Vinyl    | N/A       | Carpet               |
|                 |        | Vinyl Main         | Carpet   | Vinyl   | N/A             | N/A                | Carpet   | N/A       | Carpet               |
| 1875 PRO-V BASS | XS     | Vinyl Main         | Carpet   | Vinyl   | N/A             | Carpet             | Carpet   | N/A       | Carpet               |
| 2075 PRO-V BASS | XS     | Vinyl Main         | Carpet   | Vinyl   | N/A             | N/A                | Carpet   | N/A       | Carpet               |

# 2023 CARPET/VINYL

| BOAT MODEL       | LAYOUT | FLOORING<br>OPTION | AFT DECK | COCKPIT  | CONSOLE<br>BASE | PORT/STBD<br>DECKS | BOW DECK | BOW PLATE | VERTICAL<br>SURFACES |
|------------------|--------|--------------------|----------|----------|-----------------|--------------------|----------|-----------|----------------------|
| 1875 PRO-V MUSKY | XS     | Vinyl Main         | Carpet   | Vinyl    | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |
| 2075 PRO-V MUSKY | XS     | Vinyl Main         | Carpet   | Vinyl    | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |
| 1650 REBEL XL    | SPORT  | Full Vinyl         | Vinyl    | Vinyl    | Carpet          | Vinyl              | Vinyl    | Vinyl     | Carpet               |
|                  |        | Vinyl Main         | Carpet   | Vinyl    | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |
|                  | SS     | Full Vinyl         | Vinyl    | Vinyl    | Carpet          | Vinyl              | Vinyl    | Vinyl     | Carpet               |
|                  |        | Vinyl Main         | Carpet   | Vinyl    | Carpet          | Carpet             | Carpet   | Carpet    | Carpet               |
|                  | TILLER | Full Vinyl         | Vinyl    | Vinyl    | N/A             | Vinyl              | Vinyl    | Vinyl     | WCarpet              |
|                  |        | Vinyl Main         | Carpet   | Vinyl    | N/A             | Carpet             | Carpet   | Carpet    | Carpet               |
| 1775 RENEGADE    | SS     | Polyurea           | Polyurea | Polyurea | N/A             | Polyurea           | Polyurea | Polyurea  | Polyurea             |
|                  |        | Vinyl Main         | Carpet   | Vinyl    | N/A             | Carpet             | Carpet   | Painted   | Carpet               |
| 1875 RENEGADE    | SS     | Polyurea           | Polyurea | Polyurea | N/A             | Polyurea           | Polyurea | Polyurea  | Polyurea             |
|                  |        | Vinyl Main         | Carpet   | Vinyl    | N/A             | Carpet             | Carpet   | Painted   | Carpet               |
| 1975 RENEGADE    | SS     | Polyurea           | Polyurea | Polyurea | N/A             | Polyurea           | Polyurea | Polyurea  | Polyurea             |
|                  |        | Vinyl Main         | Carpet   | Vinyl    | N/A             | Carpet             | Carpet   | Painted   | Carpet               |

# 2023 CARPET/VINYL

| BOAT MODEL | LAYOUT | FLOORING<br>OPTION | AFT DECK | COCKPIT | CONSOLE<br>BASE | PORT/STBD<br>DECKS | BOW DECK | BOW PLATE | VERTICAL<br>SURFACES |
|------------|--------|--------------------|----------|---------|-----------------|--------------------|----------|-----------|----------------------|
| 1875 TYEE  | SPORT  | Full Carpet        | Carpet   | Carpet  | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
|            |        | Full Vinyl         | Carpet   | Vinyl   | Carpet          | N/A                | Vinyl    | Vinyl     | Carpet               |
|            |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
| 1975 TYEE  | SPORT  | Full Carpet        | Carpet   | Carpet  | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
|            |        | Full Vinyl         | Carpet   | Vinyl   | Carpet          | N/A                | Vinyl    | Vinyl     | Carpet               |
|            |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
| 2075 TYEE  | SPORT  | Full Carpet        | Carpet   | Carpet  | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |
|            |        | Full Vinyl         | Carpet   | Vinyl   | Carpet          | N/A                | Vinyl    | Vinyl     | Carpet               |
|            |        | Vinyl Main         | Carpet   | Vinyl   | Carpet          | N/A                | Carpet   | Carpet    | Carpet               |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL              | HP<br>(MIN/MAX) | ENGINE                                          | MOUNT<br>HOLE | PROP<br>(ALUMINUM)          | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|-------------------------|-----------------|-------------------------------------------------|---------------|-----------------------------|---------------------|------------------|
| 1675 ADVENTURE<br>SPORT | 60 / 90         | MERCURY 60ELPT                                  | 2             | 10.1 X 14 MERCURY® SPITFIRE | N/A                 | 30-34            |
|                         |                 | MERCURY 75ELPT                                  | 2             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 38-42            |
|                         |                 | MERCURY 90ELPT                                  | 2             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 41-45            |
|                         |                 | MERCURY 60ELPT                                  | 2             | 10.1 X 14 MERCURY® SPITFIRE | N/A                 | 30-34            |
| 1675 ADVENTURE<br>SS    | 40 / 90         | MERCURY 75ELPT                                  | 2             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 38-42            |
|                         |                 | MERCURY 90ELPT                                  | 2             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 41-45            |
|                         |                 | MERCURY 60ELPT                                  | 2             | 10.3 X 13 MERCURY® SPITFIRE | N/A                 | 30-34            |
| 1775 ADVENTURE<br>SPORT | 60 / 115        | MERCURY 75ELPT                                  | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 35-39            |
|                         |                 | MERCURY 90ELPT                                  | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 39-43            |
|                         |                 | MERCURY 115ELPT PRO XS                          | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 43-47            |
|                         |                 | MERCURY 60ELPT                                  | 2             | 10.3 X 13 MERCURY® SPITFIRE | N/A                 | 30-34            |
| 1775 ADVENTURE<br>SS    | 60 / 90         | MERCURY 75ELPT                                  | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 35-39            |
|                         |                 | MERCURY 90ELPT                                  | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 39-43            |
|                         |                 | MERCURY 40ELPT                                  | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 26-30            |
|                         |                 | MERCURY 50ELPT                                  | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 27-31            |
| 1600 ALASKAN SS         | 40 / 75         | MERCURY 50ELPT COMMAND THRUST                   | 2             | 14 X 13 BLACK MAX           | N/A                 | 27-31            |
|                         |                 | MERCURY 60ELPT                                  | 2             | 10.3 X 13 MERCURY® SPITFIRE | N/A                 | 29-33            |
|                         |                 | MERCURY 60ELPT COMMAND THRUST                   | 2             | 14 X 13 BLACK MAX           | N/A                 | 29-33            |
|                         |                 | MERCURY 75ELPT                                  | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 34-38            |
| 1600 ALASKAN<br>TILLER  | 40 / 60         | MERCURY 40ELPT                                  | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 27-31            |
|                         |                 | MERCURY 40ELHPT                                 | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 27-31            |
|                         |                 | MERCURY 50ELHPT                                 | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 28-32            |
|                         |                 | MERCURY 50ELHPT COMMAND THRUST W/<br>BIG TILLER | 2             | 14 X 13 ALUM BLK MAX        | N/A                 | 28-32            |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL                     | HP<br>(MIN/MAX) | ENGINE                                          | MOUNT<br>HOLE | PROP<br>(ALUMINUM)          | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|--------------------------------|-----------------|-------------------------------------------------|---------------|-----------------------------|---------------------|------------------|
| 1600 ALASKAN<br>TILLER (Cont.) | 40 / 60         | MERCURY 60ELPT                                  | 2             | 10.3 X 13 MERCURY® SPITFIRE | N/A                 | 30-34            |
|                                |                 | MERCURY 60ELHPT                                 | 2             | 10.3 X 13 MERCURY® SPITFIRE | N/A                 | 30-34            |
|                                |                 | MERCURY 60ELHPT COMMAND THRUST W/<br>BIG TILLER | 2             | 14 X 13 BLACK MAX           | N/A                 | 30-34            |
| 1800 ALASKAN<br>SPORT & SS     | 50 / 90         | MERCURY 50ELPT                                  | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 26-30            |
|                                |                 | MERCURY 60ELPT                                  | 2             | 10.3 X 13 MERCURY® SPITFIRE | N/A                 | 27-31            |
|                                |                 | MERCURY 60ELPT COMMAND THRUST                   | 2             | 13.8 X 11 MERCURY® SPITFIRE | N/A                 | 27-31            |
|                                |                 | MERCURY 75ELPT                                  | 1             | 13 X 17 X 4.25 RH 4-BLADE   | 17P SPITFIRE X7     | 32-36            |
|                                |                 | MERCURY 90ELPT                                  | 1             | 13 X 17 X 4.25 RH 4-BLADE   | 17P SPITFIRE X7     | 36-40            |
| 1800 ALASKAN<br>TILLER         | 50 / 75         | MERCURY 50ELHPT                                 | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 27-31            |
|                                |                 | MERCURY 50ELHPT COMMAND THRUST W/<br>BIG TILLER | 2             | 14 X 13 BLACK MAX           | N/A                 | 27-31            |
|                                |                 | MERCURY 60ELHPT                                 | 2             | 10.3 X 13 MERCURY® SPITFIRE | N/A                 | 28-32            |
|                                |                 | MERCURY 60ELHPT COMMAND THRUST W/<br>BIG TILLER | 2             | 14 X 13 BLACK MAX           | N/A                 | 28-32            |
|                                |                 | MERCURY 75ELPT                                  | 2             | 13 X 17 X 4.25 RH 4-BLADE   | 17P SPITFIRE X7     | 33-37            |
| 2000 ALASKAN<br>SPORT & SS     | 90 / 150        | MERCURY 90EXLPT                                 | 1             | 13 X 17 X 4.25 RH 4-BLADE   | 17P SPITFIRE X7     | 34-38            |
|                                |                 | MERCURY 115EXLPT                                | 1             | 13 X 17 X 4.25 RH 4-BLADE   | 17P SPITFIRE X7     | 37-41            |
|                                |                 | MERCURY 115EXLPT PRO XS 4 STK                   | 1             | 13 X 17 X 4.25 RH 4-BLADE   | 17P SPITFIRE X7     | 37-41            |
|                                |                 | MERCURY 115EXLPT PRO XS COMMAND<br>THRUST       | 1             |                             | N/A                 | 37-41            |
|                                |                 | MERCURY 150XL 45TK                              | 1             | N/A                         | 19P TEMPEST         | 43-47            |
|                                |                 | MERCURY 150XL PRO XS 45TK                       | 1             | N/A                         | 19P TEMPEST         | 43-47            |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL                | HP<br>(MIN/MAX) | ENGINE                                | MOUNT<br>HOLE | PROP<br>(ALUMINUM)              | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|---------------------------|-----------------|---------------------------------------|---------------|---------------------------------|---------------------|------------------|
| 2000 ALASKAN<br>TILLER    | 60 / 150        | MERCURY 90ELPT                        | 1 / 2*        | 13 X 17 X 4.25 RH 4 -BLADE      | 17P SPITFIRE X7     | 35-39            |
|                           |                 | MERCURY 115ELPT PRO XS                | 1 / 2*        | 13 X 17 X 4.25 RH 4 -BLADE      | 17P SPITFIRE X7     | 38-42            |
|                           |                 | MERCURY 115ELPT PRO XS COMMAND THRUST | 2             |                                 | N/A                 | 38-42            |
|                           |                 | MERCURY 150XL 45TK                    | 2             | N/A                             | 19P TEMPEST         | 43-47            |
|                           |                 | MERCURY 150XL PRO XS 45TK             | 2             | N/A                             | 19P TEMPEST         | 43-47            |
| 1650 ANGLER<br>SPORT & SS | 40 / 60         | MERCURY 40ELPT                        | 2             | 10.6 X 12 MERCURY® SPITFIRE     | N/A                 | 23-27            |
|                           |                 | MERCURY 50ELPT                        | 2             | 10.6 X 12 MERCURY® SPITFIRE     | N/A                 | 29-33            |
|                           |                 | MERCURY 60ELPT                        | 2             | 10.1 X 14 MERCURY® SPITFIRE     | N/A                 | 31-35            |
| 1650 ANGLER<br>TILLER     | 40 / 50         | MERCURY 40ELHPT                       | 2             | 10.6 X 12 MERCURY® SPITFIRE     | N/A                 | 23-27            |
|                           |                 | MERCURY 50ELHPT                       | 2             | 10.3 X 13 MERCURY® SPITFIRE     | N/A                 | 29-33            |
| 2275 BARON                | 150 / 400       | MERCURY 250XL DTS 45TK                | 3             | N/A                             | 19P TEMPEST         | 52-56            |
|                           |                 | MERCURY 250XL DTS 45TK VERADO         | 3             | N/A                             | 19P TEMPEST         | 52-56            |
|                           |                 | MERCURY 250XL PRO XS DTS 45TK         | 3             | N/A                             | 19P TEMPEST         | 52-56            |
|                           |                 | MERCURY 300XL DTS 4 5TK               | 3             | N/A                             | 19P TEMPEST         | 55-59            |
|                           |                 | MERCURY 300XL DTS 45TK VERADO         | 3             | N/A                             | 19P TEMPEST         | 55-59            |
|                           |                 | MERCURY 300XL PRO XS DTS 45TK         | 3             | N/A                             | 19P TEMPEST         | 55-59            |
|                           |                 | MERCURY 350XL L6 VERADO               | 3             | N/A                             | 19P TEMPEST         | 55-59            |
|                           |                 | MERCURY 400XL L6 VERADO               | 3             | N/A                             | 19P TEMPEST         | 57-61            |
| 1775 CROSSOVER            | 115 / 150       | MERCURY 115EXLPT                      | 1             | 13 X 17 X 4.25 RH 4 -BLADE ALUM | 17P SPITFIRE X7     | 39-43            |
|                           |                 | MERCURY 115EXLPT PRO XS 4 5TK         | 1             | 13 X 17 X 4.25 RH 4 -BLADE ALUM | 17P SPITFIRE X7     | 39-43            |
|                           |                 | MERCURY 150XL 45TK                    | 2             | N/A                             | 19P TEMPEST         | 49-53            |
|                           |                 | MERCURY 150XL PRO XS 45TK             | 2             | N/A                             | 19P TEMPEST         | 49-53            |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL            | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM)              | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|-----------------------|-----------------|-------------------------------|---------------|---------------------------------|---------------------|------------------|
| <b>1875 CROSSOVER</b> | 115 / 175       | MERCURY 115EXLPT              | 2             | 13 X 17 X 4.25 RH 4 -BLADE ALUM | 17P SPITFIRE X7     | 38-42            |
|                       |                 | MERCURY 115EXLPT PRO XS 4 STK | 2             | 13 X 17 X 4.25 RH 4 -BLADE ALUM | 17P SPITFIRE X7     | 38-42            |
|                       |                 | MERCURY 150XL 4STK            | 2             | N/A                             | 19P TEMPEST         | 48-52            |
|                       |                 | MERCURY 150XL PRO XS 4STK     | 2             | N/A                             | 19P TEMPEST         | 48-52            |
|                       |                 | MERCURY 175XL 4 STK           | 2             | N/A                             | 19P TEMPEST         | 50-54            |
|                       |                 | MERCURY 175XL PRO XS 4 STK    | 2             | N/A                             | 19P TEMPEST         | 50-54            |
| <b>1875 FISHERMAN</b> | 115 / 150       | MERCURY 115EXLPT              | 1             | 13 X 17 X 4.25 RH 4 -BLADE ALUM | 17P SPITFIRE X7     | 37-41            |
|                       |                 | MERCURY 115EXLPT PRO XS 4 STK | 1             | 13 X 17 X 4.25 RH 4 -BLADE ALUM | 17P SPITFIRE X7     | 37-41            |
|                       |                 | MERCURY 150XL 4STK            | 2             | N/A                             | 19P TEMPEST         | 43-47            |
|                       |                 | MERCURY 150XL PRO XS 4STK     | 2             | N/A                             | 19P TEMPEST         | 43-47            |
| <b>2075 FISHERMAN</b> | 150 / 200       | MERCURY 150XL 4STK            | 2             | N/A                             | 17P TEMPEST         | 38-42            |
|                       |                 | MERCURY 150XL PRO XS 4STK     | 2             | N/A                             | 17P TEMPEST         | 38-42            |
|                       |                 | MERCURY 175XL 4 STK           | 2             | N/A                             | 19P TEMPEST         | 40-44            |
|                       |                 | MERCURY 175XL PRO XS 4 STK    | 2             | N/A                             | 19P TEMPEST         | 40-44            |
|                       |                 | MERCURY 200XL 4STK            | 3             | N/A                             | 19P TEMPEST         | 43-47            |
|                       |                 | MERCURY 200XL DTS 4STK        | 3             | N/A                             | 19P TEMPEST         | 43-47            |
|                       |                 | MERCURY 200XL PRO XS DTS 4STK | 3             | N/A                             | 19P TEMPEST         | 43-47            |
|                       |                 | MERCURY 20ELHPT               | 2             | N/A                             | N/A                 | 17-21            |
| <b>1400 FURY</b>      | 20 / 30         | MERCURY 25ELPT                | 2             | 9.75 X 9.5 ALUM                 | N/A                 | 22-26            |
|                       |                 | MERCURY 25ELHPT               | 2             | 9.75 X 9.5 ALUM                 | N/A                 | 22-26            |
|                       |                 | MERCURY 30ELPT                | 2             | 9.3 X 11 MERCURY® SPITFIRE      | N/A                 | 23-27            |
|                       |                 | MERCURY 30ELHPT               | 2             | 9.3 X 11 MERCURY® SPITFIRE      | N/A                 | 23-27            |
|                       |                 |                               |               |                                 |                     |                  |



# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL       | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM)          | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|------------------|-----------------|-------------------------------|---------------|-----------------------------|---------------------|------------------|
| 1600 FURY SS     | 20 / 40         | MERCURY 20ELPT                | 2             | N/A                         | N/A                 | 20-24            |
|                  |                 | MERCURY 25ELPT                | 2             | 9.75 X 9.5 ALUM             | N/A                 | 21-25            |
|                  |                 | MERCURY 30ELPT                | 2             | 9.3 X 11 MERCURY® SPITFIRE  | N/A                 | 22-26            |
|                  |                 | MERCURY 40ELPT                | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 28-32            |
|                  |                 | MERCURY 20MLH                 | 2             | N/A                         | N/A                 | 17-21            |
| 1600 FURY TILLER | 20 / 40         | MERCURY 20ELHPT               | 2             | N/A                         | N/A                 | 17-21            |
|                  |                 | MERCURY 25ELHPT               | 2             | 9.75 X 9.5 ALUM             | N/A                 | 22-26            |
|                  |                 | MERCURY 30ELHPT               | 2             | 9.3 X 11 MERCURY® SPITFIRE  | N/A                 | 23-27            |
|                  |                 | MERCURY 40ELPT                | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 28-32            |
|                  |                 | MERCURY 40ELHPT               | 2             | 10.6 X 12 MERCURY® SPITFIRE | N/A                 | 28-32            |
| 1775 IMPACT XS   | 75 / 125        | MERCURY 90EXLPT               | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 36-40            |
|                  |                 | MERCURY 115EXLPT              | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 41-45            |
|                  |                 | MERCURY 115EXLPT PRO XS 4 STK | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 41-45            |
|                  |                 | MERCURY 115EXLPT              | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 40-44            |
| 1875 IMPACT XS   | 90 / 150        | MERCURY 115EXLPT PRO XS 4 STK | 1             | 13 X 17 X 4.25 RH 4 -BLADE  | 17P SPITFIRE X7     | 40-44            |
|                  |                 | MERCURY 150XL 45TK            | 2             | N/A                         | 19P TEMPEST         | 48-52            |
|                  |                 | MERCURY 150XL PRO XS 45TK     | 2             | N/A                         | 19P TEMPEST         | 48-52            |
|                  |                 | MERCURY 150XL 45TK            | 2             | N/A                         | 19P TEMPEST         | 43-47            |
| 2025 IMPACT XS   | 135 / 200       | MERCURY 150XL PRO XS 45TK     | 2             | N/A                         | 19P TEMPEST         | 43-47            |
|                  |                 | MERCURY 175XL 4 STK           | 2             | N/A                         | 19P TEMPEST         | 46-50            |
|                  |                 | MERCURY 175XL PRO XS 4 STK    | 2             | N/A                         | 19P TEMPEST         | 46-50            |
|                  |                 | MERCURY 200XL 45TK            | 2             | N/A                         | 19P TEMPEST         | 48-52            |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL                | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM)              | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|---------------------------|-----------------|-------------------------------|---------------|---------------------------------|---------------------|------------------|
| 2025 IMPACT XS<br>(Cont.) | 135 / 200       | MERCURY 200XL DTS 45TK        | 2             | N/A                             | 19P TEMPEST         | 48-52            |
|                           |                 | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                             | 19P TEMPEST         | 48-52            |
|                           |                 | MERCURY 60ELPT                | 2             | 10.3 X 13 SPITFIRE              | N/A                 | 30-34            |
| 1775 PRO GUIDE            | 60 / 75         | MERCURY 75ELPT                | 2             | 13 X 17 X 4.25 RH 4 -BLADE ALUM | 17P SPITFIRE X7     | 34-38            |
| 1875 PRO GUIDE            | 90              | MERCURY 90EXLPT               | 2             | 13 X 17 X 4.25 RH 4 -BLADE ALUM | 17P SPITFIRE X7     | 36-40            |
|                           |                 | MERCURY 150XL 45TK            | 2             | N/A                             | 19P TEMPEST         | 42-46            |
|                           |                 | MERCURY 150XL PRO XS 45TK     | 2             | N/A                             | 19P TEMPEST         | 42-46            |
| 2075 PRO GUIDE            | 115 / 250       | MERCURY 175XL 4 5TK           | 2             | N/A                             | 19P TEMPEST         | 44-48            |
|                           |                 | MERCURY 175XL PRO XS 4 5TK    | 2             | N/A                             | 19P TEMPEST         | 44-48            |
|                           |                 | MERCURY 200XL 45TK            | 2             | N/A                             | 19P TEMPEST         | 47-51            |
|                           |                 | MERCURY 200XL DTS 45TK        | 2             | N/A                             | 19P TEMPEST         | 47-51            |
|                           |                 | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                             | 19P TEMPEST         | 47-51            |
|                           |                 | MERCURY 225XL DTS 45TK        | 2             | N/A                             | 19P TEMPEST         | 49-53            |
|                           |                 | MERCURY 250XL DTS 45TK        | 3             | N/A                             | 19P TEMPEST         | 52-56            |
| 1875 PRO-V                | 135 / 200       | MERCURY 150XL 45TK            | 2             | N/A                             | 19P TEMPEST         | 46-50            |
|                           |                 | MERCURY 150XL PRO XS 45TK     | 2             | N/A                             | 19P TEMPEST         | 46-50            |
|                           |                 | MERCURY 175XL 4 5TK           | 2             | N/A                             | 19P TEMPEST         | 48-52            |
|                           |                 | MERCURY 175XL PRO XS 4 5TK    | 2             | N/A                             | 19P TEMPEST         | 48-52            |
|                           |                 | MERCURY 200XL 45TK            | 2             | N/A                             | 19P TEMPEST         | 52-56            |
|                           |                 | MERCURY 200XL DTS 45TK        | 2             | N/A                             | 19P TEMPEST         | 52-56            |
|                           |                 | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                             | 19P TEMPEST         | 52-56            |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL        | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM) | PROP<br>(STAINLESS)                | APPROX.<br>SPEED |
|-------------------|-----------------|-------------------------------|---------------|--------------------|------------------------------------|------------------|
| <b>1975 PRO-V</b> | 135 / 225       | MERCURY 150XL 45TK            | 2             | N/A                | 19P TEMPEST                        | 44-48            |
|                   |                 | MERCURY 150XL PRO XS 45TK     | 2             | N/A                | 19P TEMPEST                        | 44-48            |
|                   |                 | MERCURY 175XL 4 5TK           | 2             | N/A                | 19P TEMPEST                        | 46-50            |
|                   |                 | MERCURY 175XL PRO XS 4 5TK    | 2             | N/A                | 19P TEMPEST                        | 46-50            |
|                   |                 | MERCURY 200XL 45TK            | 2             | N/A                | 19P TEMPEST                        | 50-54            |
|                   |                 | MERCURY 200XL DTS 45TK        | 2             | N/A                | 19P TEMPEST                        | 50-54            |
|                   |                 | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST                        | 50-54            |
|                   |                 | MERCURY 225XL DTS 45TK        | 2             | N/A                | 19P TEMPEST                        | 52-56            |
|                   |                 | MERCURY 225XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST                        | 52-56            |
|                   |                 | MERCURY 250XL DTS 45TK        | 3             | N/A                | 19P TEMPEST                        | 54-58            |
| <b>2075 PRO-V</b> | 200 / 300       | MERCURY 250XL DTS 45TK VERADO | 3             | N/A                | 19P TEMPEST                        | 54-58            |
|                   |                 | MERCURY 250XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST                        | 54-58            |
|                   |                 | MERCURY 300XL DTS 4 5TK       | 3             | N/A                | 19P TEMPEST                        | 56-61            |
|                   |                 | MERCURY 300XL DTS 45TK VERADO | 3             | N/A                | 19P TEMPEST                        | 56-61            |
|                   |                 | MERCURY 300XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST                        | 56-61            |
|                   |                 | MERCURY 300XL DTS 4 5TK       | 3             | N/A                | 19P TEMPEST                        | 53-57            |
|                   |                 | MERCURY 300XL DTS 45TK VERADO | 3             | N/A                | 14.625 X 21 X 3 RH<br>TEMPEST PLUS | 53-57            |
| <b>2175 PRO-V</b> | 200 / 400       | MERCURY 300XL PRO XS DTS 45TK | 3             | N/A                | 14.625 X 21 X 3 RH<br>TEMPEST PLUS | 53-57            |
|                   |                 | MERCURY 350XL L6 VERADO       | 3             | N/A                | 15 X 22 BRAVO                      | 55-59            |
|                   |                 | MERCURY 400XL L6 VERADO       | 3             | N/A                | 15 X 20 BRAVO LF1                  | 57-61            |
|                   |                 |                               |               |                    |                                    |                  |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL            | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM) | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|-----------------------|-----------------|-------------------------------|---------------|--------------------|---------------------|------------------|
| 1875 PRO-V<br>BASS XS | 115 / 200       | MERCURY 150XL 4STK            | 3             | N/A                | 19P TEMPEST         | 46-50            |
|                       |                 | MERCURY 150XL PRO XS 4STK     | 3             | N/A                | 19P TEMPEST         | 46-50            |
|                       |                 | MERCURY 175XL 4 STK           | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                       |                 | MERCURY 175XL PRO XS 4 STK    | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                       |                 | MERCURY 200XL 4STK            | 3             | N/A                | 19P TEMPEST         | 52-56            |
|                       |                 | MERCURY 200XL DTS 4STK        | 3             | N/A                | 19P TEMPEST         | 52-56            |
|                       |                 | MERCURY 200XL PRO XS DTS 4STK | 3             | N/A                | 19P TEMPEST         | 52-56            |
| 2075 PRO-V<br>BASS XS | 175 / 250       | MERCURY 200XL 4STK            | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                       |                 | MERCURY 200XL DTS 4STK        | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                       |                 | MERCURY 200XL PRO XS DTS 4STK | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                       |                 | MERCURY 225XL DTS 4STK        | 3             | N/A                | 19P TEMPEST         | 51-55            |
|                       |                 | MERCURY 225XL PRO XS DTS 4STK | 3             | N/A                | 19P TEMPEST         | 51-55            |
|                       |                 | MERCURY 250XL DTS 4STK        | 3             | N/A                | 21P TEMPEST         | 56-60            |
|                       |                 | MERCURY 250XL DTS 4STK VERADO | 3             | N/A                | 21P TEMPEST         | 56-60            |
| 189 PRO-V GL          | 150 / 200       | MERCURY 250XL PRO XS DTS 4STK | 3             | N/A                | 21P TEMPEST         | 56-60            |
|                       |                 | MERCURY 150XL PRO XS 4STK     | 1             | N/A                | 19P TEMPEST         | 46-50            |
|                       |                 | MERCURY 175XL PRO XS 4 STK    | 2             | N/A                | 19P TEMPEST         | 48-52            |
|                       |                 | MERCURY 200XL DTS 4STK        | 2             | N/A                | 19P ENERTIA         | 50-54            |
|                       |                 | MERCURY 200XL PRO XS DTS 4STK | 2             | N/A                | 19P ENERTIA         | 50-54            |
|                       |                 |                               |               |                    |                     |                  |
|                       |                 |                               |               |                    |                     |                  |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL             | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM) | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|------------------------|-----------------|-------------------------------|---------------|--------------------|---------------------|------------------|
| 219 PRO-V GL           | 225 / 400       | MERCURY 300XL DTS 45TK VERADO | 2             | N/A                | 15 X 22 BRAVO       | 53-57            |
|                        |                 | MERCURY 350XL L6 VERADO       | 2             | N/A                | 15.25 X 22 BRAVO    | 56-60            |
| 1875 PRO-V<br>MUSKY XS | 115 / 200       | MERCURY 150XL 45TK            | 3             | N/A                | 19P TEMPEST         | 46-50            |
|                        |                 | MERCURY 150XL PRO XS 45TK     | 3             | N/A                | 19P TEMPEST         | 46-50            |
|                        |                 | MERCURY 175XL 4 STK           | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                        |                 | MERCURY 175XL PRO XS 4 STK    | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                        |                 | MERCURY 200XL 45TK            | 3             | N/A                | 19P TEMPEST         | 52-56            |
|                        |                 | MERCURY 200XL DTS 45TK        | 3             | N/A                | 19P TEMPEST         | 52-56            |
| 2075 PRO-V<br>MUSKY XS | 175 / 250       | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST         | 52-56            |
|                        |                 | MERCURY 200XL 45TK            | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                        |                 | MERCURY 200XL DTS 45TK        | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                        |                 | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST         | 48-52            |
|                        |                 | MERCURY 225XL DTS 45TK        | 3             | N/A                | 19P TEMPEST         | 51-55            |
|                        |                 | MERCURY 225XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST         | 51-55            |
|                        |                 | MERCURY 250XL DTS 45TK        | 3             | N/A                | 21P TEMPEST         | 56-60            |
|                        |                 | MERCURY 250XL DTS 45TK VERADO | 3             | N/A                | 21P TEMPEST         | 56-60            |
|                        |                 | MERCURY 250XL PRO XS DTS 45TK | 3             | N/A                | 21P TEMPEST         | 56-60            |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL                  | HP<br>(MIN/MAX) | ENGINE                                          | MOUNT<br>HOLE | PROP<br>(ALUMINUM)           | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|-----------------------------|-----------------|-------------------------------------------------|---------------|------------------------------|---------------------|------------------|
| 1650 REBEL XL<br>SPORT & SS | 50 / 90         | MERCURY 50ELPT                                  | 2             | 10.6 X 12 MERCURY® SPITFIRE  | N/A                 | 29-33            |
|                             |                 | MERCURY 60ELPT                                  | 2             | 10.3 X 13 MERCURY® SPITFIRE  | N/A                 | 30-34            |
|                             |                 | MERCURY 75ELPT                                  | 2             | 13 X 17 X 4.25 RH 4 -BLADE   | 17P SPITFIRE X7     | 34-38            |
|                             |                 | MERCURY 90ELPT                                  | 2             | 13 X 17 X 4.25 RH 4 -BLADE   | 17P SPITFIRE X7     | 37-41            |
| 1650 REBEL XL<br>TILLER     | 40 / 60         | MERCURY 40ELPT                                  | 2             | 10.6 X 12 MERCURY® SPITFIRE  | N/A                 | 28-32            |
|                             |                 | MERCURY 40ELHPT                                 | 2             | 10.6 X 12 MERCURY® SPITFIRE  | N/A                 | 28-32            |
|                             |                 | MERCURY 40ELH                                   | 2             | 10.6 X 12 MERCURY® SPITFIRE  | N/A                 | 28-32            |
|                             |                 | MERCURY 50ELPT                                  | 2             | 10.6 X 12 MERCURY® SPITFIRE  | N/A                 | 29-33            |
|                             |                 | MERCURY 50ELHPT                                 | 2             | 10.6 X 12 MERCURY® SPITFIRE  | N/A                 | 29-33            |
|                             |                 | MERCURY 60ELPT                                  | 2             | 10.3 X 13 MERCURY® SPITFIRE  | N/A                 | 30-34            |
|                             |                 | MERCURY 60ELHPT                                 | 2             | 10.3 X 13 MERCURY® SPITFIRE  | N/A                 | 30-34            |
|                             |                 | MERCURY 60ELHPT COMMAND THRUST W/<br>BIG TILLER | 2             | 14 X 13 BLACK MAX            | N/A                 | 30-34            |
| 1775 RENEGADE               | 50 / 90         | MERCURY 50ELPT                                  | 1             | 10.6 X 12 MERCURY® SPITFIRE  | N/A                 | 28-32            |
|                             |                 | MERCURY 60ELPT                                  | 1             | 10.3 X 13 MERCURY® SPITFIRE  | N/A                 | 30-34            |
|                             |                 | MERCURY 75ELPT                                  | 1             | 13 X 17 X 4.25 RH 4 -BLADE   | 17P SPITFIRE X7     | 34-38            |
|                             |                 | MERCURY 90ELPT                                  | 1             | 13 X 17 X 4.25 RH 4 -BLADE   | 17P SPITFIRE X7     | 38-42            |
| 1875 RENEGADE               | 90 / 115        | MERCURY 75ELPT                                  | 4             | 13 X 17 X 4.25 RH 4 -BLADE   | 17P SPITFIRE X7     | 34-38            |
|                             |                 | MERCURY 90ELPT                                  | 4             | 13 X 17 X 4.25 RH 4 -BLADE   | 17P SPITFIRE X7     | 38-42            |
|                             |                 | MERCURY 115ELPT                                 | 4             | 12.5 X 19 X 4.25 RH 4 -BLADE | 18P VENGEANCE       | 42-46            |
|                             |                 | MERCURY 115ELPT PRO XS                          | 4             | 12.5 X 19 X 4.25 RH 4 -BLADE | 18P VENGEANCE       | 42-46            |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL    | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM)             | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|---------------|-----------------|-------------------------------|---------------|--------------------------------|---------------------|------------------|
| 1975 RENEGADE | 115 / 150       | MERCURY 115ELPT               | 4             | 12.5 X 19 X 4.25 RH 4-BLADE    | 18P VENGEANCE       | 40-44            |
|               |                 | MERCURY 115ELPT PRO XS        | 4             | 12.5 X 19 X 4.25 RH 4-BLADE    | 18P VENGEANCE       | 40-44            |
|               |                 | MERCURY 150L                  | 4             | N/A                            | 21P TEMPEST         | 45-49            |
|               |                 | MERCURY 150L PRO XS           | 4             | N/A                            | 21P TEMPEST         | 45-49            |
| 1875 TYEE     | 115 / 200       | MERCURY 115EXLPT PRO XS 4 STK | 1             | 13 X 17 X 4.25 RH 4-BLADE ALUM | 17P SPITFIRE X7     | 38-42            |
|               |                 | MERCURY 115EXLPT              | 1             | 13 X 17 X 4.25 RH 4-BLADE ALUM | 17P SPITFIRE X7     | 38-42            |
|               |                 | MERCURY 150XL PRO XS 45TK     | 2             | N/A                            | 19P TEMPEST         | 46-50            |
|               |                 | MERCURY 150XL 45TK            | 2             | N/A                            | 19P TEMPEST         | 46-50            |
|               |                 | MERCURY 175XL PRO XS 4 STK    | 2             | N/A                            | 19P TEMPEST         | 48-52            |
|               |                 | MERCURY 175XL 4 STK           | 2             | N/A                            | 19P TEMPEST         | 48-52            |
|               |                 | MERCURY 200XL 45TK            | 2             | N/A                            | 19P TEMPEST         | 49-53            |
|               |                 | MERCURY 200XL DTS 45TK        | 2             | N/A                            | 19P TEMPEST         | 49-53            |
|               |                 | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                            | 19P TEMPEST         | 49-53            |
|               |                 | MERCURY 150XL 45TK            | 2             | N/A                            | 17P TEMPEST         | 44-48            |
| 1975 TYEE     | 135 / 225       | MERCURY 150XL PRO XS 45TK     | 2             | N/A                            | 17P TEMPEST         | 44-48            |
|               |                 | MERCURY 175XL 4 STK           | 2             | N/A                            | 19P TEMPEST         | 48-52            |
|               |                 | MERCURY 175XL PRO XS 4 STK    | 2             | N/A                            | 19P TEMPEST         | 48-52            |
|               |                 | MERCURY 200XL 45TK            | 2             | N/A                            | 19P TEMPEST         | 48-52            |
|               |                 | MERCURY 200XL DTS 45TK        | 2             | N/A                            | 19P TEMPEST         | 48-52            |
|               |                 | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                            | 19P TEMPEST         | 48-52            |
|               |                 | MERCURY 225XL 45TK            | 2             | N/A                            | 19P TEMPEST         | 49-53            |
|               |                 | MERCURY 225XL DTS 45TK        | 2             | N/A                            | 19P TEMPEST         | 49-53            |
|               |                 | MERCURY 225XL PRO XS DTS 45TK | 3             | N/A                            | 19P TEMPEST         | 49-53            |
|               |                 |                               |               |                                |                     |                  |

# LUND 2023 PROP SELECTOR GUIDE

| BOAT MODEL  | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM) | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|-------------|-----------------|-------------------------------|---------------|--------------------|---------------------|------------------|
| 2075 TYEE   | 150 / 250       | MERCURY 200XL 45TK            | 2             | N/A                | 19P TEMPEST         | 46-50            |
|             |                 | MERCURY 200XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST         | 46-50            |
|             |                 | MERCURY 225XL DTS 45TK        | 2             | N/A                | 19P TEMPEST         | 50-54            |
|             |                 | MERCURY 225XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST         | 50-54            |
|             |                 | MERCURY 250XL DTS 45TK        | 3             | N/A                | 19P TEMPEST         | 52-56            |
|             |                 | MERCURY 250XL DTS 45TK VERADO | 3             | N/A                | 19P TEMPEST         | 52-56            |
|             |                 | MERCURY 250XL PRO XS DTS 45TK | 3             | N/A                | 19P TEMPEST         | 52-56            |
| 189 TYEE GL | 150 / 200       | MERCURY 150XL PRO XS 45TK     | 1             | N/A                | 19P TEMPEST         | 46-50            |
|             |                 | MERCURY 175XL PRO XS 4 5TK    | 2             | N/A                | 19P TEMPEST         | 48-52            |
|             |                 | MERCURY 200XL DTS 45TK        | 2             | N/A                | 19P ENERTIA         | 50-54            |
|             |                 | MERCURY 200XL PRO XS DTS 45TK | 2             | N/A                | 19P ENERTIA         | 50-54            |



# 2023 LUND PROMOTION

## MILITARY & HIGH SCHOOL ANGLING DISCOUNTS

| MODEL             | DISCOUNT |
|-------------------|----------|
| 1675 ADVENTURE    | \$600    |
| 1775 ADVENTURE    | \$700    |
| 1600 ALASKAN      | \$600    |
| 1800 ALASKAN      | \$700    |
| 2000 ALASKAN      | \$800    |
| 1650 ANGLER       | \$400    |
| 2275 BARON        | \$1,500  |
| 1775 CROSSOVER XS | \$700    |
| 1875 CROSSOVER XS | \$1,000  |
| 1875 FISHERMAN    | \$800    |
| 2075 FISHERMAN    | \$1,000  |
| 1400 FURY         | \$300    |
| 1600 FURY         | \$300    |
| 1675 IMPACT       | \$600    |
| 1775 IMPACT       | \$700    |
| 1875 IMPACT       | \$800    |
| 2025 IMPACT       | \$1,200  |
| 1648 JON BOATS    | \$100    |
| 1852 JON BOATS    | \$100    |
| PREDATORS         | \$300    |

| MODEL                   | DISCOUNT |
|-------------------------|----------|
| 1775 PRO GUIDE          | \$700    |
| 1875 PRO GUIDE          | \$800    |
| 2075 PRO GUIDE          | \$1,000  |
| 1875 PRO V (ALL MODELS) | \$1,200  |
| 1975 PRO V              | \$1,300  |
| 2075 PRO V (ALL MODELS) | \$1,400  |
| 2175 PRO V              | \$1,500  |
| 189 PRO V GL            | \$1,200  |
| 202 PRO V GL            | \$1,400  |
| 219 PRO V GL            | \$1,500  |
| 1650 REBEL XL           | \$500    |
| 1775 RENEGADE           | \$400    |
| 1875 RENEGADE           | \$500    |
| 1975 RENEGADE           | \$600    |
| SSV (ALL MODELS)        | \$100    |
| 1875 TYEE               | \$1,000  |
| 1975 TYEE               | \$1,000  |
| 2075 TYEE               | \$1,400  |
| 189 TYEE GL             | \$1,000  |
| WC (ALL MODELS)         | \$100    |

# FINANCING GUIDE

Schedule of monthly payments per each  
\$1,000 borrowed

| INTEREST<br>RATES | 36<br>MO. | 48<br>MO. | 60<br>MO. | 72<br>MO. | 84<br>MO. | 96<br>MO. |
|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| 6%                | 30.42     | 23.49     | 19.33     | 16.57     | 14.61     | 13.14     |
| 7%                | 30.88     | 23.95     | 19.80     | 17.05     | 15.09     | 13.63     |
| 8%                | 31.34     | 24.41     | 20.28     | 17.53     | 15.59     | 14.14     |
| 9%                | 31.80     | 24.89     | 20.76     | 18.03     | 16.09     | 14.65     |
| 10%               | 32.27     | 25.36     | 21.25     | 18.53     | 16.60     | 15.17     |
| 11%               | 32.74     | 25.85     | 21.74     | 19.03     | 17.12     | 15.71     |
| 12%               | 33.21     | 26.33     | 22.24     | 19.55     | 17.65     | 16.25     |
| 13%               | 33.69     | 26.83     | 22.75     | 20.07     | 18.19     | 16.81     |
| 14%               | 34.18     | 27.33     | 23.27     | 20.61     | 18.74     | 17.37     |